

AJLP2026
Information Technology Hardware
& Software Product Lines

From AJLP2026_Hardware & Software Products ITB
PROPOSAL Submission

Only 10 Pages included in Hard Copy Bid Book. Full AJLP Price List on Electronic Copy

Vendor Notes:

Proposed Product Line/Service	Axis Communication
Proposing Company Name:	Blue Plains Technology
Proposal Contact's AIM Username:	torv_helton@blueplains.net

\$ -

Manufacturer Model Number	Bidder SKU	Product Line/Service Name	Description/Specifications of Product or Service (Speed/Bandwidth, etc. if applicable)	xx.xx (Example: 5.68)		D-100		ALJP Proposed Price/UoM	ALJP Category (REQUIRED) drop-down	use	ALJP Category if current categories do not apply	Product/Service Category (if applicable) (Partial/Full if applicable)
				Base price from Base Price Source Proposed	UoM (Mbps/Gbps)	Proposed Discount %	Proposed Price/UoM					
03129-001	03129-001	2N Access Commander Box 2.0	Second generation of 01672-001 2N AC - BOX PC. The 2N® Access Commander Box 2.0 is an ultra compact computer with pre-installed 2N® Access Commander – software designed for access control configuration and 2N devices management. It is ready to use, plug and play solution which requires only a power supply and an Ethernet cable to be connected to the computer.	\$ 949.00	Each	5%	\$ 901.55	Access Control		Security		Product
01371-001	01371-001	2N AU - RJ45 CONNECTOR CABLE	2N Access Unit - RJ45 connector cable	\$ 13.00	Each	5%	\$ 12.35	Access Control		Security		Product
02137-001	02137-001	2N AU - RFID 125kHz 2G	2N Access Unit 2.0 - RFID 125kHz, second generation with better reading distance/time	\$ 499.00	Each	5%	\$ 474.05	Access Control		Security		Product
02146-001	02146-001	2N AU 2.0 RFID 125k/13M NFC SEC 2G	2N Access Unit - RFID 125kHz/13.56MHz NFC, second generation with better reading distance/time, reads PACS ID	\$ 639.00	Each	5%	\$ 607.05	Access Control		Security		Product
02142-001	02142-001	2N AU 2.0 - 13.56MHz NFC SEC. 2G	2N Access Unit - RFID 13.56MHz NFC secured (reads PACS ID), second generation with better reading distance/time	\$ 569.00	Each	5%	\$ 540.55	Access Control		Security		Product
02143-001	02143-001	2N AU 2.0 - RFID 13.56MHz NFC 2G	2N Access Unit 2.0 - RFID 13.56MHz, second generation with better reading distance/time	\$ 479.00	Each	5%	\$ 455.05	Access Control		Security		Product
02262-001	02262-001	2N AU 2.0 Touch keypad	2N Access Unit 2.0 touch keypad	\$ 409.00	Each	5%	\$ 388.55	Access Control		Security		Product
02263-001	02263-001	2N AU 2.0 Fingerprint reader	2N Access Unit 2.0 Fingerprint reader	\$ 809.00	Each	5%	\$ 768.55	Access Control		Security		Product
02909-001	02909-001	2N AU M 13.56 MHz NFC	Replacement of 02393-001 with 3m long Ethernet cable	\$ 469.00	Each	5%	\$ 445.55	Access Control		Security		Product
02910-001	02910-001	2N AU M 125kHz 13.56MHz NFC	Replacement of 02394-001 with 3m long Ethernet cable	\$ 589.00	Each	5%	\$ 559.55	Access Control		Security		Product
02911-001	02911-001	2N AU M BT&RFID125kHz 13.56MHz NFC	Replacement of 02395-001 with 3m long Ethernet cable	\$ 769.00	Each	5%	\$ 730.55	Access Control		Security		Product
02912-001	02912-001	2N AU M KPD&RFID 125k 13.56M NFC	Replacement of 02396-001 with 3m long Ethernet cable	\$ 709.00	Each	5%	\$ 673.55	Access Control		Security		Product
02940-001	02940-001	2N Access Unit M Flush Box	Flush mounting accessory for 02909-001, 02910-001, 02911-001, and 02912-001	\$ 37.00	Each	5%	\$ 35.15	Access Control		Security		Product
02932-001	02932-001	2N Access Unit M mounting spacer	Spacer mounting accessory for 02909-001, 02910-001, 02911-001, and 02912-001	\$ 37.00	Each	5%	\$ 35.15	Access Control		Security		Product
02775-001	02775-001	2N AU2.0 KPD&RFID125,13.56secNFC	2N AU2.0 READER, Keypad, RFID 125kHz, 13.56MHz, NFC, secured, PICard	\$ 849.00	Each	5%	\$ 806.55	Access Control		Security		Product
02774-001	02774-001	2N AU2.0 KPD&RFID125,13.56NFC	2N AU2.0 READER, Keyboard, RFID 125kHz, 13.56 MHz, NFC, PICard	\$ 719.00	Each	5%	\$ 683.05	Access Control		Security		Product
02773-001	02773-001	2N AU2.0 BLE RFID125,13.56secNFC	2N AU2.0 READER, Bluetooth, RFID 125kHz, 13.56MHz, NFC, secured, PICard	\$ 979.00	Each	5%	\$ 930.05	Access Control		Security		Product
02772-001	02772-001	2N AU2.0 BLE RFID125,13.56NFC	2N AU 2.0 READER, BLE, RFID 125kHz, 13.56MHz, NFC, PICard	\$ 849.00	Each	5%	\$ 806.55	Access Control		Security		Product
02777-001	02777-001	2N AU2.0 KPD, BLE&RFID125,13secNFC	2N AU 2.0 READER, BLE, RFID 125kHz, 13.56MHz, NFC, secured, PICard	\$ 1,209.00	Each	5%	\$ 1,148.55	Access Control		Security		Product
02776-001	02776-001	2N AU2.0 KPD, BLE&RFID125,13.56NFC	2N AU 2.0, Keypad, Bluetooth, RFID 125kHz, 13.56MHz, NFC, PICard	\$ 1,029.00	Each	5%	\$ 977.55	Access Control		Security		Product
03089-001	03089-001	2N Access Unit QR	Stand-alone QR code access control reader that comes as a 2-module version (one empty module for further expansion) in the nickel colour option. Compatible with all 2N IP Verso accessory items, including the mounting options and frames.	\$ 739.00	Each	5%	\$ 702.05	Access Control		Security		Product
01526-001	01526-001	2N IP AUDIO KIT	2N IP Audio Kit – SIP module for embedded installation	\$ 409.00	Each	5%	\$ 388.55	Access Control		Security		Product
01478-001	01478-001	2N IP AUDIO KIT - MIC & SPK SET	2N IP Audio Kit - microphone & speaker set	\$ 49.00	Each	5%	\$ 46.55	Access Control		Security		Product
01479-001	01479-001	2N IP AUDIO KIT - BUTTON	2N IP Audio Kit - stainless steel backlit button	\$ 37.00	Each	5%	\$ 35.15	Access Control		Security		Product
02571-001	02571-001	2N IP AUDIO KIT - SPEAKER	2N IP Audio Kit - speaker	\$ 21.00	Each	5%	\$ 19.95	Access Control		Security		Product
02570-001	02570-001	2N IP AUDIO KIT - MICROPHONE	2N IP Audio Kit - microphone	\$ 21.00	Each	5%	\$ 19.95	Access Control		Security		Product
01357-001	01357-001	2N IP BASE - CAM BLACK	2N IP Base - camera, black frame	\$ 889.00	Each	5%	\$ 844.55	Access Control		Security		Product
01360-001	01360-001	2N IP BASE - BACKPLATE	2N IP Base - backplate for easier surface installation	\$ 73.00	Each	5%	\$ 69.35	Access Control		Security		Product
02017-001	02017-001	2N IP BASE DOUBLE BUTTON	2N IP Base double button spare part	\$ 28.00	Each	5%	\$ 26.60	Access Control		Security		Product
02228-001	02228-001	2N IP Base Single button	2N IP Base - single button spare part	\$ 26.00	Each	5%	\$ 24.70	Access Control		Security		Product
02362-001	02362-001	2N IP BASE UPPER METAL FIXTURE	Spare part - metal fixture for 2N IP Base, 10 pcs	\$ 49.00	Each	5%	\$ 46.55	Access Control		Security		Product
02402-001	02402-001	2N IP BASE SEALING	2N IP Base spare part - antenna cover sealing, 10 pcs	\$ 52.00	Each	5%	\$ 49.40	Access Control		Security		Product
03361-001	03361-001	2N IP Force 2.0 camera & 1 button	Second generation of the most durable video intercom with 5MPx camera featuring ARTPEC-8 along with QR code reading, adaptive face zooming and enhanced security features.	\$ 1,989.00	Each	5%	\$ 1,889.55	Access Control		Security		Product
03362-001	03362-001	2N IP Force 2.0 camera & 1 btn & keypad	Second generation of the most durable video intercom with 5MPx camera featuring ARTPEC-8 along with QR code reading, adaptive face zooming and enhanced security features.	\$ 1,999.00	Each	5%	\$ 1,899.05	Access Control		Security		Product

03364-001	03364-001	2N IP Force 2.0 cam & 1 button & pict & RFID	Second generation of the most durable video intercom with SMPx camera featuring ARTPEC-8 along with QR code reading, adaptive face zooming and enhanced security features.	\$ 2,049.00	Each	5%	\$ 1,946.55	Access Control	Security	Product
03367-001	03367-001	2N IP Force 2.0 cam & 2 buttons & RFID	Second generation of the most durable video intercom with SMPx camera featuring ARTPEC-8 along with QR code reading, adaptive face zooming and enhanced security features.	\$ 1,989.00	Each	5%	\$ 1,889.55	Access Control	Security	Product
03369-001	03369-001	2N IP Force 2.0 camera & 4 buttons	Second generation of the most durable video intercom with SMPx camera featuring ARTPEC-8 along with QR code reading, adaptive face zooming and enhanced security features.	\$ 2,079.00	Each	5%	\$ 1,975.05	Access Control	Security	Product
03355-001	03355-001	2N IP Force 2.0 Dual RFID & Wiegand	Multi-frequency RFID reader with Wiegand interface, compatible with 03364-001 and 03367-001	\$ 335.00	Each	5%	\$ 318.25	Access Control	Security	Product
03356-001	03356-001	2N IP Force 2.0 Dual RFID-S & Wiegand	Multi-frequency RFID reader, Seos® compatible, with Wiegand interface, compatible with 03364-001 and 03367-001	\$ 389.00	Each	5%	\$ 369.55	Access Control	Security	Product
03357-001	03357-001	2N IP Force 2.0 Dual RFID & OSDP	Multi-frequency RFID reader with OSDP interface, compatible with 03364-001 and 03367-001	\$ 350.00	Each	5%	\$ 332.50	Access Control	Security	Product
03358-001	03358-001	2N IP Force 2.0 Dual RFID-S & OSDP	Multi-frequency RFID reader, Seos® compatible, with OSDP interface, compatible with 03364-001 and 03367-001	\$ 402.00	Each	5%	\$ 381.90	Access Control	Security	Product
03399-001	03399-001	2N IP Force 2.0 - Induction loop	Compatible with 03364-001 and 03367-001	\$ 161.00	Each	5%	\$ 152.95	Access Control	Security	Product
01334-001	01334-001	2N IP FORCE - 1 BTN, HD CAM, PICT.	2N IP Force - 1 button + HD camera + pictograms + 10W speaker, card reader ready	\$ 1,739.00	Each	5%	\$ 1,652.05	Access Control	Security	Product
01335-001	01335-001	2N IP FORCE - 1 BTN, PICT.	2N IP Force - 1 button + pictograms + 10W speaker, card reader ready	\$ 1,339.00	Each	5%	\$ 1,272.05	Access Control	Security	Product
01336-001	01336-001	2N IP FORCE - 1 BTN	2N IP Force - 1 button + 10W speaker	\$ 1,249.00	Each	5%	\$ 1,186.55	Access Control	Security	Product
01337-001	01337-001	2N IP FORCE - 1 BTN + HD CAM	2N IP Force - 1 button + HD camera + 10W speaker	\$ 1,699.00	Each	5%	\$ 1,614.05	Access Control	Security	Product
01338-001	01338-001	2N IP FORCE - 1 BTN + KEYPAD	2N IP Force - 1 button + keypad + 10W speaker	\$ 1,389.00	Each	5%	\$ 1,319.55	Access Control	Security	Product
01339-001	01339-001	2N IP FORCE - 1 BTN + HD CAM + KPD	2N IP Force - 1 button + HD camera + keypad + 10W speaker	\$ 1,699.00	Each	5%	\$ 1,614.05	Access Control	Security	Product
01340-001	01340-001	2N IP FORCE - 2 BTN + HD CAM	2N IP Force - 2 buttons + HD camera + 10W speaker, card reader ready	\$ 1,699.00	Each	5%	\$ 1,614.05	Access Control	Security	Product
01341-001	01341-001	2N IP FORCE - 2 BTN	2N IP Force - 2 buttons + 10W speaker, card reader ready	\$ 1,269.00	Each	5%	\$ 1,205.55	Access Control	Security	Product
01342-001	01342-001	2N IP FORCE - 4 BTN	2N IP Force - 4 buttons + 10W speaker	\$ 1,369.00	Each	5%	\$ 1,300.55	Access Control	Security	Product
01343-001	01343-001	2N IP FORCE - 4 BTN + HD CAM	2N IP Force - 4 button + HD camera + 10W speaker	\$ 1,719.00	Each	5%	\$ 1,633.05	Access Control	Security	Product
01344-001	01344-001	2N IP FORCE - 125kHz RFID	2N IP Force - 125kHz card reader. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch.	\$ 156.00	Each	5%	\$ 148.20	Access Control	Security	Product
03228-001	03228-001	2N IP Force RFID 125kHz&OSDP	Internal RFID card reader designed to be installed in the 2N IP Force. It allows the use of EM4100, EM4102, and HID Proximity cards. Another two switches, two logical inputs, and an OSDP interface are available. The OSDP protocol provides higher security than Wiegand and encrypts the transmitted data.	\$ 259.00	Each	5%	\$ 246.05	Access Control	Security	Product
01730-001	01730-001	2N IP FORCE - 13.56MHZ SEC RFID	2N IP Force - 13.56MHz secured card reader, NFC ready, Reads UID + PACS ID, support of HID Class secured. Includes Wiegand interface, 2 logical inputs, 2 output relays and tamper switch	\$ 345.00	Each	5%	\$ 327.75	Access Control	Security	Product
03230-001	03230-001	2N IP Force RFID SEOS13.56MHz&OSDP	Internal RFID card reader designed to be installed in the 2N IP Force. It allows the use of Mifare, HID iClass, DESFire and other standards, including NFC support. The reader reads the secure PACS ID number from HID iClass cards or the uID serial number from other cards. It includes two switches, two logical inputs, and an OSDP interface.	\$ 429.00	Each	5%	\$ 407.55	Access Control	Security	Product
02522-001	02522-001	2N IP FORCE 13.56MHZ CARD READER	Internal RFID card reader 13.56 MHz, NFC/HCE Ready for 2N® IP Force mounting. Two switches, two logical inputs and a Wiegand interface are available. It is compatible with the 2N® IP Force two-button and pictogram models.	\$ 250.00	Each	5%	\$ 237.50	Access Control	Security	Product
03229-001	03229-001	2N IP Force RFID 13.56MHz&OSDP	Internal RFID card reader designed to be installed in the 2N IP Force. It allows the use of Mifare, HID iClass, DESFire and other standards, including NFC support. The reader can read uID card serial numbers and includes two switches, two logical inputs, and an OSDP interface. The OSDP protocol provides higher security than Wiegand and encrypts the transmitted data.	\$ 379.00	Each	5%	\$ 360.05	Access Control	Security	Product
01345-001	01345-001	2N IP FORCE - SAFETY SCREWS	2N IP Force - safety screws, torx with pin	\$ 15.00	Each	5%	\$ 14.25	Access Control	Security	Product
01735-001	01735-001	2N IP FORCE TORX SCREW BLACK	2N IP Force Torx 4 screws black for the front panel - 5 packages of screws	\$ 24.00	Each	5%	\$ 22.80	Access Control	Security	Product
01734-001	01734-001	2N IP FORCE FRAME	2N IP Force Frame for the main unit - 1 pc	\$ 33.00	Each	5%	\$ 31.35	Access Control	Security	Product
01736-001	01736-001	2N IP FORCE PANEL4 BUTTONS	2N IP Force front panel with 4 buttons - 1pc	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01737-001	01737-001	2N IP FORCE PANEL 1 BUTTON	2N IP Force front panel with 1 button - 1pc	\$ 102.00	Each	5%	\$ 96.90	Access Control	Security	Product
01738-001	01738-001	2N IP FORCE PANEL 1 BTN PICTOGRAMS	2N IP Force front panel with 1 button and pictograms -	\$ 129.00	Each	5%	\$ 122.55	Access Control	Security	Product
01739-001	01739-001	2N IP FORCE PANEL 1 BTN KEYPD READY	2N IP Force front panel with 1 button ready for keypad - 1pc	\$ 105.00	Each	5%	\$ 99.75	Access Control	Security	Product
01740-001	01740-001	2N IP FORCE PANEL 2 BTN CARD READER	2N IP Force front panel with 2 buttons ready for card reader - 1pc	\$ 129.00	Each	5%	\$ 122.55	Access Control	Security	Product

01348-001	01348-001	2N IP FORCE/SAFETY - FLUSH BOX	2N IP Force and Safety - Brick flush mounting box	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
01349-001	01349-001	2N IP FORCE/SAFETY - PLASTER BOX	2N IP Force and Safety - Plasterboard flush mounting box	\$ 103.00	Each	5%	\$ 97.85	Access Control	Security	Product
01350-001	01350-001	2N IP FORCE/SAFETY - ADD.SWITCH	2N IP Force and Safety - Additional switch + Tamper switch.	\$ 62.00	Each	5%	\$ 58.90	Access Control	Security	Product
01351-001	01351-001	2N IP FORCE/SAFETY - GOOSENECK	2N IP Force and Safety - Gooseneck stand, height 120cm/47in	\$ 349.00	Each	5%	\$ 331.55	Access Control	Security	Product
01352-001	01352-001	2N IP FORCE/SAFETY - INST. ADAPTER	2N IP Force and Safety - Installation adapter for Code Blue and Talkphone	\$ 129.00	Each	5%	\$ 122.55	Access Control	Security	Product
01550-001	01550-001	2N IP FORCE /SAFETY - DBL GOOSENECK	2N IP Force and Safety - Gooseneck stand double, 45' / 80"	\$ 659.00	Each	5%	\$ 626.05	Access Control	Security	Product
01733-001	01733-001	2N IP FORCE SAFETY SET OF BUSHINGS	2N IP Force and Safety set of bushing for ethernet cable -5 pcs	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
01976-001	01976-001	2N IP FORCE SECURE DOOR	2N IP Force Secure Door set - contains additional switch + tamper (01350-001) and Security Relay (01396-001)	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01873-001	01873-001	2N IP FORCE KEYPAD	2N IP Force keypad - 1pc	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
02338-001	02338-001	2N IP Force Induction loop	Induction loop for 2N IP Force. Main unit with RFID window has to be used together with this accessory.	\$ 149.00	Each	5%	\$ 141.55	Access Control	Security	Product
02933-001	02933-001	2N IP One Main Unit Grey	One-button intercom with the Full-HD camera and sleek design, extremely resistant - both to vandals (K08) and to water and dust (IP66). Requires the flush installation box 02941-001 or the surface installation box 03327-001.	\$ 1,059.00	Each	5%	\$ 1,006.05	Access Control	Security	Product
02934-001	02934-001	2N IP One Main Unit Bronze	One-button intercom with the Full-HD camera and sleek design, extremely resistant - both to vandals (K08) and to water and dust (IP66). Requires the flush installation box 02941-001 or the surface installation box 03327-001.	\$ 1,059.00	Each	5%	\$ 1,006.05	Access Control	Security	Product
02935-001	02935-001	2N IP One Main Unit Black	One-button intercom with the Full-HD camera and sleek design, extremely resistant - both to vandals (K08) and to water and dust (IP66). Requires the flush installation box 02941-001 or the surface installation box 03327-001.	\$ 1,059.00	Each	5%	\$ 1,006.05	Access Control	Security	Product
02941-001	02941-001	2N IP One - Flush Installation Box	Flush installation box for the 2N IP One intercoms 02933-001, 02934-001, and 02935-001.	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
03327-001	03327-001	2N IP One - Surface Mount Box	Surface mount box for the 2N IP One intercoms 02933-001, 02934-001, and 02935-001.	\$ 59.00	Each	5%	\$ 56.05	Access Control	Security	Product
01353-001	01353-001	2N IP SAFETY - 1 BTN	2N IP Safety - 1 button + 10W speaker	\$ 1,199.00	Each	5%	\$ 1,139.05	Access Control	Security	Product
01354-001	01354-001	2N IP SAFETY - 2 BTN	2N IP Safety - 2 buttons + 10W speaker	\$ 1,229.00	Each	5%	\$ 1,167.55	Access Control	Security	Product
01355-001	01355-001	2N IP SAFETY - RED BTN	2N IP Safety - red emergency button + 10W speaker	\$ 1,229.00	Each	5%	\$ 1,167.55	Access Control	Security	Product
01356-001	01356-001	2N IP SAFETY - FRAME	2N IP Safety - metal frame (orange color)	\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01870-001	01870-001	2N IP SAFETY PANEL - BUTTON	2N IP Safety - button	\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01871-001	01871-001	2N IP SAFETY PANEL INFO/SOS	2N IP Safety - info/sos button	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01872-001	01872-001	2N IP SAFETY TORX SCREWS	2N IP Safety - torx screws	\$ 17.00	Each	5%	\$ 16.15	Access Control	Security	Product
01869-001	01869-001	2N IP SAFETY BLUE BUTTON	2N IP Safety quick dial button with blue backlight - 5pcs	\$ 239.00	Each	5%	\$ 227.05	Access Control	Security	Product
02739-001	02739-001	2N IP SAFETY RED EMERGENCY BUTTON	Spare part multipack - includes 10pcs of the red "mushroom" button	\$ 269.00	Each	5%	\$ 274.55	Access Control	Security	Product
01300-001	01300-001	2N IP SOLO - FLUSH MOUNT	2N IP Solo - flush mount	\$ 1,339.00	Each	5%	\$ 1,272.05	Access Control	Security	Product
01301-001	01301-001	2N IP SOLO - SURFACE MOUNT	2N IP Solo - surface mount	\$ 1,299.00	Each	5%	\$ 1,234.05	Access Control	Security	Product
01302-001	01302-001	2N IP SOLO - SURFACE MOUNT BLACK	2N IP Solo - surface mount, black	\$ 1,299.00	Each	5%	\$ 1,234.05	Access Control	Security	Product
01303-001	01303-001	2N IP SOLO - FLUSH MOUNT BLACK	2N IP Solo - flush mount, black	\$ 1,339.00	Each	5%	\$ 1,272.05	Access Control	Security	Product
01304-001	01304-001	2N IP SOLO - FLUSH BACKBOX	2N IP Solo - backbox for flush installation	\$ 31.00	Each	5%	\$ 29.45	Access Control	Security	Product
01305-001	01305-001	2N IP SOLO - BACKPLATE	2N IP Solo - backplate for easier surface installation	\$ 62.00	Each	5%	\$ 58.90	Access Control	Security	Product
02078-001	02078-001	2N IP SOLO GLASS MOUNT	Backplate for glass mount, has to be shipped together with 01305-001 backplate	\$ 25.00	Each	5%	\$ 23.75	Access Control	Security	Product
02202-001	02202-001	2N IP SOLO SURFACE BLACK WO CAMERA	2N IP Solo black without camera for surface mount. The intercom is suitable for residential and commercial installation where camera is not required and IP Verso without camera has too big footprint, usually indoor (however intercom has IP54 rating and its perfectly suitable for outdoor installation).	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
02203-001	02203-001	2N IP SOLO SURFACE WO CAMERA	2N IP Solo without camera for surface mount. The intercom is suitable for residential and commercial installation where camera is not required and IP Verso without camera has too big footprint, usually indoor (however intercom has IP54 rating and its perfectly suitable for outdoor installation).	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
02204-001	02204-001	2N IP SOLO FLUSH BLACK WO CAMERA	2N IP Solo black without camera for flush mount. The intercom is suitable for residential and commercial installation where camera is not required and IP Verso without camera has too big footprint, usually indoor (however intercom has IP54 rating and its perfectly suitable for outdoor installation).	\$ 749.00	Each	5%	\$ 711.55	Access Control	Security	Product
02205-001	02205-001	2N IP SOLO FLUSH WO CAMERA	2N IP Solo without camera for flush mount. The intercom is suitable for residential and commercial installation where camera is not required and IP Verso without camera has too big footprint, usually indoor (however intercom has IP54 rating and its perfectly suitable for outdoor installation).	\$ 749.00	Each	5%	\$ 711.55	Access Control	Security	Product

02405-001	02405-001	2N IP STYLE FLUSH BOX	2N IP style flush box. Accessories for the IP Style main unit 02407-001 and 02521-001.	\$ 219.00	Each	5%	\$ 208.05	Access Control	Security	Product
02406-001	02406-001	2N IP STYLE SURFACE CHASSI	2N IP Style surface installation box. Accessory for 2N IP Style main unit 02407-001.	\$ 103.00	Each	5%	\$ 97.85	Access Control	Security	Product
02407-001	02407-001	2N MAIN UNIT. SEC. IP65 IP STYLE	2N IP Style - 10 inch touchscreen intercom with IP65 and IK08. Embedded RFID reader 125kHz+13.56MHz (reads Class PACS (D), embedded BT access control and full HD camera with WDR. Suitable for both surface (02406-001) and flush (02405-001) installation.	\$ 4,229.00	Each	5%	\$ 4,017.55	Access Control	Security	Product
02521-001	02521-001	2N IP STYLE MAIN UNIT	2N IP Style - 10 inch touchscreen intercom with IP65 and IK08. Embedded RFID reader 125kHz+13.56MHz, embedded BT access control and full HD camera with WDR. Suitable for both surface (02406-001) and flush (02405-001) installation.	\$ 3,729.00	Each	5%	\$ 3,542.55	Access Control	Security	Product
01862-001	01862-001	2N IP UNI MIC GASKET		\$ 24.00	Each	5%	\$ 22.80	Access Control	Security	Product
01864-001	01864-001	2N IP UNI FRONT PANEL 1 BUTTON		\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01865-001	01865-001	2N IP UNI PANEL 2 BUTTON		\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01866-001	01866-001	2N IP UNI PANEL 1 BUTTON		\$ 43.00	Each	5%	\$ 40.85	Access Control	Security	Product
01867-001	01867-001	2N IP UNI FRONT SCREWS		\$ 26.00	Each	5%	\$ 24.70	Access Control	Security	Product
01861-001	01861-001	2N IP UNI SPEAKER CABLE	2N IP Uni speaker with cable, 4 pcs	\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01863-001	01863-001	2N IP UNI MICROPHONE	2N IP Uni microphone with cable, 10 pcs	\$ 47.00	Each	5%	\$ 44.65	Access Control	Security	Product
01868-001	01868-001	2N IP UNI FLUSH BOX	2N IP Uni flush box for in-wall installation, 1 pc	\$ 28.00	Each	5%	\$ 26.60	Access Control	Security	Product
01882-001	01882-001	2N IP VARIO TUBE		\$ 15.00	Each	5%	\$ 14.25	Access Control	Security	Product
01883-001	01883-001	2N IP VARIO TUBE SEALING		\$ 12.00	Each	5%	\$ 11.40	Access Control	Security	Product
01884-001	01884-001	2N IP VARIO COVER 1 BUTTON		\$ 40.00	Each	5%	\$ 38.00	Access Control	Security	Product
01885-001	01885-001	2N IP VARIO COVER 1 BUTTON/KEYPAD		\$ 40.00	Each	5%	\$ 38.00	Access Control	Security	Product
01886-001	01886-001	2N IP VARIO COVER 3 BUTTON/READER		\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01887-001	01887-001	2N IP VARIO COVER 3 BUTTON/KEYPAD		\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01888-001	01888-001	2N IP VARIO COVER 6 BUTTON/READER		\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01889-001	01889-001	2N IP VARIO COVER 6 BUTTON/KEYPAD		\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01879-001	01879-001	2N IP VARIO MICROPHONE	2N IP Vario microphone with cable, 5 pcs	\$ 15.00	Each	5%	\$ 14.25	Access Control	Security	Product
01880-001	01880-001	2N IP VARIO WAGO TERMINAL	2N IP Vario wago terminal for ethernet and lock connection, 5 pcs	\$ 20.00	Each	5%	\$ 19.00	Access Control	Security	Product
01881-001	01881-001	2N IP VARIO KEYPAD	2N IP Vario keypad, 1 pc	\$ 20.00	Each	5%	\$ 19.00	Access Control	Security	Product
01878-001	01878-001	2N IP VARIO SPEAKER	2N IP Vario speaker with holder and sealing, 5 pcs	\$ 25.00	Each	5%	\$ 23.75	Access Control	Security	Product
01890-001	01890-001	2N IP VARIO COVER 6 BUTTON/DISPLAY	2N IP Vario front metal cover with 6 button and display cut-out, 1 pc	\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01891-001	01891-001	2N IP VARIO COVER 8 BTN EXTENDER	2N IP Vario front metal cover for 8 button extender, 1 pc	\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01892-001	01892-001	2N IP VARIO COVER 16 BTN EXTENDER	2N IP Vario front metal cover for 16 button extender, 1 pc	\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
01893-001	01893-001	2N IP VARIO BACK PANEL	2N IP Vario backbox, black plastic chassis, 5 pcs	\$ 25.00	Each	5%	\$ 23.75	Access Control	Security	Product
01894-001	01894-001	2N IP VARIO FRONT 1 BUTTON COVER	2N IP Vario plastic front cover for 1 button, 1 pc	\$ 30.00	Each	5%	\$ 28.50	Access Control	Security	Product
01895-001	01895-001	2N IP VARIO FRONT 1 BUTTON KEYPAD	2N IP Vario plastic front cover for 1 button and keypad, 1 pc	\$ 75.00	Each	5%	\$ 71.25	Access Control	Security	Product
01896-001	01896-001	2N IP VARIO FRONT 3 BUTTON COVER	2N IP Vario front plastic cover for 3 buttons, 1 pc	\$ 30.00	Each	5%	\$ 28.50	Access Control	Security	Product
01897-001	01897-001	2N IP VARIO FRONT 3 BUTTON KEYPAD	2N IP Vario front plastic cover for 3 buttons and keypad	\$ 75.00	Each	5%	\$ 71.25	Access Control	Security	Product
01898-001	01898-001	2N IP VARIO FRONT 6 BUTTON COVER	2N IP Vario front plastic panel for 6 buttons, 1 pc	\$ 45.00	Each	5%	\$ 42.75	Access Control	Security	Product
01899-001	01899-001	2N IP VARIO FRONT 6 BUTTON KEYPAD	2N IP Vario plastic front cover with 6 buttons and keypad	\$ 90.00	Each	5%	\$ 85.50	Access Control	Security	Product
01900-001	01900-001	2N IP VARIO CAMERA SUPPORT	2N IP Vario plastic camera support, 5 pcs	\$ 8.00	Each	5%	\$ 7.60	Access Control	Security	Product
01901-001	01901-001	2N IP VARIO CAMERA HOLDER	2N IP Vario plastic camera holder, 5 pcs	\$ 8.00	Each	5%	\$ 7.60	Access Control	Security	Product
01902-001	01902-001	2N IP VARIO CAMERA COVER	2N IP Vario camera cover, 5 pcs	\$ 10.00	Each	5%	\$ 9.50	Access Control	Security	Product
01903-001	01903-001	2N IP VARIO CAMERA BLIND COVER	2N IP Vario cover for wio camera version, 5 pcs	\$ 10.00	Each	5%	\$ 9.50	Access Control	Security	Product
01252-001	01252-001	2N IP VERSO - INFOPANEL	2N IP Verso - Infopanel	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
01253-001	01253-001	2N IP VERSO - KEYPAD	2N IP Verso - Keypad	\$ 299.00	Each	5%	\$ 284.05	Access Control	Security	Product
01254-001	01254-001	2N IP VERSO - KEYPAD BLACK	2N IP Verso - Keypad, black	\$ 299.00	Each	5%	\$ 284.05	Access Control	Security	Product
01257-001	01257-001	2N IP VERSO - I/O	2N IP Verso - 2 inputs and 2 output relays. This module is installed beneath other modules.	\$ 73.00	Each	5%	\$ 69.35	Access Control	Security	Product
01258-001	01258-001	2N IP VERSO - 5 BUTTONS	2N IP Verso - 5 buttons	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01259-001	01259-001	2N IP VERSO - WIEGAND	2N IP Verso - Wiegand. This module is installed beneath other modules.	\$ 109.00	Each	5%	\$ 103.55	Access Control	Security	Product
01260-001	01260-001	2N IP VERSO - TAMPER SWITCH	2N IP Verso - Tamper switch. This module is installed beneath other modules.	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01261-001	01261-001	2N IP VERSO - BLIND PANEL	2N IP Verso - Blind panel	\$ 28.00	Each	5%	\$ 26.60	Access Control	Security	Product
01263-001	01263-001	2N IP VERSO - INDUCTION LOOP	2N IP Verso - Induction loop	\$ 269.00	Each	5%	\$ 255.55	Access Control	Security	Product
01266-001	01266-001	2N IP VERSO - BLUETOOTH	2N IP Verso - Bluetooth	\$ 369.00	Each	5%	\$ 350.55	Access Control	Security	Product
01267-001	01267-001	2N IP VERSO - EXTENSION CABLE 1M	2N IP Verso - Extension cable 1m	\$ 24.00	Each	5%	\$ 22.80	Access Control	Security	Product
01268-001	01268-001	2N IP VERSO - EXTENSION CABLE 3M	2N IP Verso - Extension cable 3m	\$ 26.00	Each	5%	\$ 23.75	Access Control	Security	Product
01270-001	01270-001	2N IP VERSO - BLIND BUTTON	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module.	\$ 27.00	Each	5%	\$ 25.65	Access Control	Security	Product
01271-001	01271-001	2N IP VERSO - MAIN WO CAMERA	2N IP Verso - Main unit without camera	\$ 749.00	Each	5%	\$ 711.55	Access Control	Security	Product
01272-001	01272-001	2N IP VERSO - MAIN WO CAMERA BLACK	2N IP Verso - Main unit without camera, black	\$ 749.00	Each	5%	\$ 711.55	Access Control	Security	Product
01273-001	01273-001	2N IP VERSO - MAIN W CAMERA	2N IP Verso - Main unit with camera	\$ 1,299.00	Each	5%	\$ 1,234.05	Access Control	Security	Product
01274-001	01274-001	2N IP VERSO - MAIN W CAMERA BLACK	2N IP Verso - Main unit with camera, black	\$ 1,299.00	Each	5%	\$ 1,234.05	Access Control	Security	Product
02907-001	02907-001	2N IP VERSO 2.0 - MAIN W CAMERA	2N IP VERSO 2.0 Main unit with camera, Nickel The main intercom unit has a Full HD camera and one button. You can connect up to 30 modules to it, and it's designed with flexibility in mind! Mount it on the wall, flush with the wall, or even on glass - just choose the correct mounting accessory.	\$ 1,629.00	Each	5%	\$ 1,547.55	Access Control	Security	Product

02908-001	02908-001	2N IP VERSO 2.0 - MAIN W CAMERA BLACK	2N IP VERSO 2.0 Main unit with camera. Black The main intercom unit has a Full HD camera and one button. You can connect up to 30 modules to it, and it's designed with flexibility in mind! Mount it on the wall, flush with the wall, or even on glass - just choose the correct mounting accessory.	\$ 1,629.00	Each	5%	\$ 1,547.55	Access Control	Security	Product
03482-001	03482-001	2N IP VERSO 2.0 - MAIN WO CAMERA	Audio-only version of the 2N IP Verso 2.0 — a sleek, modular intercom solution for projects that don't require video but still demand premium performance. Whether you're looking to simplify installation, reduce costs, or simply don't need a camera, this version delivers everything you expect: crystal-clear sound, advanced modularity, a durable design, and an intuitive user experience.	\$ 833.00	Each	5%	\$ 791.35	Access Control	Security	Product
03483-001	03483-001	2N IP VERSO 2.0 - MAIN WO CAMERA BLACK	Audio-only version of the 2N IP Verso 2.0 — a sleek, modular intercom solution for projects that don't require video but still demand premium performance. Whether you're looking to simplify installation, reduce costs, or simply don't need a camera, this version delivers everything you expect: crystal-clear sound, advanced modularity, a durable design, and an intuitive user experience.	\$ 833.00	Each	5%	\$ 791.35	Access Control	Security	Product
01275-001	01275-001	2N IP VERSO - TOUCH DISPLAY	2N IP Verso - Touch display	\$ 989.00	Each	5%	\$ 939.55	Access Control	Security	Product
01277-001	01277-001	2N IP Verso - TOUCH KEYPAD	2N IP Verso - Touch keypad	\$ 249.00	Each	5%	\$ 236.55	Access Control	Security	Product
01276-001	01276-001	2N IP VERSO - FINGERPRINT	2N IP Verso - Fingerprint	\$ 639.00	Each	5%	\$ 607.05	Access Control	Security	Product
01269-001	01269-001	2N IP Verso - EXTENSION CABLE 5M	2N IP Verso - Extension cable 5m	\$ 32.00	Each	5%	\$ 30.40	Access Control	Security	Product
01523-001	01523-001	2N IP VERSO BLIND BUTTON BLACK	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module. Black	\$ 27.00	Each	5%	\$ 25.65	Access Control	Security	Product
01792-001	01792-001	2N LTE VERSO - MAIN W CAMERA	LTE intercom - no wired data connection, connects to the network via LTE. Requires data LTE SIM card (MicroSIM size) and external power supply such as 01435-001. The internal antenna occupies position of one module, if you intend to use additional modules with the main unit, use the external antenna 01943-001.	\$ 1,389.00	Each	5%	\$ 1,319.55	Access Control	Security	Product
01791-001	01791-001	2N LTE VERSO - MAIN W CAMERA BLACK	LTE intercom - no wired data connection, connects to the network via LTE. Requires data LTE SIM card (MicroSIM size) and external power supply such as 01435-001. The internal antenna occupies position of one module, if you intend to use additional modules with the main unit, use the external antenna 01943-001.	\$ 1,389.00	Each	5%	\$ 1,319.55	Access Control	Security	Product
01943-001	01943-001	2N LTE VERSO EXTERNAL ANTENNA	Accessories for 2N LTE Verso for places with poor LTE coverage.	\$ 31.00	Each	5%	\$ 29.45	Access Control	Security	Product
01975-001	01975-001	2N IP VERSO SECURE DOOR	2N IP Verso Secure Door set - contains I/O module (01257-001), tamper switch (01260-001) and Security Relay (01386-001)	\$ 189.00	Each	5%	\$ 179.55	Access Control	Security	Product
01940-001	01940-001	2N IP VERSO WEDGE FOR 2 MODULES	2N IP Verso and LTE Verso 2 module wedge backplate, 25", helps to cover blind spots of the camera	\$ 44.00	Each	5%	\$ 41.80	Access Control	Security	Product
02043-001	02043-001	2N IP VERSO - BLIND MODULE COVER	Plastic blind module cover for IP Verso, 5 pcs	\$ 56.00	Each	5%	\$ 53.20	Access Control	Security	Product
02058-001	02058-001	2N IP VERSO AND SOLO - REFLECTOR	2N IP Verso and Solo - Reflector with 2N logo black, 5 pcs	\$ 79.00	Each	5%	\$ 75.05	Access Control	Security	Product
02077-001	02077-001	2N IP SOLO WEDGE BACKPLATE	25" gradient mounting backplate	\$ 34.00	Each	5%	\$ 32.30	Access Control	Security	Product
02055-001	02055-001	2N IP VERSO - SPEAKER COVER BLACK	Speaker cover, black, 5 pcs	\$ 89.00	Each	5%	\$ 84.55	Access Control	Security	Product
02056-001	02056-001	2N IP VERSO - RFID READER COVER	Front plastic cover of Verso RFID reader, 5pcs	\$ 74.00	Each	5%	\$ 70.30	Access Control	Security	Product
02057-001	02057-001	2N IP VERSO - CLAMP BETWEEN MODULES	Metal clamps for connection of Verso modules backboxes together, 20pcs	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
02063-001	02063-001	2N IP VERSO BLUETOOTH READER COVER	Plastic bluetooth reader cover	\$ 75.00	Each	5%	\$ 71.25	Access Control	Security	Product
02093-001	02093-001	2N VERSO/SOLO TERMINAL 2 PIN 10X	2N IP Verso/Solo - green 2 PIN terminal for input/output, 10 pcs	\$ 19.00	Each	5%	\$ 18.05	Access Control	Security	Product
02092-001	02092-001	2N VERSO/SOLO TERMINAL 3 PIN 10X	2N IP Verso/Solo - green 3 PIN terminal for relay and 12V input, 10 pcs	\$ 21.00	Each	5%	\$ 19.95	Access Control	Security	Product
02140-001	02140-001	2N IP Verso - RFID 125kHz 2G	2N IP Verso - RFID 125kHz, second generation with better reading distance/time	\$ 199.00	Each	5%	\$ 189.05	Access Control	Security	Product
02141-001	02141-001	2N IP Verso - RFID 13MHz NFC SEC 2G	2N IP Verso - RFID 13.56MHz NFC, second generation with better reading distance/time, reads PACS ID	\$ 329.00	Each	5%	\$ 312.55	Access Control	Security	Product
02284-001	02284-001	2N LTE Verso - debug LAN MODULE	A debug module for 2N LTE Verso that is compatible with all sold LTE Versos. It includes a RJ-45 port that can be used for local access to the intercom for troubleshooting in case of mobile network issues.	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
02577-001	02577-001	2N IP VERSO OSDP MODUL	OSDP module for integration into 3rd party access control system. OSDP module is compatible with IP Verso, IP Style and Access Unit 2.0.	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
02782-001	02782-001	2N VersoKBD&BLE&RFID125.13.sec.NFC	2N IP VERSO READER, Keyboard, BLE, RFID 125kHz, 13.56Mhz, NFC, secured, PICard	\$ 959.00	Each	5%	\$ 911.05	Access Control	Security	Product
02781-001	02781-001	2N VersoKBD&BLE&RFID125.13.NFC	2N IP VERSO READER, Keyboard, BLE, RFID 125kHz, 13.56Mhz, NFC, PICard	\$ 779.00	Each	5%	\$ 740.05	Access Control	Security	Product
02444-001	02444-001	2N IP VERSO BT&RFID 125&13.56M	2N IP VERSO READER, BLE, RFID 125kHz, 13.56Mhz, secured, PICard	\$ 799.00	Each	5%	\$ 759.05	Access Control	Security	Product
02778-001	02778-001	2N VersoBLE&RFID125kHz.13.56Mhz.NFC	2N IP VERSO READER, BLE, RFID 125kHz, 13.56Mhz, NFC, PICard	\$ 609.00	Each	5%	\$ 578.55	Access Control	Security	Product
02779-001	02779-001	2N VersoKPD&RFID125.13.56.NFC	2N IP VERSO READER, Keyboard, RFID 125kHz, 13.56Mhz, NFC, PICard	\$ 529.00	Each	5%	\$ 502.55	Access Control	Security	Product

02443-001	02443-001	2N IP VERSO TOUCHKEY&RFID 125&13	IP VERSO READER, Keyboard, RFID 125kHz, 13.56Mhz, NFC, PICard	\$ 659.00	Each	5%	\$ 626.05	Access Control	Security	Product
01278-001	01278-001	2N IP VERSO - 1M FLUSH FRAME	2N IP Verso - 1 module flush frame	\$ 89.00	Each	5%	\$ 84.55	Access Control	Security	Product
01279-001	01279-001	2N IP VERSO - 1M FLUSH FRAME BLACK	2N IP Verso - 1 module flush frame, black	\$ 89.00	Each	5%	\$ 84.55	Access Control	Security	Product
01280-001	01280-001	2N IP VERSO - 2M FLUSH FRAME	2N IP Verso - 2 modules flush frame	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
01281-001	01281-001	2N IP VERSO - 2M FLUSH FRAME BLACK	2N IP Verso - 2 modules flush frame, black	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
01282-001	01282-001	2N IP VERSO - 3M FLUSH FRAME	2N IP Verso - 3 modules flush frame	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
01283-001	01283-001	2N IP VERSO - 3M FLUSH FRAME BLACK	2N IP Verso - 3 modules flush frame, black	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
01284-001	01284-001	2N IP VERSO - 1M FLUSH BOX	2N IP Verso - 1 module flush box	\$ 31.00	Each	5%	\$ 29.45	Access Control	Security	Product
01285-001	01285-001	2N IP VERSO - 2M FLUSH BOX	2N IP Verso - 2 modules flush box	\$ 39.00	Each	5%	\$ 37.05	Access Control	Security	Product
01286-001	01286-001	2N IP VERSO - 3M FLUSH BOX	2N IP Verso - 3 modules flush box	\$ 39.00	Each	5%	\$ 37.05	Access Control	Security	Product
01287-001	01287-001	2N IP VERSO - 1M SURFACE FRAME	2N IP Verso - 1 module surface frame	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
01288-001	01288-001	2N IP VERSO - 1M SURFACE FRAME BL	2N IP Verso - 1 module surface frame, black	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
01289-001	01289-001	2N IP VERSO - 2M SURFACE FRAME	2N IP Verso - 2 modules surface frame	\$ 85.00	Each	5%	\$ 80.75	Access Control	Security	Product
01290-001	01290-001	2N IP VERSO - 2M SURFACE FRAME BL	2N IP Verso - 2 modules surface frame, black	\$ 85.00	Each	5%	\$ 80.75	Access Control	Security	Product
01291-001	01291-001	2N IP VERSO - 3M SURFACE FRAME	2N IP Verso - 3 modules surface frame	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
01292-001	01292-001	2N IP VERSO - 3M SURFACE FRAME BL	2N IP Verso - 3 modules surface frame, black	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01293-001	01293-001	2N IP VERSO - 1M BACKPLATE	2N IP Verso - 1 module backplate for surface installation	\$ 62.00	Each	5%	\$ 58.90	Access Control	Security	Product
01294-001	01294-001	2N IP VERSO - 2M BACKPLATE	2N IP Verso - 2 modules backplate for surface installation	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
01295-001	01295-001	2N IP VERSO - 3M BACKPLATE	2N IP Verso - 3 modules backplate for surface installation	\$ 79.00	Each	5%	\$ 75.05	Access Control	Security	Product
01296-001	01296-001	2N IP VERSO - 2x2M BACKPLATE	2N IP Verso - 2x2 modules backplate for surface installation	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
01297-001	01297-001	2N IP VERSO - 3x2M BACKPLATE	2N IP Verso - 3x2 modules backplate for surface installation	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01298-001	01298-001	2N IP VERSO - 2x3M BACKPLATE	2N IP Verso - 2x3 modules backplate for surface installation	\$ 129.00	Each	5%	\$ 122.55	Access Control	Security	Product
01299-001	01299-001	2N IP VERSO - 3x3M BACKPLATE	2N IP Verso - 3x3 modules backplate for surface installation	\$ 169.00	Each	5%	\$ 160.55	Access Control	Security	Product
01524-001	01524-001	2N IP VERSO - 1M GANG PLATE	2N IP Verso - 1 module backplate for surface installation on a 2-gang backbox	\$ 53.00	Each	5%	\$ 50.35	Access Control	Security	Product
01525-001	01525-001	2N IP VERSO - 2M GANG PLATE	2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox	\$ 62.00	Each	5%	\$ 58.90	Access Control	Security	Product
02683-001	02683-001	2N ANNUAL APARTMENT SUBS MY2N	My2N Mobile Video 12 month subscription voucher for ONE apartment (up to 4 user devices assigned per apartment). A single voucher is generated for multiple apartments per My2N site on the same order, however vouchers for multiple My2N Sites need to be ordered separately.	\$ 40.00	Each	5%	\$ 38.00	Access Control	Security	Product
02682-001	02682-001	2N ANNUAL DEVICE SUBS MY2N	My2N Mobile Video 12 month subscription voucher for one user device. A single voucher is generated for multiple user devices per My2N site on the same order, however vouchers for multiple My2N Sites need to be ordered separately.	\$ 27.00	Each	5%	\$ 25.65	Access Control	Security	Product
02309-001	02309-001	2N AC Advanced LIC	2N Access Commander – Advanced licence. Allows management of up to 30 devices and 300 users with access to Advanced features. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 759.00	Each	5%	\$ 721.05	Access Control	Security	Product
02310-001	02310-001	2N AC Pro LIC	2N Access Commander – Pro licence. Allows management of up to 100 devices and 1000 users with access to Pro features. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 1,649.00	Each	5%	\$ 1,566.55	Access Control	Security	Product
02311-001	02311-001	2N AC Unlimited LIC	2N Access Commander – Unlimited licence. Allows management of unlimited devices and users* and access to Pro features. (*Unlimited within limitations of software interface: Approx 2000 devices). Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 3,819.00	Each	5%	\$ 3,628.05	Access Control	Security	Product
02312-001	02312-001	2N AC Advanced to Pro LIC	2N Access Commander – Upgrade Advanced to Pro licence. Pro license allows management of up to 100 devices and 1000 users with access to Pro features. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 1,079.00	Each	5%	\$ 1,025.05	Access Control	Security	Product
02313-001	02313-001	2N AC Pro to Unlimited LIC	2N Access Commander – Upgrade Pro to Unlimited licence. Unlimited license allows management of unlimited devices and users* and access to Pro features. (*Unlimited within limitations of software interface: Approx 2000 devices). Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 2,349.00	Each	5%	\$ 2,231.55	Access Control	Security	Product

02314-001	02314-001	2N AC Attendance Monitoring LIC	2N Access Commander – Add-on Attendance Monitoring license. This activates attendance monitoring for all users included in the present license type. It should be used only with Access Commander 2.4 or higher. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 639.00	Each	5%	\$ 607.05	Access Control	Security	Product
02722-001	02722-001	2N PICard Commander LIC	PICard Commander is 2N's unique cryptographic software, providing Protected Identity Credentials, built on the popular Mifare DESFire technology. The license for this software is generated using the SN of a compatible USB reader (non-secured - 01400-001, secured - 01527-001). The software can then only be used with the licensed USB reader. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 949.00	Each	5%	\$ 901.55	Access Control	Security	Product
03160-001	03160-001	2N IP Intercom - MS Teams license	This license allows a direct connection of 2N IP Intercoms to Microsoft Teams via MS SIP Gateway service. Now you can sign-in to Teams with your corporate credentials and make and receive calls with 2N IP Intercoms. Door opening from the MS Teams app is supported via entering Code/DTMF.	\$ 159.00	Each	5%	\$ 151.05	Access Control	Security	Product
01381-001	01381-001	2N IP INTERCOM AND SIP AUDIO- INFORMACAST	2N IP Intercom and SIP AudioLicense - Informacast License	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
02624-001	02624-001	2N PLUGIN FOR OnGuard	The license activates the interface between 2N IP Intercoms and LeneS2 OnGuard. 2N PLUGIN FOR OnGuard enables the communication between 2N IP Intercoms and OnGuard, an access control system from LeneS2. The integration allows the OnGuard users to monitor and manage intercoms through one comprehensive security platform. Operators can place or terminate a call between their desktop station and selected remote intercom with a single click in the OnGuard interface. It is also possible to monitor 2N devices and use intercom events to trigger actions in OnGuard.	\$ 1,259.00	Each	5%	\$ 1,196.05	Access Control	Security	Product
02625-001	02625-001	2N PLUGIN FOR CCure	The license activates the interface between 2N IP Intercoms and C-CURE 9000. 2N PLUGIN FOR CCure enables the communication between 2N IP Intercoms and C-CURE 9000, an access control system from Tyco. The CCure users can monitor and control the 2N IP intercoms through the C-CURE 9000 user interface. Call commands between intercoms are executed through the graphical maps or in the device tree in C-CURE 9000. The integration provides continuous 24/7 monitoring of the 2N IP intercoms and event reporting in C-CURE 9000. Intercom events can be further linked with actions in C-CURE 9000	\$ 1,259.00	Each	5%	\$ 1,196.05	Access Control	Security	Product
02922-001	02922-001	2N PLUGIN FOR Symmetry	The license activates the interface between 2N IP Intercoms and AMAG Symmetry™ Access Control. 2N PLUGIN FOR Symmetry enables the communication between 2N IP Intercoms and Symmetry, an access control system from AMAG. The integration allows the Symmetry users to monitor and manage intercoms through one comprehensive security platform. Operators can place or terminate a call between their desktop station and selected remote intercom with a single click in the Symmetry interface.	\$ 1,259.00	Each	5%	\$ 1,196.05	Access Control	Security	Product
02171-001	02171-001	2N IDT 2.0 - MEETING ROOM LICENSE	License key for the 2N® INDOOR TOUCH 2.0 enabling the 2N® MEETING ROOM app feature.	\$ 399.00	Each	5%	\$ 379.05	Access Control	Security	Product
01384-001	01384-001	MIFARE RFID SMART CARD 13.56MHz	Mifare RFID smart card 13.56MHz	\$ 7.00	Each	5%	\$ 6.65	Access Control	Security	Product
01385-001	01385-001	MIFARE RFID SMART KEY FOB 13.56MHz	Mifare RFID smart key fob 13.56MHz	\$ 7.00	Each	5%	\$ 6.65	Access Control	Security	Product
01386-001	01386-001	2N SECURITY RELAY	2N Security Relay	\$ 169.00	Each	5%	\$ 160.55	Access Control	Security	Product
01387-001	01387-001	2N WIEGAND ISOLATOR	2N Wiegand Isolator	\$ 179.00	Each	5%	\$ 170.05	Access Control	Security	Product
01388-001	01388-001	2N MAGNETIC DOOR CONTACT	2N Magnetic door contact	\$ 25.00	Each	5%	\$ 23.75	Access Control	Security	Product
01389-001	01389-001	WIEGAND 125 kHz RFID CARD READER	External 125 kHz EMarine RFID card reader, Wiegand	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
01390-001	01390-001	WIEGAND 13.56 MHz RFID CARD READER	External 13.56MHz Mifare RFID card reader, Wiegand	\$ 119.00	Each	5%	\$ 113.05	Access Control	Security	Product
01391-001	01391-001	2N INDUCTION LOOP	2N External induction loop for IP Intercom	\$ 199.00	Each	5%	\$ 189.05	Access Control	Security	Product
01393-001	01393-001	2N INDUCTION LOOP - POWER SUPPLY	2N Power supply for the induction loop	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01395-001	01395-001	EMARINE RFID PROX CARD 125kHz	Proximity Card Emarine 125kHz	\$ 7.00	Each	5%	\$ 6.65	Access Control	Security	Product
01396-001	01396-001	EMARINE RFID PROX KEY FOB 125kHz	Proximity Key Fob Emarine 125kHz	\$ 7.00	Each	5%	\$ 6.65	Access Control	Security	Product
01397-001	01397-001	WEB RELAY - 1 OUTPUT, 1 INPUT	Web IP Relay - 1 output, 1 input	\$ 309.00	Each	5%	\$ 293.55	Access Control	Security	Product
01398-001	01398-001	WEB RELAY - 4 OUTPUTS, 0 INPUT, PoE	Web IP Relay - 4 outputs, 0 input, PoE	\$ 399.00	Each	5%	\$ 379.05	Access Control	Security	Product
01399-001	01399-001	USB RFID READER 125kHz	External RFID Reader 125kHz EMarine (USB interface)	\$ 75.00	Each	5%	\$ 71.25	Access Control	Security	Product
01400-001	01400-001	USB RFID READER 13MHz & 125kHz	External RFID Reader 13.56MHz + 125kHz (USB interface)	\$ 389.00	Each	5%	\$ 369.55	Access Control	Security	Product
01401-001	01401-001	USB FINGERPRINT READER	External fingerprint reader (USB interface)	\$ 289.00	Each	5%	\$ 274.55	Access Control	Security	Product
01402-001	01402-001	USB BLUETOOTH READER	External Bluetooth reader (USB interface)	\$ 33.00	Each	5%	\$ 31.35	Access Control	Security	Product
01404-001	01404-001	2N 2WIRE - SET WITH US PLUG	2N 2Wire - set of 2 adaptors and power source for the US plug	\$ 399.00	Each	5%	\$ 379.05	Access Control	Security	Product

01527-001	01527-001	USB SEC RFID READER 13MHz & 125kHz	2N RFID secured reader 13.56MHz + 125kHz (USB interface). This USB reader reads the card serial number (CSN) and also secured PACs ID from HID smart cards	\$ 499.00	Each	5%	\$ 474.05	Access Control	Security	Product
01640-001	01640-001	VERSO/SOLO SPEAKER COVER.5x	2N IP Verso and Solo speaker cover - plastic cover of speaker on the main unit - 5pcs	\$ 72.00	Each	5%	\$ 68.40	Access Control	Security	Product
01641-001	01641-001	VERSO/SOLO CAMERA WINDOW .5x	2N IP Verso and Solo camera window- camera version -plastic cover on the main unit - 5pcs	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01642-001	01642-001	VERSO WINDOW NON-CAMERA.5x	2N IP Verso camera window- non-camera version -plastic cover on the main unit - 5pcs	\$ 53.00	Each	5%	\$ 50.35	Access Control	Security	Product
01643-001	01643-001	VERSO/SOLO REFLECTOR.2N LOGO.5x	2N IP Verso and Solo Reflector with 2N logo - plastic part under the camera - 5pcs	\$ 66.00	Each	5%	\$ 62.70	Access Control	Security	Product
01644-001	01644-001	VERSO/SOLO BUTTON NAMETAG.10x	2N IP Verso and Solo button nametag - plastic button with nametag - 10pcs	\$ 95.00	Each	5%	\$ 90.25	Access Control	Security	Product
01645-001	01645-001	VERSO FLUSH/SURFACE LOWER FIX.5x	2N IP Verso Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01646-001	01646-001	SOLO FLUSH/SURFACE LOWER FIX.5x	2N IP Solo Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01647-001	01647-001	VERSO/SOLO FLUSH TOP FIX.5x	2N IP Verso and Solo Flush mount upper fixture - metal part to hold the frame - 5pcs	\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01648-001	01648-001	VERSO/SOLO SURFACE TOP FIX.5x	2N IP Verso and Solo Surface mount upper fixture - metal part to hold the frame - 5pcs	\$ 37.00	Each	5%	\$ 35.15	Access Control	Security	Product
01649-001	01649-001	VERSO BUS SHORT.80MM.10x	2N IP Verso bus short, 80mm - vbus cabel to connect the modules - 10pcs	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
01650-001	01650-001	VERSO BUS SHORT.220MM.10x	2N IP Verso bus short, 220mm - vbus cabel to connect the modules - 10pcs	\$ 59.00	Each	5%	\$ 56.05	Access Control	Security	Product
01651-001	01651-001	VERSO MICROPHONE SET.10x	2N IP Verso microphone set - microphone with cable to 3 module extension - 10pcs	\$ 74.00	Each	5%	\$ 70.30	Access Control	Security	Product
01652-001	01652-001	FORCE/SAFETY SPEAKER 1W	2N IP Force and Safety Speaker 1W, 16 Ohm, 77mm - 1pc	\$ 32.00	Each	5%	\$ 30.40	Access Control	Security	Product
01654-001	01654-001	FORCE/SAFETY GASKET FOR MIC.5x	2N IP Force and Safety Gasket for microphone - 5pcs	\$ 17.00	Each	5%	\$ 16.15	Access Control	Security	Product
01655-001	01655-001	FORCE/SAFETY MIC WITH CABLE.5x	2N IP Force and Safety microphone with cable - 10pcs	\$ 159.00	Each	5%	\$ 151.05	Access Control	Security	Product
01656-001	01656-001	FORCE BUTTON NAMETAG.5x	2N IP Force and analog Force Button nametag to plastic part - 5pcs	\$ 27.00	Each	5%	\$ 25.65	Access Control	Security	Product
01657-001	01657-001	FORCE PLASTIC BUTTON ON PCB.5x	2N IP Force and analog Force Plastic clear button on the PCB board - 10pcs	\$ 24.00	Each	5%	\$ 22.80	Access Control	Security	Product
01658-001	01658-001	FORCE 1 BUTTON BOARD.1x	2N IP Force and analog Force 1 button board - 1pc	\$ 32.00	Each	5%	\$ 30.40	Access Control	Security	Product
01659-001	01659-001	FORCE 1 BUTTON BOARD, PICTOGRAM.5x	2N IP Force and analog Force 1 button board, pictograms - 1pc	\$ 32.00	Each	5%	\$ 30.40	Access Control	Security	Product
01660-001	01660-001	FORCE 2 BUTTONS BOARD.1x	2N IP Force and analog Force 2 buttons board - 1pc	\$ 37.00	Each	5%	\$ 35.15	Access Control	Security	Product
01661-001	01661-001	FORCE 4 BUTTON BOARD.1x	2N IP Force and analog Force 4 buttons board - 1pc	\$ 42.00	Each	5%	\$ 39.90	Access Control	Security	Product
01653-001	01653-001	FORCE/SAFETY SPEAKER 10W 4pcs	2N IP Force and Safety Speaker 10W, 4 Ohm, 76mm - 4pcs	\$ 69.00	Each	5%	\$ 65.55	Access Control	Security	Product
02041-001	02041-001	2N U-SHAPED FRAME IP BASE BLACK	U-shaped black front frame for 2N IP Base	\$ 64.00	Each	5%	\$ 60.80	Access Control	Security	Product
02318-001	02318-001	2N NVT PL-08 SWITCH 2 ADAPTERS	NVT phybridge 2 wire to ethernet convertor. The package contains 8 port switch unit and 2 adaptors. Other adaptors can be purchased as SKU 02319-001 (pack with 6 adaptors). Swapack of NVT adaptors compatible with NVT switch 02318-001. Solution for 2wire to ethernet conversion.	\$ 1,139.00	Each	5%	\$ 1,082.05	Access Control	Security	Product
02319-001	02319-001	2N NVT PL-08 PACK OF 6 ADAPTERS	External power source for 2N Intercoms and Answering Units - 12V/2A DC, US plug	\$ 879.00	Each	5%	\$ 835.05	Access Control	Security	Product
02520-001	02520-001	2N INTERCOM POWER SUPPLY US PLUG	External power source for 2N Intercoms and Answering Units - 12V/2A DC, US plug	\$ 49.00	Each	5%	\$ 46.55	Access Control	Security	Product
02445-001	02445-001	2N POE+ INJECTOR, TENDA PoE30G-A	PoE+ (802.3at) injector	\$ 85.00	Each	5%	\$ 80.75	Access Control	Security	Product
02788-001	02788-001	2N fobMifareDesfireEV3.4K13.56MHz10pcs	2N Fobs, Mifare Desfire EV3, capacity 4K, package 10pcs, PICard	\$ 129.00	Each	5%	\$ 122.55	Access Control	Security	Product
02787-001	02787-001	2N cardMifareDesfireEV3.4K13.56MHz10pcs	2N Cards, Mifare Desfire EV3, capacity 4K, package 10pcs, PICard	\$ 83.00	Each	5%	\$ 78.85	Access Control	Security	Product
03343-001	03343-001	2N IP Verso Gooseneck mounting hood	Hood/adaptor that allows mounting of the 2N IP Verso intercom with the 2-Module frame on the 2N IP Force/Safety Gooseneck 01351-001 or Double Gooseneck 01550-001.	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
02087-001	02087-001	2N INDOOR VIEW BLACK	7" touchscreen answering unit with a wide viewing angle. The tempered glass surface and award-winning design are the perfect choices for any luxury residential project. The 2N Indoor View requires the 2N Indoor Flush Box (01700-001) or the 2N Indoor Desk Stand (02039-001) for an installation.	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
02088-001	02088-001	2N INDOOR VIEW WHITE	7" touchscreen answering unit with a wide viewing angle. The tempered glass surface and award-winning design are the perfect choices for any luxury residential project. The 2N Indoor View requires the 2N Indoor Flush Box (01700-001) or the 2N Indoor Desk Stand (02039-001) for an installation.	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
03134-001	03134-001	2N Indoor View Wi-Fi Black	7" touch display indoor panel with the Wi-Fi connectivity, featuring also the Ethernet connectivity if needed. 12V DC/1A external power supply recommended, compatible with 02520-001 or similar.	\$ 929.00	Each	5%	\$ 882.55	Access Control	Security	Product
03135-001	03135-001	2N Indoor View Wi-Fi White	7" touch display indoor panel with the Wi-Fi connectivity, featuring also the Ethernet connectivity if needed. 12V DC/1A external power supply recommended, compatible with 02520-001 or similar.	\$ 929.00	Each	5%	\$ 882.55	Access Control	Security	Product

01935-001	01935-001	2N INDOOR COMPACT BLACK	The 2N Indoor Compact is an indoor answering unit designed especially for the residential market. Installation by connecting a single UTP cable and configuration via a web interface guarantees that integrators can put the unit into operation quickly and easily. Users will be impressed by the minimalist design, tempered glass surface, 4.3" colour display, sound in HD quality and intuitive controls. A simply elegant solution for video communication.	\$ 519.00	Each	5%	\$ 493.05	Access Control	Security	Product
01936-001	01936-001	2N INDOOR COMPACT WHITE	The 2N® Indoor Compact is an indoor answering unit designed especially for the residential market. Installation by connecting a single UTP cable and configuration via a web interface guarantees that integrators can put the unit into operation quickly and easily. Users will be impressed by the minimalist design, tempered glass surface, 4.3" colour display, sound in HD quality and intuitive controls. A simply elegant solution for video communication.	\$ 519.00	Each	5%	\$ 493.05	Access Control	Security	Product
01698-001	01698-001	2N INDOOR TALK BLACK	2N Indoor Talk P+E – Black Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door for the comfort of your home. The 2N Indoor Talk Black requires the 2N Indoor Flush Box (01700-001) for installation.	\$ 379.00	Each	5%	\$ 360.05	Access Control	Security	Product
01699-001	01699-001	2N INDOOR TALK WHITE	2N Indoor Talk P+E – White Elegant answering unit with HD sound. The design of the 2N® Indoor Talk answering unit will suit every flat or home. The aesthetic appearance of this product was achieved by using a glass surface and striking backlighting of its icons. However, we placed particular emphasis on selecting the highest-quality audio components in order to achieve a high-quality sound. This means you can talk to visitors outside as if they were standing right next to you. Invite them in and press the icon to open the door for the comfort of your home. The 2N Indoor Talk White requires the 2N Indoor Flush Box (01700-001) for installation.	\$ 379.00	Each	5%	\$ 360.05	Access Control	Security	Product
01700-001	01700-001	2N INDOOR FLUSH BOX	2N Indoor answering unit flush installation box, required for the 2N Indoor View (02087-001 or 02088-001), 2N Indoor Compact (01935-001 or 01936-001) and 2N Indoor Talk (01698-001 or 01699-001).	\$ 29.00	Each	5%	\$ 27.55	Access Control	Security	Product
02320-001	02320-001	2N INDOOR SURFACE INSTALLATION BOX	2N Indoor answering unit surface installation box, required for the 2N® Indoor View (02087-001 or 02088-001), 2N® Indoor Compact (01935-001 or 01936-001) and 2N® Indoor Talk (01698-001 or 01699-001).	\$ 29.00	Each	5%	\$ 27.55	Access Control	Security	Product
02039-001	02039-001	2N INDOOR DESK STAND	2N Indoor desk stand is intended for the 2N® Indoor Compact (01935-001 or 01936-001) or the 2N® Indoor Talk (01698-001 or 01699-001) answering units.	\$ 59.00	Each	5%	\$ 56.05	Access Control	Security	Product
02892-001	02892-001	2N CLIP_ETHERNET	4" video IP indoor station, surface mounted	\$ 369.00	Each	5%	\$ 350.55	Access Control	Security	Product
02893-001	02893-001	2N CLIP_ETHERNET, INDUCTION LOOP	4" video IP indoor station, surface mounted, equipped with an in-built induction loop	\$ 399.00	Each	5%	\$ 379.05	Access Control	Security	Product
02905-001	02905-001	2N CLIP DESK STAND	Optional desk stand for the 2N Clip 02892-001	\$ 32.00	Each	5%	\$ 30.40	Access Control	Security	Product
02906-001	02906-001	2N CLIP 1-GANG INSTALLATION PLATE	Optional accessory for the 2N Clip 02892-001 that allows its surface installation over the flush mounted single-gang electrical box.	\$ 20.00	Each	5%	\$ 19.00	Access Control	Security	Product
03448-001	03448-001	2N CLIP 2wire-IP	The 4" display IP indoor station delivers high-quality video and connects directly to existing legacy cabling. It requires the 2N Clip 2wire-IP Switch (03450-001) accessory for the network connection.	\$ 359.00	Each	5%	\$ 341.05	Access Control	Security	Product
03449-001	03449-001	2N CLIP 2wire-IP, INDUCTION LOOP	The 4" display IP indoor station delivers high-quality video and connects directly to existing legacy cabling. Product version with a built-in induction loop. It requires the 2N Clip 2wire-IP Switch (03450-001) accessory for the network connection.	\$ 395.00	Each	5%	\$ 375.25	Access Control	Security	Product

			The 2N Clip 2wire-IP Switch is needed to install the 2N Clip 2wire-IP indoor station. Switches can be daisy-chained to cover more floors and apartments. Each switch needs a dedicated external power supply for the 2N Clip 2wire-IP Switch (03479-001), or a suitable alternative (48V DC/1.92A). The 2N Clip 2wire-IP Switch features the following ports: 6x active 2wire-IP for 2N Clip 2wire-IP indoor stations, 2x passive 2wire-IP for daisy-chaining other switches, 2x ethernet port (one of them PoE) can be used to connect 2N IP devices (intercoms, readers, answering units), IP switches/routers, or they can also be used to daisy chain the 2N Clip 2wire-IP Switch via Ethernet.																	
03450-001	03450-001	2N CLIP 2wire-IP SWITCH		\$	359.00	Each	5%	\$	341.05	Access Control	Security	Product								
			External power supply for the 2N Clip 2wire-IP (03450-001), DIN-rail mountable, IN: 100-240V AC/3A, OUT: 48V DC/1.92A, rated power 92.2W. Original manufacturer type: Meanwell HDR-100-48.																	
03479-001	03479-001	2N CLIP 2wire-IP SWITCH POWER SUPPLY		\$	59.00	Each	5%	\$	56.05	Access Control	Security	Product								
02660-001	02660-001	2N IP PHONE D7A	7" touchscreen IP phone, Android OS based.	\$	709.00	Each	5%	\$	673.55	Access Control	Security	Product								
			USB camera module for the 2N IP Phone D7A (02660-001). It enables bi-directional video calls with the 2N IP Style intercom (02407-001 or 02521-001).	\$	129.00	Each	5%	\$	122.55	Access Control	Security	Product								
02659-001	02659-001	2N USB CAMERA FOR 2N IP PHONE D7A		\$	129.00	Each	5%	\$	122.55	Access Control	Security	Product								
02530-001	02530-001	2N IP PHONE D7A WALL MOUNT BRACKET	Wall mount bracket for the 2N IP Phone D7A (02660-001).	\$	15.00	Each	5%	\$	14.25	Access Control	Security	Product								
01741-001	01741-001	2N IP PHONE D7A BUTTONS EXTENDER	Buttons extender for the 2N IP Phone D7A (02660-001).	\$	309.00	Each	5%	\$	293.55	Access Control	Security	Product								
01670-001	01670-001	2N IDT 2.0 POE WIFI BLACK	2N® Indoor Touch 2.0 - PoE W-I-F-I Black	\$	1,059.00	Each	5%	\$	1,006.05	Access Control	Security	Product								
01671-001	01671-001	2N IDT 2.0 POE WIFI WHITE	2N® Indoor Touch 2.0 - PoE W-I-F-I White	\$	1,059.00	Each	5%	\$	1,006.05	Access Control	Security	Product								
01425-001	01425-001	2N IDT - DESK STAND BLACK	2N Indoor Touch - Desk stand black	\$	129.00	Each	5%	\$	122.55	Access Control	Security	Product								
01426-001	01426-001	2N IDT - DESK STAND WHITE	2N Indoor Touch - Desk stand white	\$	129.00	Each	5%	\$	122.55	Access Control	Security	Product								
01423-001	01423-001	2N IDT - POWER SUPPLY FLUSH	2N Indoor Touch External power supply, 12V 2A DC, flush mounted	\$	119.00	Each	5%	\$	113.05	Access Control	Security	Product								
			2N SIP Mic allows paging to several zones with a simple push of a button. It is ideal for live or pre-recorded announcements. It has a built-in audio-management server for configuration, which means less equipment as well as flexible, easy and cost-efficient installation. The network microphone console has 12 buttons that can be configured with actions of your choice. 2N SIP Mic's 12 buttons give you a smart paging solution for up to 12 zones, and if your system grows you can easily connect the microphone console to a PBX system thanks to support for SIP. The microphone is based on open standards and connects to standard networks using PoE.	\$	1,427.00	Each	5%	\$	1,355.65	Access Control	Security	Product								
01208-001	01208-001	2N SIP MIC		\$	1,427.00	Each	5%	\$	1,355.65	Access Control	Security	Product								
01433-001	01433-001	2N SIP SPEAKER - HORN	2N SIP Speaker - Horn (outdoor SIP based active hornspeaker)	\$	715.00	Each	5%	\$	679.25	Access Control	Security	Product								
01432-001	01432-001	2N SIP SPEAKER - WALL MOUNTED, W	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$	549.00	Each	5%	\$	521.55	Access Control	Security	Product								
01431-001	01431-001	2N SIP SPEAKER - WALL MOUNTED, B	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$	549.00	Each	5%	\$	521.55	Access Control	Security	Product								
01435-001	01435-001	2N IP AUDIO POWER SUPPLY - US PLUG	2N IP Audio Power Supply - US plug	\$	79.00	Each	5%	\$	75.05	Access Control	Security	Product								
			Contactless MIFARE® DESFire® EV3 8K smart card that uses advanced radio frequency identification (RFID) technology to deliver secure and reliable physical access to premises. The card is made of 100% recycled PET-G. One bulk pack comes with 100 cards.	\$	689.00	Each	5%	\$	654.55	Access Control	Security	Product								
03084-001	03084-001	AXIS TA4711 Access Card 100 pcs		\$	689.00	Each	5%	\$	654.55	Access Control	Security	Product								
			Contactless MIFARE® DESFire® EV3 8K key fob that uses advanced radio frequency identification (RFID) technology to deliver secure and reliable physical access to premises. The key fob is made of impact-resistant matt polycarbonate and ultrasonically welded in a stainless steel frame, making it stable and durable, with IP67 and IK09 rating – perfect for carrying on a keyring. One bulk pack comes with 50 key fobs.	\$	689.00	Each	5%	\$	654.55	Access Control	Security	Product								
03083-001	03083-001	AXIS TA4712 Key Fob 50 pcs		\$	689.00	Each	5%	\$	654.55	Access Control	Security	Product								
			AXIS TA1101-B Wiegand to OSDP Converter is a versatile accessory designed to bridge the gap between Wiegand readers and Axis door controllers, specifically AXIS A1710 and A1810 Network Door Controllers, which have only OSDP reader port on board. This compact device ensures seamless integration by converting Wiegand signals to OSDP, allowing modern, secure, and efficient communication between the reader and the door controller.	\$	94.00	Each	5%	\$	89.30	Access Control	Security	Product								
03102-001	03102-001	AXIS TA1101-B Wiegand to OSDP Converter		\$	94.00	Each	5%	\$	89.30	Access Control	Security	Product								

03110-001	03110-001	AXIS TA1201 Wall Mount Enclosure	AXIS TA1201 Wall Mount Enclosure is designed to house up to four AXIS TA1101-B Wiegand to OSDP converters, offering a secure and flexible installation solution. It supports both wall and DIN rail mounting. The enclosure is plenum-rated, and it supports conduit installation, offering extra protection for wiring. With its easy-to-install design and robust construction, AXIS TA1201 ensures a durable and hassle-free installation.	\$ 94.00	Each	5%	\$ 89.30	Access Control	Security	Product
03337-004	03337-004	AXIS TA1202 Power Enclosure FAI	A complete, ready-to-install access control enclosure designed for fast, reliable setup. It includes a powerful 150W power supply, battery backup, fire alarm interface (FAI) with relay board, and fits perfectly with the AXIS A1710-B Door Controller. Housed in a secure, tamper-protected steel case, it's UL-listed and ideal for large-scale, professional installations. Currently available in a 120 VAC version, designed to meet power standards in the US and similar regions.	\$ 1,299.00	Each	5%	\$ 1,234.05	Access Control	Security	Product
03341-004	03341-004	AXIS TA1203 Power Enclosure FAI	A complete, ready-to-install access control enclosure designed for fast, reliable setup. It includes a powerful 250W power supply, battery backup, fire alarm interface (FAI) with relay board, and fits perfectly with the AXIS A1810-B Door Controller. Housed in a secure, tamper-protected steel case, it's UL-listed and ideal for large-scale, professional installations. Currently available in a 120 VAC version, designed to meet power standards in the US and similar regions.	\$ 1,899.00	Each	5%	\$ 1,804.05	Access Control	Security	Product
02687-001	02687-001	AXIS TA1601 Mounting Plate	AXIS TA1601 Mounting Plate is compatible with AXIS T01808-VE Surveillance Cabinet and AXIS A1210-B Network Door Controller to build 4 door controller kit - AXIS A1214 Network Door Controller Kit AXIS TA1601 Mounting Plate is included in AXIS A1214 Network Door Controller Kit	\$ 63.00	Each	5%	\$ 59.85	Access Control	Security	Product
02688-001	02688-001	AXIS TA1801 Top Cover	AXIS TA1801 Top Cover is compatible with AXIS A1210-B Network Door Controller, ideal for installations that need a full enclosure for extra protection or in plenum spaces. AXIS TA1801 Top Cover is included in AXIS A1210 Network Door Controller.	\$ 41.00	Each	5%	\$ 38.95	Access Control	Security	Product
02699-001	02699-001	AXIS TA1802 Top Cover	AXIS TA1802 Top Cover is compatible with AXIS A1610-B Network Door Controller, ideal for installations that need a full enclosure for extra protection or in plenum spaces. AXIS TA1802 Top Cover is included in AXIS A1610 Network Door Controller.	\$ 41.00	Each	5%	\$ 38.95	Access Control	Security	Product
02685-021	02685-021	AXIS TA1901 DIN Rail Clip 10PCS	AXIS TA1901 DIN Rail Clip is for standard 35mm DIN rail, and compatible with Axis network door controller and network I/O relay modules.	\$ 52.00	Each	5%	\$ 49.40	Access Control	Security	Product
03179-001	03179-001	AXIS TA1902 Mk II Connector Kit	Spare connector kit for Axis network door controllers, readers, and I/O relay modules. Includes: 10 pcs each of 2pos, 3pos, 4pos, 5pos, 6pos, and 8pos terminal block connectors for Axis controllers & I/O modules, 10 x 4pos connectors for AXIS readers, and 10 x 3pos Wago splicing connectors for AXIS A1710-B & A1810-B door controllers.	\$ 105.00	Each	5%	\$ 99.75	Access Control	Security	Product
02686-001	02686-001	AXIS TA1902 Connector Kit	Spare connectors for Axis access control products including network door controllers, readers, and network I/O relay modules. AXIS TA1902 Access Control Connector Kit includes 20pcs of 2pos, 20pcs of 4pos, 10pcs of 6pos, 10pcs of 8pos terminal block connectors for Axis network door controller and network I/O relay modules, and 10pcs of 4pos terminal block connector for AXIS A4010-E Reader and AXIS A4120-E Reader with Keypad.	\$ 105.00	Each	5%	\$ 99.75	Access Control	Security	Product
02532-001	02532-001	AXIS TA4201 Weathershield	AXIS TA4201 Weathershield, accessory to AXIS A4120-E Reader with Keypad, to protect reader from extreme conditions, such as accumulation of encrusting snow or ice. Glass-fiber reinforced, and UV resistant plastic offers robustness for use in harsh outdoor environment, and easy on the environment with PVC/BCR/CFR free.	\$ 31.00	Each	5%	\$ 29.45	Access Control	Security	Product

02533-001	02533-001	AXIS TA4401 BRAILLE LABEL 10P	AXIS TA4401 Braille Label, easy to install accessory to AXIS A4120-E Reader with Keypad, for assisting with keypad entry to sight limited. With the optimized visually impaired reader mode to avoid inadvertent PIN input. UV resistant material offers robustness for use in harsh outdoor environment. And easy on the environment with PVC/BCR/CFR free.	\$ 179.00	Each	5%	\$ 170.05	Access Control	Security	Product
03091-001	03091-001	AXIS TA4601 Surface Mount	Designed specifically for use with concrete or reinforced concrete walls, AXIS TA4601 Surface Mount creates a cavity that allows for easy and secure cable termination, ensuring a clean and professional installation.	\$ 37.00	Each	5%	\$ 35.15	Access Control	Security	Product
03092-001	03092-001	AXIS TA4602 Installation Back Box	AXIS TA4602 Installation Back Box is a mounting accessory, designed to create a cavity for concealing and terminating cables within a wall, ensuring a clean and organized installation.	\$ 37.00	Each	5%	\$ 35.15	Access Control	Security	Product
02997-001	02997-001	AXIS TA9001 Wall Mount Bracket 10P	AXIS TA9001 Wall Mount Bracket is a metal bracket designed for AXIS A9210 Network I/O Relay Module and AXIS A9910 I/O Relay Expansion Module wall mounting. It is included in the AXIS A9210 and A9910 packages, sold separately as a spare part, and available in packs of 10.	\$ 52.00	Each	5%	\$ 49.40	Access Control	Security	Product
03087-001	03087-001	AXIS TA9901 Cable Strain Relief 5 pcs	AXIS TA9901 Cable Strain Relief secures cables using regular cable ties, preventing plugs from being pulled out or cables becoming loose and disconnected. It is compatible with the AXIS A9910 I/O Relay Expansion Module and the AXIS A9210 Network I/O Relay Module. It is available in packs of 5.	\$ 52.00	Each	5%	\$ 49.40	Access Control	Security	Product
01762-001	01762-001	AXIS TA8201 RECESSED MOUNT	Recessed mount offering neat and easy installation of the AXIS A8207-VE Network Video Door Station. Multiple mounting and wiring options along with a robust construction makes it suitable for most situations and wall types.	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
01763-001	01763-001	AXIS TA8601 CONDUIT ADAPTER 3/4 NPS	Cable protection attachment bracket for AXIS A8207-VE Network Video Door Station Compatible with 3/4" Conduits	\$ 94.00	Each	5%	\$ 89.30	Access Control	Security	Product
01962-001	01962-001	AXIS TA8501 PHYSICAL TAMPERING SW	AXIS TA8501 Physical Tampering Switch is an accessory to be used when the AXIS A8105-E Network Video Door Station is combined with the AXIS A9801 Security Relay. This accessory is a fix to the known issue of the integrated accelerometer showing false tampering alerts.	\$ 16.00	Each	5%	\$ 15.20	Access Control	Security	Product
5801-481	5801-481	AXIS A8105-E FLUSH MOUNT	Nice and easy recessed mount of AXIS A8105-E Network video door station suitable for most wall types.	\$ 84.00	Each	5%	\$ 79.80	Access Control	Security	Product
5801-141	5801-141	AXIS A9801 SECURITY RELAY	AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of the door. If an intruder attempt to tamper with the door station to access the door lock wires, AXIS A9801 Security relay will cut the connection and ensure that the door remains securely locked.	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
02070-001	02070-001	AXIS T18901 FACE PLATE REPLACEMENT	Stainless steel face plate replacement sold as a spare part for AXIS I8016-LVE Network Video Intercom. It enables easy on-site replacement in case the original plate has been damaged or vandalized.	\$ 199.00	Each	5%	\$ 189.05	Access Control	Security	Product
02233-001	02233-001	AXIS T18603 Conduit Adapter 3/4"NPS	Cable protection attachment bracket for AXIS I8016-LVE Network Video Intercom, compatible with 3/4" Conduits.	\$ 36.00	Each	5%	\$ 34.20	Access Control	Security	Product
02066-001	02066-001	AXIS T18602 WALL MOUNT BACK BOX	Wall mount to be used together with AXIS I8016-LVE Network Video Intercom. Highly robust with IK10 and IP69 rating.	\$ 169.00	Each	5%	\$ 160.55	Access Control	Security	Product
02067-001	02067-001	AXIS T18202 RECESSED MOUNT	Recessed mount offering neat installation of AXIS I8016-LVE Network Video Intercom. Multiple mounting and wiring options along with a robust construction makes it suitable for most situations and wall types.	\$ 52.00	Each	5%	\$ 49.40	Access Control	Security	Product
02503-001	02503-001	AXIS T18203 ADAPTER PLATE	Stainless steel adapter plate for mounting AXIS I8016-LVE Network Video Intercom in Code Blue® and Talkaphone® emergency stations and help points. Suitable for new deployments and retrofitting existing installations, it combines intelligent video surveillance with emergency communication—all in a single device.	\$ 159.00	Each	5%	\$ 151.05	Access Control	Security	Product

02673-001	02673-001	AXIS TI8904 INDUCTION LOOP	AXIS TI8904 Induction loop enhances the current features set of AXIS I8016-LVE Network Video Intercom to transmit audio from the intercom to a person's hearing aid. This accessory is hidden in the AXIS TI8202 Recessed Mount or AXIS TI8602 Wall Mount and only visible by a t-coil sign sticker on the face plate of AXIS I8016-LVE. By eliminating the need for an external power supply or additional configuration on the intercom, a quick and reliable installation can be ensured.	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
02561-001	02561-001	AXIS TI8204 Recessed Mount White	Nice and easy recessed mount of AXIS I8116-E Network Video Intercom suitable for most wall types.	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
02562-001	02562-001	AXIS TI8204 Recessed Mount Black	Nice and easy recessed mount of AXIS I8116-E Network Video Intercom suitable for most wall types.	\$ 99.00	Each	5%	\$ 94.05	Access Control	Security	Product
03192-001	03192-001	AXIS TI8605 Protection Cover Safety	Nice and easy protection cover which increases the perceived robustness for AXIS I8116-E. Available in three colors (safety=orange, white and black)	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
03193-001	03193-001	AXIS TI8605 Protection Cover White	Nice and easy protection cover which increases the perceived robustness for AXIS I8116-E. Available in three colors (safety=orange, white and black)	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
03194-001	03194-001	AXIS TI8605 Protection Cover Black	Nice and easy protection cover which increases the perceived robustness for AXIS I8116-E. Available in three colors (safety=orange, white and black)	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
03195-001	03195-001	AXIS TI8606 Wedge Mount	Nice and easy wedge mount which positions the AXIS I8116-E either 30 degrees left or right when installing it on a wall. This wedge mount can also be used to mount the intercom on poles.	\$ 139.00	Each	5%	\$ 132.05	Access Control	Security	Product
03016-001	03016-001	AXIS TI8905 Face Plate Replacement	Stainless steel face plate replacement sold as a spare part for AXIS I7010-VE Network Intercom. It enables easy on-site replacement in case the original plate has been damaged or vandalized.	\$ 105.00	Each	5%	\$ 99.75	Access Control	Security	Product
02928-001	02928-001	AXIS TI8205 Recessed Mount	Recessed Mount for AXIS I8307-VE.	\$ 209.00	Each	5%	\$ 198.55	Access Control	Security	Product
03174-001	03174-001	AXIS TI8205 Safety Recessed Mount	Recessed Mount in RAL 2004 (Orange) for AXIS I8307-VE	\$ 209.00	Each	5%	\$ 198.55	Access Control	Security	Product
03017-001	03017-001	AXIS TI8907 Face Plate Replacement	Face plate replacement sold as a spare part for AXIS I7020 Network Intercom. It enables easy on-site replacement in case the original plate has been damaged or vandalized.	\$ 209.00	Each	5%	\$ 198.55	Access Control	Security	Product
03144-001	03144-001	AXIS TI8908 Safety Face Plate	Face plate replacement sold as a spare part for AXIS I7010-VE Safety Network Intercom. It enables easy on-site replacement in case the original plate has been damaged or vandalized.	\$ 209.00	Each	5%	\$ 198.55	Access Control	Security	Product
03173-001	03173-001	AXIS TI8909 Safety Protection Cover	Protection cover for AXIS I8307-VE Network Video Intercom in Orange (RAL2004). By changing the protection cover to the TI8909 Safety Protection Cover, the product becomes more visible for emergency situations	\$ 159.00	Each	5%	\$ 151.05	Access Control	Security	Product
02929-001	02929-001	AXIS TI8604 Conduit Adapter 3/4 NPS	Cable protection attachment bracket for AXIS I8307-VE Network Video Intercom. Compatible with 3/4" Conduits.	\$ 189.00	Each	5%	\$ 179.55	Access Control	Security	Product
03240-001	03240-001	AXIS TI5201 Recessed Mount	The TI5201 Recessed Mount accessory for AXIS I5304 White (03238-001) or AXIS I5304 Black (03239-001).	\$ 29.00	Each	5%	\$ 27.55	Access Control	Security	Product
03241-001	03241-001	AXIS TI5601 Wall Mount	The TI5601 Wall Mount accessory for AXIS I5304 White (03238-001) or AXIS I5304 Black (03239-001).	\$ 29.00	Each	5%	\$ 27.55	Access Control	Security	Product
03242-001	03242-001	AXIS TI5602 Desk Stand	The TI5602 Desk Stand accessory for AXIS I5304 White (03238-001) or AXIS I5304 Black (03239-001).	\$ 59.00	Each	5%	\$ 56.05	Access Control	Security	Product
02368-001	02368-001	AXIS A1210 Network Door Controller	A compact edge-based one door controller, suitable for plenum spaces, all powered by one PoE cable. It is fully integrated within Axis end-to-end solutions, this scalable product is optimized for both small and large installations and supports flexible authentication using different types of credentials. Furthermore, with built-in cybersecurity features, it prevents unauthorized access and safeguards your system.	\$ 489.00	Each	5%	\$ 464.55	Access Control	Security	Product
02369-001	02369-001	AXIS A1210-B Network Door Controller	The barebone version of A1210, a compact edge-based one door controller, suitable for installation anywhere. It's possible to stack units, ideal for installation in small spaces such as existing or newly installed cabinets. Fully integrated within Axis end-to-end solutions, it's optimized for both small and large installations and supports flexible authentication using different types of credentials.	\$ 449.00	Each	5%	\$ 426.55	Access Control	Security	Product

02653-001	02653-001	AXIS A1610 Network Door Controller	This advanced and robust door controller includes everything needed to control two doors—all powered by one PoE cable, featuring four reader connections as well as two Form C relays to power the onboard lock. You can store up to 250k credentials and 250k event logs on the device itself. With built-in cybersecurity features, this smart door controller can internally handle all tasks related to door access—even if the network is down.	\$ 799.00	Each	5%	\$ 759.05	Access Control	Security	Product
02654-001	02654-001	AXIS A1610-B Network Door Controller	Barebone version of A1610 Network Door Controller. Sold without a top cover, it offers easy installation with Axis or 3rd party cabinet. This advanced door controller includes everything needed to control two doors—all powered by one PoE cable, featuring four reader connections as well as two Form C relays to power the onboard lock. You can store up to 250k credentials and 250k event logs on the device itself. With built-in cybersecurity features, this smart door controller can internally handle all tasks related to door access—even if the network is down.	\$ 769.00	Each	5%	\$ 730.55	Access Control	Security	Product
02684-001	02684-001	AXIS A1214 Door Controller Kit	This all-in-one, out-of-the-box-ready kit can control up to four doors. It includes four AXIS A1210-B units enclosed in AXIS TQ1808-VE, a robust, vandal-resistant IK10- and NEMA 4x-rated cabinet. Fully integrated within Axis end-to-end solutions, it offers fast and easy installation.	\$ 2,119.00	Each	5%	\$ 2,013.05	Access Control	Security	Product
03078-001	03078-001	AXIS A1710-B Network Door Controller	This compact, cost-efficient door controller gives you full control for up to four doors including support for up to eight OSDP readers and eight locks. With onboard lock power, this all-in-one multi-door controller simplifies complex installations.	\$ 1,379.00	Each	5%	\$ 1,310.05	Access Control	Security	Product
03336-004	03336-004	AXIS A1711 Door Control Kit	A complete, ready-to-install 4-door access control kit for fast and easy deployment. It includes the AXIS TA1202 enclosure with a 150W power supply, built-in battery charging support (backup battery not included), and the AXIS A1710-B Network Door Controller—all housed in a secure, tamper-protected steel case. Available in 120 VAC (US) and 208–230 VAC (EU) versions. UL-listed for professional installations.	\$ 1,999.00	Each	5%	\$ 1,899.05	Access Control	Security	Product
03338-004	03338-004	AXIS A1711 Door Control Kit FAI	A complete, ready-to-install 4-door access control kit for fast and easy deployment. It includes the AXIS TA1202 enclosure with a 150W power supply, built-in battery charging support (backup battery not included), fire alarm interface (FAI) relay board, and the AXIS A1710-B Network Door Controller—all housed in a secure, tamper-protected steel case. Currently available in a 120 VAC version, designed to meet power standards in the US and similar regions.	\$ 2,099.00	Each	5%	\$ 1,994.05	Access Control	Security	Product
03079-001	03079-001	AXIS A1810-B Network Door Controller	This compact, cost-efficient door controller gives you full control for up to eight doors including support for up to 16x OSDP readers and 16x locks. With onboard lock power, this all-in-one multi-door controller simplifies complex installations.	\$ 2,649.00	Each	5%	\$ 2,516.55	Access Control	Security	Product
03340-004	03340-004	AXIS A1811 Door Control Kit	A complete, ready-to-install 8-door access control kit for fast and easy deployment. It includes the AXIS TA1203 enclosure with a 250W power supply, built-in battery charging support (backup battery not included), and the AXIS A1810-B Network Door Controller—all housed in a secure, tamper-protected steel case. Available in 120 VAC (US) and 208–230 VAC (EU) versions. UL-listed for professional installations.	\$ 3,499.00	Each	5%	\$ 3,324.05	Access Control	Security	Product
03342-004	03342-004	AXIS A1811 Door Control Kit FAI	A complete, ready-to-install 8-door access control kit for fast and easy deployment. It includes the AXIS TA1203 enclosure with a 250W power supply, built-in battery charging support (backup battery not included), fire alarm interface (FAI) relay board, and the AXIS A1810-B Network Door Controller—all housed in a secure, tamper-protected steel case. Currently available in a 120 VAC version, designed to meet power standards in the US and similar regions.	\$ 3,599.00	Each	5%	\$ 3,419.05	Access Control	Security	Product

			<p>Single unit e-license for AXIS Door Controller Extension</p> <p>This AXIS Camera Application Platform (ACAP) based application empowers Axis network door controllers to support additional features or integrations to extend the capability of the door controller. For example, wireless locks integration to support up to additional 16x wireless doors per door controller.</p> <p>Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>									
02896-001	02896-001	AXIS Door Controller Extension		\$	209.00	Each	5%	\$	198.55	Access Control	Security	Product
01507-001	01507-001	AXIS A1601	<p>With door controllers from Axis, you install one smart, independent device by each door to create a scalable access control system. The open platform allows you to mix and match best-of-breed software and hardware, and enables easy integration with other systems such as video surveillance, intrusion detection, and time and attendance. AXIS A1601 Network Door Controller is ideal for advanced access management in mid-sized and large, multi-site installations using third-party software (no embedded Entry Manager software). It has a powerful processor, expanded storage and memory, relays, and I/O ports. AXIS A1601 is powered by PoE+ and can also power connected equipment.</p>	\$	799.00	Each	5%	\$	759.05	Access Control	Security	Product
0540-001	0540-001	AXIS A1001 Network Door Controller	<p>AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).</p>	\$	689.00	Each	5%	\$	654.55	Access Control	Security	Product
0540-021	0540-021	AXIS A1001 BULK 10PCS Network Door Controller	<p>AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).</p>	\$	6,889.00	Each	5%	\$	6,544.55	Access Control	Security	Product
02861-001	02861-001	AXIS A9210 Network I/O Relay Module	<p>AXIS A9210 offers ten I/O ports including two configurable I/Os, five inputs, three outputs, and one form C relay output, allowing you to extend the functionality of any Axis product or third-party system.</p> <p>You can monitor inputs from cameras, analytics, alarm buttons, environmental sensors, and more. It's easy to integrate with third-party advanced security systems such as VMSs, and alarm and intrusion systems.</p> <p>Furthermore, with multi-drop technology, you can add up to 16 expansion modules, AXIS A9910, for 128 I/Os, and 64 relays using just one IP connection.</p>	\$	349.00	Each	5%	\$	331.55	Access Control	Security	Product
02862-001	02862-001	AXIS A9910 I/O Relay Expansion Module	<p>Featuring multi-drop technology, it's possible to connect up to 16 AXIS A9910 I/O Relay Expansion Modules to one AXIS A9210 device. 128 I/Os and 64 relays using just one PoE cable—no need for an extra network cable drop. This ensures a cost-effective installation and saves you time and effort. Plus, Modbus sensor ports let you integrate environmental sensors such as temperature and humidity sensors.</p>	\$	299.00	Each	5%	\$	284.05	Access Control	Security	Product

0821-001	0821-001	AXIS A9161 NETWORK I/O RELAY MODULE	<p>AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the functionality of Axis products where additional I/Os or relays are needed. Its enclosure makes installation easy and flexible.</p> <p>-6 I/Os and 1 form C relays -12 and 24 V DC output/input or PoE+ -Based on Axis open platforms, VAPIX and ACAP -Used with AXIS Camera station or third-party software</p>	\$	319.00	Each	5%	\$	303.05	Access Control	Security	Product
0820-001	0820-001	AXIS A9188 NETWORK I/O RELAY MODULE	<p>AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controller for elevator control for floor management etc. Supported by AXIS Video Hosting System, AXIS Camera Station and third party partner software. The module provides 12 and 24 V DC output to I/O devices and can extend the functionality of any Axis product where you need additional I/Os or relays. Powered by PoE+ or 12 and 24 V DC input</p>	\$	629.00	Each	5%	\$	597.55	Access Control	Security	Product
0831-001	0831-001	AXIS A9188-VE NETWORK I/O RELAY MODULE	<p>AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A1001 Network Door Controller and other facility systems.</p> <p>-8 I/Os with supervised inputs and 8 form C relays -UL294-approved with cabinet AXIS T98A15-VE Surveillance Cabinet -12 and 24 V DC output/input or PoE+ -Open API, support for VAPIX, ACAP -Used with AXIS Camera station or third-party software</p>	\$	949.00	Each	5%	\$	901.55	Access Control	Security	Product
02026-001	02026-001	AXIS A8207-VE MKII	<p>AXIS A8207-VE Network Video Door Station combines a fully featured 6MP security camera with high-quality, two-way audio communication and remote entry control. It also has an integrated RFID access control reader. By providing both surveillance, visitor management, and employee accessibility, AXIS A8207-VE increases the efficiency while keeping down the number of devices at the door. Analytics, such as motion or sound-based detection, is supported. Based on open standards and with several hardware interfaces, AXIS A8207-VE easily integrates with other systems and solutions and is prepared for future needs. Interaction is intuitive and accessible, with an inductive loop for hearing aid.</p>	\$	1,689.00	Each	5%	\$	1,604.55	Access Control	Security	Product
01995-001	01995-001	AXIS I8016-LVE	<p>AXIS I8016-LVE Network Video Intercom is a compact and highly robust network intercom for two-way communication, video and remote entry control, with exceptional audio quality, including echo and noise cancellation, and a 5MP camera with invisible IR night vision and 140° FOV, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as ONVIF, PoE and SIP, AXIS I8016-LVE Network Video Intercom offers great integration possibilities and is a perfect complement to any video surveillance system.</p>	\$	1,269.00	Each	5%	\$	1,205.55	Access Control	Security	Product
02408-001	02408-001	AXIS I8116-E White	<p>AXIS I8116-E is a small and powerful network video intercom. It operates as a communication device and full-fledged security camera at the same time, providing 5MP video, audiovisual identification, two-way communication and remote entry control as an intrinsic part of video surveillance. Open standards such as ONVIF and Session Initiation Protocol (SIP) in combination with its small size, give unique opportunities for system design, integration and installation. Wide Dynamic Range (WDR) and efficient noise cancellation ensure uncompromised performance in demanding situations, such as strong backlight or surrounding noise.</p>	\$	949.00	Each	5%	\$	901.55	Access Control	Security	Product

02409-001	02409-001	AXIS I8116-E Black	AXIS I8116-E is a small and powerful network video intercom. It operates as a communication device and full-fledged security camera at the same time, providing 5MP video, audiovisual identification, two-way communication and remote entry control as an intrinsic part of video surveillance. Open standards such as ONVIF and Session Initiation Protocol (SIP) in combination with its small size, give unique opportunities for system design, integration and installation. Wide Dynamic Range (WDR) and efficient noise cancellation ensure uncompromised performance in demanding situations, such as strong backlight or surrounding noise.	\$ 949.00	Each	5%	\$ 901.55	Access Control	Security	Product
02875-001	02875-001	AXIS I7010-VE	With 92db SPL, this robust intercom delivers great audio quality with echo cancellation and noise reduction. It doesn't include a camera, so privacy is always guaranteed. Featuring an anti-ligature design, IP66/IP69-rated and a vandal-resistant IK10-rated casing, makes this intercom a perfect fit in high security environments.	\$ 949.00	Each	5%	\$ 901.55	Access Control	Security	Product
03109-001	03109-001	AXIS I7010-VE Safety	With 92db SPL, this robust intercom delivers great audio quality with echo cancellation and noise reduction. The orange color in RAL 2004 ensures high visibility for various safety application. IP66/IP69-rated and a vandal-resistant IK10-rated casing, makes this intercom a perfect fit in high security environments.	\$ 1,059.00	Each	5%	\$ 1,006.05	Access Control	Security	Product
02876-001	02876-001	AXIS I7020	This cleanable intercom in a 2-gang form factor is the perfect fit for various indoor applications with high requirements for air cleanliness. With a certification for ISO 14644-14 grade 3-9, it suits applications within the pharmaceutical industry or clean rooms for example.	\$ 1,269.00	Each	5%	\$ 1,205.55	Access Control	Security	Product
02784-001	02784-001	AXIS I8307-VE	AXIS I8307-VE Network Video Intercom combines a fully featured 8 MP security camera, two-way audio communication and a 7" touch display in one device. It also has an integrated RFID multi-frequency reader to integrate with other access control systems.	\$ 3,399.00	Each	5%	\$ 3,229.05	Access Control	Security	Product
03238-001	03238-001	AXIS IS304 White	7" touchscreen answering unit with a wide viewing angle. The IS304 White requires one of the three installation accessories: Recessed Mount (03240-001), Wall Mount (03241-001) or Desk Stand (03242-001)	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
03239-001	03239-001	AXIS IS304 Black	7" touchscreen answering unit with a wide viewing angle. The IS304 Black requires one of the three installation accessories: Recessed Mount (03240-001), Wall Mount (03241-001) or Desk Stand (03242-001)	\$ 719.00	Each	5%	\$ 683.05	Access Control	Security	Product
02144-001	02144-001	AXIS A4020-E Reader	AXIS A4020-E Reader is designed to perfectly match Axis network door controllers and Axis credentials. Ideal for use in harsh environments both indoors and outdoors, it features a mullion-mount design to fit perfectly in narrow spaces and door frame installations. It supports most types of smart RFID card standards with 13.56MHz credential technologies and includes out-of-the-box support for Open Supervised Device Protocol (OSDP). Packed with built-in cybersecurity features, it helps prevent unauthorized access and safeguards your system. Furthermore, this smart reader supports Secure Communication Protocol (SCP) enabling secure communications and connections. COO: European Community	\$ 229.00	Each	5%	\$ 217.55	Access Control	Security	Product
02145-001	02145-001	AXIS A4120-E Reader with Keypad	AXIS A4120-E Reader with Keypad, offers secure and seamless entry, designed to perfectly match Axis network door controllers and Axis credentials. IP66, IK07 ratings for use in harsh environments and the intuitive touch keypad offers unlimited touches. It supports most types of smart RFID card standards with 13.56MHz technologies and includes out-of-the-box support for Open Supervised Device Protocol (OSDP) and Secure Channel Protocol (SCP). COO: European Community	\$ 379.00	Each	5%	\$ 360.05	Access Control	Security	Product

03072-001	03072-001	AXIS A4612 Network Bluetooth® Reader	AXIS A4612 Network Bluetooth® Reader offers convenient access using your mobile phone. It supports most types of RFID card standards with 13.56MHz credentials. IP65-rated, ready for installation both indoors and outdoors. With PoE, you can connect to the closest network switch with a single cable for both power and connectivity- no need to wire back to the door controller.	\$ 499.00	Each	5%	\$ 474.05	Access Control	Security	Product
02524-001	02524-001	AXIS BARCODE READER	Single unit e-license for AXIS Barcode Reader Convenient and cost-effective, AXIS Barcode Reader seamlessly turns Axis intercom or camera into a QR code reader for reliable credential or access control management. This IP- and AXIS Camera Application Platform (ACAP)-based application is fully integrated with AXIS Camera Station Secure Entry for reliable QR code entry for visitors. Visit www.axis.com for supported products and application download. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancelable, non-changeable and non-returnable.	\$ 209.00	Each	5%	\$ 198.55	Access Control	Security	Product
5507-711	5507-711	AXIS 4IN1 SECURITY SCREWDRIVER	The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant torx and standard philips head. The kit comes with a quick-release, non-slip rubber handle, and a velcro-sealed polyester pouch with belt clip. Insert bits material in chrome vanadium (TR10+PH11) and in stainless steel (TR20-TR30).	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5503-741	5503-741	GASKET A CABLE 3.5-7MM 10PCS	M20 Gasket for cable diameter 3.5mm to 7mm, 10 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
21776	21776	ACC TOOL STEEL STRAP	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67	\$ 145.00	Each	5%	\$ 137.75	Cameras	Security	Product
01785-001	01785-001	AXIS GASKET M16 5-8 MM 10PCS	IP66 cable gasket for M16 holes (max 17mm). By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable which gives a much faster and more secure installation. Suitable for cable diameters between 5-8mm. Black color. 10 pieces (bulk pack)	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5503-751	5503-751	GASKET B M20 CABLE 6-13MM 10PCS	M20 Gasket for cable diameter 6-13mm, 10 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5503-791	5503-791	GASKET C M25 CABLE 8-17MM 10PCS	M20 Gasket for cable 8-17mm, 10 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02277-001	02277-001	AXIS TQ3901 Gasket M20 Cable	10 cable gaskets compatible with Q3819-PVE, Q1951-E, Q1952-E. 10 pcs of 2013186 GASKET CABLE 21.5x4 and 1 pcs of 1327329 TOOL MOUNTING RJ45 E1.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5503-761	5503-761	CABLE GLAND A M20 5PCS	M20 cable gland, 5 pcs.	\$ 10.00	Each	5%	\$ 9.50	Cameras	Security	Product
5505-941	5505-941	GASKET C M20 10PCS	This gasket is specially made for flexible and easy installation. By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable which gives a much faster and more secure installation. Made for M20 holes and cables from 5 to 15mm in outer diameter. 10 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5506-421	5506-421	CABLE GASKET M20 3MM 10PCS	M20 gasket for small cables like I/O and audio cables. 10 pcs	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5503-831	5503-831	CABLE GLAND A M25 5PCS	M25 Cable gland, 5 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5503-951	5503-951	CABLE GLAND M20x1.5 RJ45 5PCS	M20 cable gland for RJ45. Ease of installation, no need of cutting the cable.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5504-551	5504-551	AXIS M3025-VE LENS M12 6MM	Optional lens for AXIS M3025-VE, 6mm. Including focus ring.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01960-001	01960-001	LENS M12 6MM F1.9 4PCS	Accessory lens 6 mm, F1.9 with M12 thread and built in IR-cut filter for AXIS F1005-E and FA1105. Tool for removing the standard lens is included. 4 Pcs.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
01961-001	01961-001	LENS M12 16MM F1.8 4PCS	Accessory lens 16 mm, F1.8 with M12 thread and built in IR-cut filter for AXIS F1005-E and FA1105. Tool for removing the standard lens is included. 4 Pcs.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
01780-001	01780-001	LENS M12 12MM F1.8 4P	LENS M12 12MM F1.8 Q6100-E Q6010-E	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01781-001	01781-001	LENS M12 25MM F2.4 4P	LENS M12 25MM F2.4 4P Q6100-E	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01812-001	01812-001	LENS M12 16MM F1.8 4P	LENS M12 16MM F1.8 Q6010-E Q6100-E cameras as well as F4105-LRE / F4105-SLRE sensor units	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01813-001	01813-001	LENS M12 6MM F2.0 4P	LENS M12 6MM F2.0 Q6010-E Q6100-E	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5507-121	5507-121	AXIS WEATHERSHIELD K	Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01860-001	01860-001	LENS M12 2.8 MM F1.2 10P	Megapixel lens 2.8 mm, F1.2 with M12 thread for AXIS P3904-R Mk II and P3905-R Mk II cameras that provides 110° horizontal FOV and excellent low light performance. Coated with IR-cut filter. 10 pieces bulk pack.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5504-961	5504-961	ACC LENS M12 6MM F1.6 10 PCS	Megapixel lens 6 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 52° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product

5504-971	5504-971	ACC LENS M12 8MM F1.6 10 PCS	Megapixel lens 8 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 40° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5506-011	5506-011	ACC LENS M12 3.6MM F2.0 10PCS	Megapixel lens 3.6 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 87° horizontal FOV with these cameras. With IR filter. 10 pieces. Can be used as a spare part for AXIS P39-R or as a wider FOV option for P3905-RE.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5901-371	5901-371	AXIS LENS M12 2.1MM F2.2 10PCS	Megapixel lens 2.1mm, F2.2 with M12 thread for AXIS P39-R Series that provides 147° horizontal FOV with these cameras. With IR filter. 10 pieces. Lens tool included.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02006-001	02006-001	AXIS LENS M12 2.1 MM F1.8 IR 10P	2.1 mm accessory lens. F1.8 with M12 thread, without IR-cut filter for day/night cameras with removable IR cut filter. Compatible with AXIS P3925-R and AXIS P3935-LR. 10 pcs. Lens tool included.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02007-001	02007-001	AXIS LENS M12 3.6 MM F1.8 IR 10P	3.6 mm accessory lens. F1.8 with M12 thread, without IR-cut filter for day/night cameras with removable IR cut filter. Compatible with AXIS P3925-R and AXIS P3935-LR. 10 pcs. Lens tool included.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02008-001	02008-001	AXIS LENS M12 6.0 MM F1.9 IR 10P	6.0 mm accessory lens. F1.9 with M12 thread, without IR-cut filter for day/night cameras with removable IR cut filter. Compatible with AXIS P3925-R and AXIS P3935-LR. 10 pcs. Lens tool included.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02009-001	02009-001	AXIS LENS M12 8.0 MM F1.8 IR 10P	8.0 mm accessory lens. F1.8 with M12 thread, without IR-cut filter for day/night cameras with removable IR cut filter. Compatible with AXIS P3925-R and AXIS P3935-LR. 10 pcs. Lens tool included.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
5503-161	5503-161	THEIA LENS CS VARIF 1.8-3MM DC-IRIS	Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1144-E, AXIS P1353-E, P1354-E, P1355-E, P1357-E, AXIS Q1602-E, Q1604-E, Q1614-E, Q1615-E.	\$ 329.00	Each	5%	\$ 312.55	Cameras	Security	Product
5503-171	5503-171	LENS CS VARIF 9-40MM DC-IRIS D/N	Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1144-E, P1354-E, P1355-E, P1357-E, Q1602-E, Q1604-E.	\$ 299.00	Each	5%	\$ 284.05	Cameras	Security	Product
5504-901	5504-901	LENS CS VARIF 9-40MM P-IRIS D/N	Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355-E, P1357-E, AXIS Q1602-E, Q1604-E, Q1614-E, Q1615-E.	\$ 299.00	Each	5%	\$ 284.05	Cameras	Security	Product
5800-791	5800-791	LENS COMPUTAR CS 12.5-50MM DC-IRIS	Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353-E, P1354-E, Axis Q1602-E, Q1604-E.	\$ 289.00	Each	5%	\$ 274.55	Cameras	Security	Product
5800-801	5800-801	LENS COMPUTAR CS 12.5-50MM P-IRIS	Varifocal IR-corrected lens with P-Iris. Compatible with e.g. AXIS Q1602-E, Q1604-E, Q1614-E, Q1615-E, AXIS P1355-E, P1357-E.	\$ 289.00	Each	5%	\$ 274.55	Cameras	Security	Product
5901-101	5901-101	LENS COMPUTAR I-CS 2.8-8.5MM	Standard lens for AXIS Q1615 MkII with remote zoom based on the new standard I-CS.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
5506-991	5506-991	LENS FUJINON C CS 8-80MM DC	Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	\$ 369.00	Each	5%	\$ 350.55	Cameras	Security	Product
01577-001	01577-001	RICOM 2MP LENS DC-IRIS 8-26MM F0.9	Lens RICOM 2 MP DC-iris CS-Mount Varifocal 8-26MM F0.9. Recommended for AXIS Q1645-LE.	\$ 579.00	Each	5%	\$ 550.05	Cameras	Security	Product
01690-001	01690-001	LENS CS 12-50 MM F1.4 P-IRIS 8MP	Varifocal IR-corrected 12-50 mm P-Iris lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Compatible with e.g. AXIS Q1615-LE MK II, AXIS Q1645-LE, AXIS Q1647-LE, AXIS P1377-LE and P1378-LE.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
01727-001	01727-001	LENS I-CS 9-50 MM F1.5 8MP	Varifocal IR-corrected 9-50 mm I-CS lens for cameras up to 8 megapixel resolution and 1/1.8" sensor. Motorized zoom, focus and P-Iris. Compatible with e.g. AXIS Q1645-LE, AXIS Q1647-LE, AXIS P1377-LE and P1378-LE.	\$ 479.00	Each	5%	\$ 455.05	Cameras	Security	Product
01576-001	01576-001	LENS I-CS 3.9-10 mm F1.5 8 MP	Spare varifocal I-CS lens for AXIS Q1645-LE and AXIS Q1647-LE.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
01775-001	01775-001	LENS CS 2.8 - 13 mm F1.4 DC-IRIS 5 MP	Tamron varifocal CS mount lens with DC-Iris and focal length 2.8 - 13 mm F1.4. It supports cameras up to 5 megapixels and is compatible with selected cameras from AXIS M11 Network Camera Series.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02219-001	02219-001	AXIS TM3808-E Skin Cover Black 4P	4 pack of outdoor-ready skin covers compatible with AXIS M3077-PLVE for changing the appearance of the camera, simplify re-painting and covering screws. Black color. 4 pcs per pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
01774-001	01774-001	LENS CS 3-10.5 MM DC-IRIS 2 MP	Ricom varifocal CS mount lens with DC-Iris and focal length 3 - 10.5 mm F1.4. It supports cameras up to 2 megapixels and is compatible with selected cameras from AXIS M11 Network Camera Series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5502-661	5502-661	AXIS LENS CLOTH 10PCS	Axis accessory lens cloth. 10 pack	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5502-721	5502-721	AXIS LENS CLOTH 50PCS	Axis accessory lens cloth. 50 pack	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
5502-811	5502-811	SURVEILLANCE STICKER ENG 10PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 9.00	Each	5%	\$ 8.55	Cameras	Security	Product

5502-821	5502-821	SURVEILLANCE STICKER ENG 50PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01551-001	01551-001	RADAR DETECTION STICKER EN 10PCS	Axis branded sticker showing a radar detection illustration. Text: Radar detection in operation	\$ 9.00	Each	5%	\$ 8.55	Cameras	Security	Product
5504-881	5504-881	AXIS WEATHERSHIELD KIT C	Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5801-901	5801-901	AXIS PT IR ILLUMINATOR KIT C	850nm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three different diverging lenses. Note: this is the same illuminator kit as used in AXIS Q8685-LE PTZ Network Camera.	\$ 2,069.00	Each	5%	\$ 1,965.55	Cameras	Security	Product
01181-001	01181-001	AXIS T99 ILLUMINATOR BRACKET KIT A	Bracket kit for installing a pair of compatible illuminators to Axis positioning cameras and positioning units. Designed for use with AXIS Q8685-E and AXIS T99A10. Compatible with selected T90 white-LED and IR-LED illuminators. Includes fitting brackets, illuminator connectors, screws, washers, cable glands and cable ties. Illuminators sold separately.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5507-701	5507-701	AXIS WASHER KIT B	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and custom-made mounting bracket for the nozzle.	\$ 1,139.00	Each	5%	\$ 1,082.05	Cameras	Security	Product
02241-001	02241-001	AXIS TQ6905-E WASHER KIT	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube, nozzle and custom-made mounting bracket for the nozzle. This washer kit compatible with Q6215 and as well requires separate ordering of T6101 I/O since Q6215 does not have I/O.	\$ 1,259.00	Each	5%	\$ 1,196.05	Cameras	Security	Product
5801-121	5801-121	AXIS BIRD CONTROL SPIKE 10P	Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The modules can be connected lengthwise and/or widthwise to cover a larger area. 10 pcs.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5801-971	5801-971	AXIS SAFETY WIRE 3M 5P	Stainless steel safety wire 3 m (10 ft) long, with a fixed loop in one end and an adjustable loop with a plated brass wire lock in the other. Suitable for both indoor and outdoor use.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01552-001	01552-001	AXIS F7301 CABLE BLACK 1M 4PCS	Black cable with RJ12 and micro USB connectors for indoor Sensor Units. Length 1 m (39 in.) 4 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5506-821	5506-821	AXIS F7315 CABLE WHITE 15M 4PCS	AXIS F7315 comes in packs of four. 15-m (49 ft.) white cable with an RJ12 connector for connection to an AXIS F1004 Sensor Unit or AXIS FA-series sensors.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01692-001	01692-001	AXIS P13 WEATHERSHIELD EXTENSION A	AXIS P13 Weathershield Extension A for AXIS P1375-E. For mounting on AXIS P13 Series cameras providing additional protection against rain, snow and sunlight.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01793-001	01793-001	M12(F)-RJ45(M) CABLE 0.5M (1.6FT)	M12 D-Code 4-pin (Female) to RJ45 (Male) Ethernet cable, CAT5E. Length: 0.5m (1.6ft). Cable outer diameter: 6.2mm (0.25"). Color: Black. Outdoor UV and sunlight resistant. Tested operational for shock and vibration according to requirements for rolling stock and ground vehicle installations. Compatible with all Axis network video products with female RJ45 Ethernet port 802.3af and 802.3at (up to 30W).	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02061-001	02061-001	AXIS TM1803 WEATHERSHIELD EXTENSION	weathershield extension over M1135/37-E where entire top cover kit not wanted (TM1802)	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02256-001	02256-001	AXIS TV5901 Control Board Adapter	AXIS TV5901 Control Board Adapter is a cable to connect AXIS V5925 and AXIS V5938 to joystick, keypad and other controllers supporting VISCA protocol.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02458-001	02458-001	TP6901-E ADAPTER BRACKET P56	Adapter bracket that allows Axis P56-series to be connected to C6100. The material is PC-ABS Cyclool C6600 GY8D352 and comes in Axis White.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02098-001	02098-001	AXIS TD4801 Sunshield 4pcs	AXIS TD4801 Sunshield is the perfect accessory for when AXIS D4100-E Network Strobe Siren is used in conditions where sunlight would shine directly on the device. It is easy to mount, without the need to take AXIS D4100-E down. The accessory comes in a 4 pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product

02691-001	02691-001	AXIS TQ6906-E Protection Ring	Additional protective ring for AXIS Q6215-LE and AXIS Q6225-LE. The purpose of it is to stop rain, melt water, sleet and snow from entering the gap between the moving parts in sub-zero environments, preventing the pan axle to be frozen solid. Pan movement protection instead. Protects against water, and large pieces from entering the gap. AXIS TP3818-E Casings Black, is a black casing and is offered as an optional accessory for AXIS P4705-PLVE and P4707-PLVE. Does not include dome.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02478-001	02478-001	AXIS TP3818-E CASING BLACK	AXIS TP3818-E Casings Black, is a black casing and is offered as an optional accessory for AXIS P4705-PLVE and P4707-PLVE. Does not include dome.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02250-001	02250-001	AXIS TU6004-E CABLE 8M	AXIS TU6004-E Cable 8m is a 8m (26ft) cable used for the 2nd generation F-series. It has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6004-E Cable 8m is outdoor rated and complies with IP66 and IP6K9K. It has a 5mm (0.2 in) diameter and a 40mm (1.6 in) bending radius. AXIS TU6004-E Cable 8m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6003 Conn kit FAKRA, 10P (sold separately).	\$ 29.00	Each	5%	\$ 27.55	Cameras	Security	Product
02252-001	02252-001	AXIS TU6004-E CABLE 30M	AXIS TU6004-E cable 30m is a 30m (98ft) cable used for the 2nd generation F-series. It has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6004-E Cable 30m is outdoor rated complying with the IP66 and IP6K9K standards. It has a 5mm (0.2 in) diameter and a 40mm (1.6 in) bending radius. AXIS TU6004-E Cable 30m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6003 Conn kit FAKRA, 10P (sold separately).	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product
02249-001	02249-001	AXIS TU6004-E CABLE 1M 4P	AXIS TU6004-E Cable 1m 4P is a bulk pack of 4x 1m (3ft) cables used for the F-series. TU6004-E Cable 1m has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6004-E Cable 1m is outdoor rated and complies with the IP66 and IP6K9K standards. It has a 5mm (0.2 in) diameter and a 40mm (1.6 in) bending radius. AXIS TU6004-E Cable 1m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6003 Conn kit FAKRA, 10P (sold separately).	\$ 59.00	Each	5%	\$ 56.05	Cameras	Security	Product
02251-001	02251-001	AXIS TU6004-E CABLE 8M 4P	AXIS TU6004-E Cable 8m 4P is a bulk pack of 4x 8m (26ft) cables used for the F-series. TU6004-E Cable 8m has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6004-E Cable 8m is outdoor rated and complies with the IP66 and IP6K9K standards. It has a 5mm (0.2 in) diameter and a 40mm (1.6 in) bending radius. AXIS TU6004-E cable 8m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6003 Conn kit FAKRA, 10P (sold separately).	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product
02266-001	02266-001	AXIS TU6005 PLENUM CABLE 8M	AXIS TU6005 Plenum Cable 8m is a 8m cable (26ft) used for the 2nd generation F-series. It has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6005 Plenum Cable 8m is indoor plenum rated cable. It has a 4mm (0.16 in) diameter and a 32mm (1.3 in) bending radius. AXIS TU6005 Plenum Cable 8m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6006 Conn kit FAKRA, 10P (sold separately). AXIS TU6005 Plenum Cable 8m is only available for the US market.	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product

02267-001	02267-001	AXIS TU6005 PLENUM CABLE 20M	<p>AXIS TU6005 Plenum Cable 20m is a 20m (65 ft) cable used for the 2nd generation F-series. It has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors).</p> <p>AXIS TU6005 Plenum Cable 20m is indoor plenum rated cable. It has a 4mm (0.16 in) diameter and a 32mm (1.3 in) bending radius. AXIS TU6005 Plenum Cable 20m can be shorten and re-crimped on the FAKRA side only thanks to AXIS TU6006 Conn Kit FAKRA 10P (sold separately).</p> <p>AXIS TU6005 Plenum Cable 20m is only available for the US market.</p>	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
02470-021	02470-021	AXIS TU6002 RIGHT-ANGLE SMA ADP 10P	<p>AXIS TU6002 Right Angle SMA ADP 10p is a bulk pack of 10x 90° angle adapters. The accessory is an accessory of the AXIS F21 sensors. The 90° angle adapter helps installing a sensor in tight space without bending AXIS TU6004, AXIS TU6007 and AXIS TU6005 cable and potentially damaging it.</p>	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product
02468-021	02468-021	AXIS TU6003 Conn Kit FAKRA 10P	<p>AXIS TU6003 Conn Kit FAKRA 10p is a bulk pack of 10x replacement FAKRA connectors. In this kit, you have all the necessary accessories to re-crimp AXIS TU6004-E Cable with the new FAKRA connector. AXIS TU6004-E Cable can only be cut and re-crimped on the FAKRA connector end.</p>	\$ 39.00	Each	5%	\$ 37.05	Cameras	Security	Product
02469-021	02469-021	AXIS TU6006 Conn Kit FAKRA 10P	<p>AXIS TU6006 Conn Kit FAKRA 10p is a bulk pack of 10x replacement FAKRA connectors for AXIS TU6005 Plenum Cable. It gives all the necessary accessories to re-crimp AXIS TU6005 Plenum Cable with the new FAKRA connector. AXIS TU6005 Plenum Cable can only be cut and re-crimped on the FAKRA connector end.</p>	\$ 39.00	Each	5%	\$ 37.05	Cameras	Security	Product
02795-021	02795-021	AXIS TU6009 CONN 6-PIN 2.5MM 10P	<p>AXIS TU6009 Conn 6-pin is a male connector for I/O port. Pitch: 2.50 mm. 6pos terminal block. 10pack</p>	\$ 28.00	Each	5%	\$ 26.60	Cameras	Security	Product
02794-021	02794-021	AXIS TU6008 CONN 5-PIN 2.5MM 10P	<p>AXIS TU6008 Conn 5-pin is a male connector for RS port. Pitch: 2.50 mm. 5pos terminal block. 10pack</p>	\$ 24.00	Each	5%	\$ 22.80	Cameras	Security	Product
02854-001	02854-001	AXIS TP6902-E ADAPTER BRACKET	<p>Adapter bracket that allows Axis P5676-LE to be connected to Q6100. The material is PC+ABS Cycloley C6800 GY8D352 and comes in Axis White.</p>	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02647-001	02647-001	AXIS TU9004 Wireless Dongle	<p>Wireless USB dongle for AXIS M1075-L Box Camera.</p> <p>This allows the camera to communicate with 2.4 GHz and 5 GHz frequency. The wireless adapter supports 802.11ac/b/g/n. Requires PoE injector to power the camera.</p>	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02793-001	02793-001	AXIS TU6007-E CABLE 1M 4P	<p>AXIS TU6007-E Cable 1m 4P is a bulk pack of 4x 1m (3ft) thin cables used for the 2nd generation F-series. AXIS TU6007-E Cable 1m has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors).</p> <p>AXIS TU6007-E Cable 1m is indoor/outdoor rated and complies with the IP66 standard. It has a 3mm (0.1 in) diameter with a 30mm bending radius.</p> <p>This cable is ideal when used in very tight spaces and when the cable needs to be bended.</p>	\$ 43.00	Each	5%	\$ 40.85	Cameras	Security	Product
02790-001	02790-001	AXIS TU6007-E CABLE 8M	<p>AXIS TU6007-E Cable 8m is a 8m (26ft) thin cable used for the 2nd generation F-series. AXIS TU6007-E Cable 8m has rugged connectors. A FAKRA connector on one side (connecting to the F91 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors).</p> <p>AXIS TU6007-E Cable 8m is indoor/outdoor rated and complies with the IP66 standard. It has a 3mm (0.1 in) diameter with a 30mm bending radius.</p> <p>This cable is ideal when used in very tight spaces and when the cable needs to be bended.</p>	\$ 19.00	Each	5%	\$ 18.05	Cameras	Security	Product

02791-001	02791-001	AXIS TU6007-E CABLE 8M 4P	AXIS TU6007-E Cable 8m 4P is a bulk pack of 4x 8m (26ft) thin cables used for the 2nd generation F-series. AXIS TU6007-E Cable 8m has rugged connectors: A FAKRA connector on one side (connecting to the F31 main units) and a SMA connector on the other side (connecting to the F21, F72 and F4105-LRE sensors). AXIS TU6007-E Cable 8m is indoor/outdoor rated and complies with the IP66 standard. It has a 3mm (0.1 in) diameter with a 30mm bending radius. This cable is ideal when used in very tight spaces and when the cable needs to be bent.	\$ 66.00	Each	5%	\$ 62.70	Cameras	Security	Product
02528-001	02528-001	AXIS TS3901 Rail Extensions	AXIS TS3901 Rail Extensions allow AXIS S3016 Recorder to be mounted in deep server racks with a post to post distance between 496mm (19.6in) and 690mm (27.1in). No rails extensions are needed for a post to post distance between 376mm (14.8in) and 496mm (19.6in). Each rail extension is composed of two parts which replace two segments of the original rails provided with AXIS S3016 Recorder.	\$ 33.00	Each	5%	\$ 31.35	Cameras	Security	Product
02867-004	02867-004	AXIS TU6011 Mains Cable	AXIS TU6011 Mains Cable is compatible with AXIS TU8004 90 W Midspan. It comes with a country specific power cord and plug.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02867-024	02867-024	AXIS TU6011 Mains Cable 10 pcs	AXIS TU6011 Mains Cable is compatible with AXIS TU8004 90 W Midspan. It comes with a country specific power cord and plug. 10 pcs package.	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product
03074-001	03074-001	LENS M12 2.8 mm F1.2 10 pcs	Megapixel lens 2.8 mm, F1.2 with M12 thread for AXIS P3905-R Mk III and AXIS M3905-R cameras. It provides that provides 110° horizontal FOV and excellent low light performance. Coated with IR-cut filter. 10 pieces bulk pack.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02842-001	02842-001	AXIS TQ1930-E Front Window Kit	Accessory front window kit compatible with: AXIS Q1805-LE, AXIS Q1806-LE. Includes 4 TX10 screws and window assembly. Includes window front that TQ1929-E doesn't have.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
02844-001	02844-001	AXIS TQ1932-E Front Window Kit	Accessory Window Kit compatible with AXIS Q1808-LE 150 mm. Includes IR window, adhesive window, and optical window.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02206-001	02206-001	AXIS TQ6903-E ADAPTER Q60 SERIES	Mounting adapter bracket for AXIS Q6074-E, AXIS Q6075-E, AXIS Q6074-E	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02207-001	02207-001	AXIS TQ6904-E ADAPTER Q61 SERIES	Mounting adapter bracket for: AXIS Q6135-LE, AXIS Q6315-LE, AXIS Q6318-LE.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
03137-001	03137-001	Lens M14 7.6 mm F2.0 IR 4 pcs	Accessory Lens M14 7.6 mm F2.0 IR 4 pcs compatible with: AXIS Q6020-E, AXIS Q6300-E	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
03140-001	03140-001	Lens M14 14.1 mm F2.0 IR 4 pcs	Accessory Lens M14 14.1 mm F2.0 IR 4 pcs compatible with: AXIS Q6020-E, AXIS Q6300-E	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
03141-001	03141-001	Lens M14 21.4 mm F2.0 IR 4 pcs	Accessory Lens M14 21.4 mm F2.0 IR 4 pcs compatible with: AXIS Q6020-E, AXIS Q6300-E	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
03142-001	03142-001	Lens M14 30.8 mm F2.4 IR 4 pcs	Accessory Lens M14 30.8 mm F2.4 IR 4 pcs compatible with: AXIS Q6020-E, AXIS Q6300-E	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
03278-001	03278-001	AXIS TQ6820-E Solo Kit	Kit for making a stand-alone AXIS Q6020-E installation without PTZ camera inside. Includes a metal cover lid, IP66-rated RJ45 push-pull connector, and a connector plug. Use this kit together with an AXIS Q6020-E network camera (not included) and a midspan (not included).	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03007-001	03007-001	AXIS TD4802-E Weathershield	Sunshield for AXIS D4200-VE Network Strobe Speaker for outdoor environments and to protect against strong direct sunlight.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
03277-001	03277-001	Lens M12 2.8 mm F2.2 4P	Lens M12 2.8 mm F2.2 4 pcs is a bulk pack of 4 optional lenses for F2105-RE Standard sensor unit. This lens offers a 120° Horizontal Field of View.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
03465-001	03465-001	Lens CS 15-100 mm F1.9 P-Iris	A unique varifocal lens, specially designed to fit our outdoor fixed box cameras, despite the extra-long reach offered by the up to 100 mm focal length. This CS-mount lens incorporates all the desired features of an optional lens: support for large image sensors, details for 8 Megapixel cameras and the P-iris capability, which provides improvements in contrast, clarity, resolution, and depth of field. Being IR-corrected, no focus adjustment is required when shifting the camera between day and night mode using the IR-cut filter.	\$ 699.00	Each	5%	\$ 664.05	Cameras	Security	Product
0344-001	0344-001	AXIS T92E05 PROTECTIVE HOUSING	Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product

0433-001	0433-001	AXIS T92E20 OUTDOOR HOUSING	Outdoor PoE camera housing with window/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66, Nema 4X, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$	379.00	Each	5%	\$	360.05	Cameras	Security	Product
02322-001	02322-001	AXIS TQ1809-LE HOUSING T92G	Outdoor PoE+ camera housing with IR illumination, window & camera heaters, and fan. Compatible with AXIS P1375, AXIS P1377, AXIS P1378, AXIS Q1615 Mk III, AXIS Q1615-LE Mk III, AXIS Q1645, AXIS Q1647, AXIS Q1715. Polycarbonate sunshield, aluminum wall mount and torx screwdriver included.	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product
5507-681	5507-681	AXIS T93C10 OUTDOOR HOUSING	Outdoor camera housing for Axis cameras with EF lenses (e.g. Q1656, Q1656-B, P1375, P1377, P1378). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount included.	\$	1,479.00	Each	5%	\$	1,405.05	Cameras	Security	Product
5901-471	5901-471	AXIS T93C EXTENSION KIT	Extension kit to allow mounting of longer lenses in AXIS T93C10 Outdoor Housing (e.g., compatible with AXIS Q1659 55-250 mm). Includes built-in sunshield and front window. The extension kit provides an extra space of 80mm in length within the housing, giving a total length of 380mm for the camera and lens. The part of the lens within the extension kit can have maximum diameter of 75mm.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
5900-271	5900-271	AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by 24 V AC or 12-24 V DC. Compatible with AXIS P13 Series, AXIS Q16 Series, and M11 Series. AXIS T94Q01A Wall mount included. AXIS P1353/P1354/P1355/P1357 and AXIS Q1604/Q1614: -40 °C to 50 °C (-40 °F to 122 °F); AXIS P1365 and AXIS Q1615/Q1635: -40 °C to 55 °C (-40 °F to 131 °F); AXIS Q1645/Q1647: -40 °C to 40 °C (-40 °F to 104 °F); AXIS M1124/M1125: -40 °C to 55 °C (-40 °F to 131 °F)	\$	269.00	Each	5%	\$	255.55	Cameras	Security	Product
5900-281	5900-281	AXIS T93F20 OUTDOOR HOUSING POE	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Compatible with AXIS P13 Series, AXIS Q16 Series and M11 Series. AXIS T94Q01A Wall mount included. Temperature range: AXIS P1353/P1354/P1355/P1357 and AXIS Q1604/Q1614: -40 °C to 50 °C (-40 °F to 122 °F); AXIS P1365 and AXIS Q1615/Q1635: -40 °C to 55 °C (-40 °F to 131 °F); AXIS Q1645/Q1647: -40 °C to 40 °C (-40 °F to 104 °F); AXIS M1124/M1125: -40 °C to 55 °C (-40 °F to 131 °F).	\$	269.00	Each	5%	\$	255.55	Cameras	Security	Product
5504-941	5504-941	AXIS SUNSHIELD A	Accessory sunshield and weather protection for AXIS T93F Housing Series	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
5900-151	5900-151	AXIS T98A15-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	\$	349.00	Each	5%	\$	331.55	Cameras	Security	Product
5900-161	5900-161	AXIS T98A16-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M11X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E Q192X-E.	\$	359.00	Each	5%	\$	341.05	Cameras	Security	Product
5900-171	5900-171	AXIS T98A17-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/LVE.	\$	359.00	Each	5%	\$	341.05	Cameras	Security	Product

5900-181	5900-181	AXIS T98A18-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91B61 Wall bracket for use with AXIS P55, P56, Q60 and Q61-series or fixed dome pendant kits.	\$	359.00	Each	5%	\$	341.05	Cameras	Security	Product
5900-321	5900-321	AXIS T98A19-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS P5414-E/15-E.	\$	359.00	Each	5%	\$	341.05	Cameras	Security	Product
5503-551	5503-551	AXIS T98A SUNSHIELD	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
5505-651	5505-651	AXIS CABINET LOCK A	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change locking cylinder to a unique key solution (not supplied from Axis)	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
5504-931	5504-931	CORRIDOR FORMAT BRACKET A	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F05 and AXIS T93F20 housings to enable a vertically oriented, "portrait"-shaped video stream from the camera. Includes built-in camera heater (only applicable when mounted in AXIS T93F20).	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
5505-331	5505-331	AXIS T92E CAMERA HOLDER PLATE C	Camera holder plate for mounting an AXIS Q1614 in a AXIS T92E05 and AXIS T92E20 housing. Or change the camera unit inside an AXIS P135X-E outdoor camera.	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5505-341	5505-341	AXIS T92E CAMERA CHANGE KIT A	Kit for mounting an AXIS Q1614 in a AXIS T92E05/AXIS T92E20 housing produced before 2014. Or change the camera unit inside an AXIS P134X-E outdoor camera.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02359-001	02359-001	AXIS TQ1808-VE SURVEILLANCE CABINET	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, and midspan from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Similar to T98A15 but door is deeper by 4" allowing door to be shut with power supply and switch in it.	\$	409.00	Each	5%	\$	388.55	Cameras	Security	Product
02672-001	02672-001	AXIS TP3826-E housing	AXIS TP3826-E housing is an outdoor housing for selected AXIS M39 and P39 cameras. It enables the cameras to be mounted outside vehicles such as buses, trams, trucks or emergency vehicles.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
03085-001	03085-001	AXIS TQ1817-VE Surveillance Cabinet	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, and midspan from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Similar to T98A17 compatible with dome, fixed, thermal cameras but door is deeper by 4" allowing door to be shut with power supply and switch in it.	\$	489.00	Each	5%	\$	464.55	Cameras	Security	Product
03047-001	03047-001	AXIS TQ1815-E Housing	Robust outdoor housing with built-in wiper, for use with AXIS Q17 Series box cameras and AXIS P13 Series box cameras and other selected box cameras. Carbon nanotube window heater, Built-in camera heater and fan, withstands hurricane-force of more than 60m/s (134 mph). IP66, IP67, NEMA 4X and IK10-rated, including IK10-rated glass for high-impact resistance. Open casing intrusion detection. Support for optional IR illuminator kits and corridor format. Powered by IEEE 802.3af Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. RJ45 connection or optional IDC punch connector. Arctic Temperature Control for start-up and operating in -40°C to +60°C (-40°F to 140°F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product

03048-001	03048-001	AXIS TQ1819-E Housing	Robust outdoor housing, for use with AXIS Q17 Series block cameras and AXIS P13 Series box cameras and other selected box cameras. Carbon nanotube window heater. Built-in camera heater and fan, withstands hurricane-force of more than 60m/s (134 mph). IP66, IP67, NEMA 4X and IK10-rated, including IK10-rated glass for high-impact resistance. Open casing intrusion detection. Support for optional IR illuminator kits and corridor format. Powered by IEEE 802.3af Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. RJ45 connection or optional IDC punch connector. Arctic Temperature Control for start-up and operating in -40°C to +60°C (-40°F to 140°F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	549.00	Each	5%	\$	521.55	Cameras	Security	Product
01463-001	01463-001	AXIS M30 SKIN COVER A BLACK 4P	4-pack. Outdoor-ready skin covers compatible with AXIS M3057/58-PLVE cameras for changing the appearance of the camera, simplify re-painting and covering screws. Black color.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
5507-431	5507-431	AXIS M30 CASING A BLACK 5P	Black accessory casing for AXIS M3044-V/45-V/46-V. Replaces the white original casing. 5 pcs.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01608-001	01608-001	AXIS M42 SMOKED DOME A 4P	Smoked dome with anti-scratch hard coating. Compatible with AXIS M42 series. 4x domes per pack.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
02236-001	02236-001	AXIS TP3804-E Metal Casing White 4P	A white metal casing for indoor/outdoor use that is compatible with: M3205-LVE, M3206-LVE, P3245-LVE, P3245-VE, P3247-LVE, AXIS P3248-LVE. It is IK 10/IP66, has a 3/4 conduit entry and is easy to install. This casing targeted for corrections and other segments that require a tough metal casing.	\$	229.00	Each	5%	\$	217.55	Cameras	Security	Product
5506-161	5506-161	AXIS P56 SKIN COVER D	Spare part skin covers for the AXIS P56 Series. Both the camera cover and the ring around the dome are included. 5 pcs.	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
5507-421	5507-421	AXIS M3044-V/45-V/46-V SM DOME 5P	Smoked dome for AXIS M3044-V/45-V/46-V SM DOME. 5 pcs.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
5801-411	5801-411	AXIS M3104/5/6-LVE BLACK CASING 5P	Black accessory casing for AXIS M3104-LV/5-LV/6-LV. Replaces the white original casing. 5 pcs.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
5800-761	5800-761	AXIS P54 SMOKED DOME	Smoked dome for AXIS P54-series.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5506-151	5506-151	AXIS TP5801-E Smoked Dome	Smoked dome for AXIS P56 Series cameras. Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/LVE. 5x domes per pack.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
01183-001	01183-001	AXIS Q35 SMOKED DOME A 5PCS	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/LVE. 5x domes per pack.	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
5801-501	5801-501	AXIS Q36-VE SMOKED DOME	Smoked dome with anti-scratch hard coating. Compatible with AXIS P38 and AXIS Q36 series.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02401-001	02401-001	AXIS TQ6810 HARD COATED SMOKED DOME	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q6074, 75, 78-E cameras. Weather-resistant and chemical-resistant. Replacement dome only.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02576-001	02576-001	AXIS TQ6811-E DOME CL HYDROPHILIC	Accessory clear dome with special hydrophilic coating. Helps to prevent water droplets from covering the dome in rainy conditions. The coating also provides a self-cleaning effect that helps carry away dirt and dust by rain-wash. Compatible with Q6315-LE.	\$	189.00	Each	5%	\$	179.55	Cameras	Security	Product
5504-791	5504-791	AXIS Q60-S SMOKED DOME A	Smoked dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01744-001	01744-001	AXIS TM3803 BLACK CASING 4P	Cover top black casing for M3067/68 4P.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
01745-001	01745-001	AXIS TM3804 SM DETECT CASING C 4P	SMOKE DETECTOR CASING - COVER TOP ASS SMOKE M3067/68	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
01918-001	01918-001	AXIS TM3807 BLACK CASING 4P	4P Black casing for M3115/6 LVE. Black accessory casing that replaces the white original casing for changing the appearance of the camera.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
02334-001	02334-001	AXIS TM3809-E SKIN COVER BLACK 4P	4 pack of outdoor-ready skin covers compatible with AXIS M4308-PLE for changing the appearance of the camera, simplify re-painting and covering screws. Black color. 4 pcs per pack.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02578-001	02578-001	AXIS TM3818 CASING BLACK 4p	4 Pack black casing to change the appearance of the product. Compatible with M3085-V, M3086-V, M3088-V.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
01623-001	01623-001	AXIS TP3801 BLACK CASING 4P	Accessory black casing for selected AXIS P32 indoor cameras. 4pcs bulk pack.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01626-001	01626-001	AXIS TP3801-E BLACK CASING 4P	Accessory black casing for selected AXIS M32 and P32 outdoor cameras. Pre-assembled with anti-loss screws. 4pcs bulk pack.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
01624-001	01624-001	AXIS TP3802 SMOKED DOME 4P	Smoked dome with anti-scratch hard coating. Compatible with selected AXIS P32 indoor cameras. 4pcs bulk pack.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
01627-001	01627-001	AXIS TP3802-E SMOKED DOME 4P	Smoked dome with anti-scratch hard coating. Compatible with selected AXIS M32 and P32 outdoor cameras. 4pcs bulk pack.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product

02005-001	02005-001	AXIS TP3806 DOME COVER BLACK 4P	4 pack black dome cover for AXIS P3925-R. Replaces the standard white dome cover.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02004-001	02004-001	AXIS TP3808 DOME COVER BLACK 4P	4 pack black dome cover for AXIS P3935-LR. Replaces the standard white dome cover.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02237-001	02237-001	AXIS TP3813-E Ventless Metal Casing	A ventless metal casing for P3717/19-PLE and following products. USP 797/800 has very strict cleaning requirements for Hazardous, non-Hazardous and Ante rooms in an infusion or inpatient pharmacy setting. Ventless metal casing allows cleaning agent to wipe down the cameras easily. It is easy to install in a fast way and is IK9/IP66 rated.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
02244-001	02244-001	AXIS TP3814-E BLACK DOME CASING	Accessory black dome casing for AXIS P3727-PLE. The dome and casing are included.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02391-001	02391-001	AXIS TP3815-E SMOKED DOME	Smoked dome for AXIS P3717-PLE, AXIS P3719-PLE, AXIS P3727-PLE. The smoked dome can replace the clear dome delivered with the camera.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02357-001	02357-001	AXIS TP3817-E CASING BLACK	Accessory casing compatible with AXIS P3818-PVE. Includes anti loss screws, weather cover, cover lid, and cover top.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
02355-001	02355-001	AXIS TP3816-E CASING BLACK 4P	Black accessory casing for AXIS P3807-PVE. Replace the original white casing to change the appearance of the camera. Sold in packs of 4.	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
02492-001	02492-001	AXIS TP3820 CASING BLACK 4P	Accessory black casing for AXIS P3265-LV, V, 4pcs bulk pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02496-001	02496-001	AXIS TP3820-E CASING BLACK 4P	Accessory black casing for AXIS P3265-LVE 9 mm. Pre-assembled with anti-loss screws. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01820-001	01820-001	AXIS TQ3801 HYDROPHILIC CLEAR DOME	Accessory clear dome with special hydrophilic coating. Helps to prevent water droplets from covering the dome in rainy conditions. The coating also provides a self-cleaning effect that helps carry away dirt and dust by rain-wash. Compatible with AXIS P3807-PLE, AXIS Q3815-LVE and AXIS Q3817-LVE. Single pack	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02498-001	02498-001	AXIS TP3821-E CASING BLACK 4P	Accessory black casing for AXIS P3265-LVE 22 mm, P3267-LV, P3267-LVE, P3268-LV, P3268-LVE. Pre-assembled with anti-loss screws. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02356-001	02356-001	AXIS TQ3805-E CASING BLACK	Accessory casing compatible with Q3819-PVE. Includes anti loss screws, weather cover, cover lid, and cover top.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
02512-001	02512-001	AXIS TQ3807-E DOME SMOKED	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3536-LVE, AXIS Q3538-LVE. 5x domes per pack.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
01817-001	01817-001	AXIS TQ6802 HYDROPHILIC CLEAR DOME	Accessory clear dome with special hydrophilic coating. Helps to prevent water droplets from covering the dome in rainy conditions. The coating also provides a self-cleaning effect that helps carry away dirt and dust by rain-wash. Compatible with selected cameras from AXIS Q61 series that support IR illumination, e.g.: AXIS Q6125-L-E. Single pack.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02399-001	02399-001	AXIS TQ6809 HARD COATED SMOKED DOME	Standard smoked dome with anti-scratch hard coating. Compatible with AXIS Q60-E cameras. Weather-resistant and chemical-resistant. Rubber gasket, ring compass, ring support included. Single pack.	\$ 179.00	Each	5%	\$ 170.05	Cameras	Security	Product
02629-001	02629-001	AXIS TP3823-E WEATHERSHIELD BL 2P	Outdoor accessory weathershield for AXIS P3265-LVE, P3267-LVE, P3268-LVE. A black accessory weathershield that goes well with black casing and smoked dome. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Anti-loss screws included. Bulk 2 pack.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02428-001	02428-001	AXIS TM5801 DOME COVER BLACK	Accessory black dome cover for AXIS M5000 & AXIS M5000-G. Includes dome and cover, 4 SCREW TX+ 8 DOME FLANGE, and 2 spring clips.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02550-001	02550-001	AXIS TP3824-E DOME SMOKED 4P	Accessory smoked dome with anti-scratch hard coating. Compatible with AXIS P3265-LVE 22 mm, P3267-LV, P3267-LVE, P3268-LV, P3268-LVE. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02618-001	02618-001	AXIS TM3815-E DOME SMOKED 4P	Smoked dome accessory with anti-scratch hard coating. Compatible with AXIS M3215-LVE, AXIS M3216-LVE. 4pcs bulk pack.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02480-001	02480-001	AXIS TP3819-E DOME SMOKED	AXIS TP3819-E Dome Smoked, is a smoked dome and is offered as an optional accessory for AXIS P4705-PLVE and P4707-PLVE.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02584-001	02584-001	AXIS TP3825-E WEATHERSHIELD BLACK	AXIS TP3825-E Weathershield Black, is a black weathershield and is offered as an optional accessory for AXIS P4705-PLVE and P4707-PLVE.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product

02435-001	02435-001	AXIS TF1803-RE LENS PROTECTOR 4P	AXIS TF1803-RE Lens Protector 4P is a bulk pack of 4x Lens Protectors for AXIS F2135-RE. AXIS TF1803-RE is highly recommended to protect the sensor lens when AXIS F2135-RE is installed in harsh environments such as on the coast line, hot places with direct sun exposure on the sensor or if the sensor is subject to strong detergents. AXIS TF1803-RE is IK10 rated.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02434-001	02434-001	AXIS TF1802-RE LENS PROTECTOR 4P	AXIS TF1802-RE Lens Protector 4P is a bulk pack of 4 Lens protectors for AXIS F2105-RE standard sensor. AXIS TF1802-RE Lens Protector is highly recommended to protect the sensor lens when AXIS F2105-RE is installed in harsh environments such as on the coastline, hot places with direct sun exposure on the sensor or if the sensor is subject to strong detergents. AXIS TF1802-RE is IK10 rated.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02213-001	02213-001	AXIS TF1801-R LENS HOOD 4P	AXIS TF1801-R Lens Hood 4P is a bulk pack of 4x Lens Hood for AXIS F2105-RE standard sensor and AXIS F2135-RE fisheye sensor. The Lens Hood avoids reflections on the sensor unit lens when used as front facing camera onboard a vehicle. Lens Hood is made of silicone.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02701-021	02701-021	AXIS TP3827 Clear Dome Cover 10p	AXIS TP3827 Clear Dome Cover 10p is bulk pack of 10 original top cover with dome for AXIS M3905-R and AXIS P3905-R MkIII cameras.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
02702-021	02702-021	AXIS TP3830 Top Cover Black 10p	AXIS TP3830 Top Cover Black 10p is a bulk pack of 10 top covers black without dome compatible with AXIS M3905-R and P3905-R MkIII cameras.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02804-001	02804-001	AXIS TQ3809-E Dome Smoked	Smoked dome accessory with anti-scratch hard coating. Compatible with AXIS Q3626/8-VE.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02828-001	02828-001	AXIS TQ3811-E Casing	Accessory casing with ring, and 4 anti-loss screws.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02573-001	02573-001	AXIS TM3814-E Skin Cover Black 4P	AXIS TM3814 Skin Cover Black 4-Pack, are outdoor-ready skin covers compatible with AXIS M4317/M4318-PLVE cameras for changing the appearance of the camera, simplify re-painting and covering screws. Black color.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02731-001	02731-001	AXIS TM3821 CASING BLACK 4P	Black accessory casings for AXIS M42 series. Replaces the original white casings. 4-piece bulk pack.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02819-001	02819-001	AXIS TM3819 CASING BLACK 4P	Cover top black casing for AXIS M4327-P and AXIS M4328-P. Comes in 4 Pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02820-001	02820-001	AXIS TM3820 VANDAL CASING 4P	Vandal case accessory with dome for AXIS M4327-P and M4328-P. Comes in 4 pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02938-001	02938-001	AXIS TQ6813 HARD COATED CLEAR DOME	Hard coated clear dome for AXIS Q6114-E/Q6115-E. Includes an O-ring.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02939-001	02939-001	AXIS TQ6814 HARD COATED SMOKED DOME	Hard coated scratch resistant smoked dome for AXIS Q6124-E, Q6128-E, Q6154-E, Q6155-E. Includes O-Ring.	\$ 129.00	Each	5%	\$ 122.55	Cameras	Security	Product
02871-001	02871-001	AXIS TP3833-E Dome Casing Black	Accessory black dome casing for AXIS P3735-PLE, AXIS P3737-PLE, AXIS P3738-PLE. Casing with 4 screws anti loss TR20 included. Dome not included.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02872-001	02872-001	AXIS TP3832-E Dome Smoked	Accessory Smoked dome for AXIS P3735-PLE, AXIS P3737-PLE, AXIS P3738-PLE. The smoked dome can replace the clear dome delivered with the camera.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02936-001	02936-001	AXIS TM3822 Casing Black 4 pcs	4 pack black casing accessory compatible with AXIS M3086-V Mic. Changes the appearance of the product.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03010-001	03010-001	AXIS TM5805-E DOME SMOKED	Accessory smoke dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. AXIS 5526-E. Single pack. 4 anti-loss TX20 screws in pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02865-001	02865-001	AXIS TP9801 Cover Steel 4 pcs	Accessory skin cover for AXIS P9117-PV. Steel finish and easy to repaint. Magnetically attached. Suitable for AXIS P9117-PV White model. Comes in a 4 pack.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
03012-001	03012-001	AXIS TP3834-E CASING BLACK 4 pcs	Accessory black casing for AXIS P3267-LVE Mic. Pre-assembled with anti-loss screws. 4pcs bulk pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03015-001	03015-001	AXIS TP3835-E DOME SMOKED 4 pcs	Accessory smoked dome with anti-scratch hard coating. Compatible with AXIS P3267-LVE Mic. 4pcs bulk pack.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03095-001	03095-001	AXIS TM1903 Privacy Cover 10 pcs	A 10pack of privacy covers compatible with AXIS M1055-L, AXIS M1075-L. Fits easily over the camera area. Made of silicon and is coloured white. Easily adjust surveillance based on privacy needs. Ensure privacy is respected when needed. Quick and easy to deploy. Protects the lens from dust and fingerprints.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
03114-001	03114-001	AXIS TM3824-E Weathershield 2 pcs	A 2 pack accessory weathershield in white using anti reflective material. Gives weather protection to AXIS M3125-LVE, AXIS M3126-LVE, AXIS M3128-LVE. Easy to install.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product

03224-001	03224-001	AXIS TP5803-E Hard-Coated Smoke	Accessory Hard coated smoked dome compatible with P5676-L-E. Standard smoked dome with anti-scratch hard coating. Weather-resistant and chemical-resistant. Single pack that includes dome and IR cover.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
03225-001	03225-001	AXIS TQ6821-E Hard-Coated Dome Sm	Accessory hard coated scratch resistant smoked dome for AXIS Q6100-E, Q6300-E.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03234-001	03234-001	AXIS TP3840-E Casing Black 4 pcs	Accessory black dome casing for AXIS P3747-PLVE, AXIS P3748-PLVE. Dome not included.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
03236-001	03236-001	AXIS TP3841-E Dome Smoked	Accessory Smoked Dome for AXIS P3747-PLVE, AXIS P3748-PLVE. The smoked dome can replace the clear dome delivered with the camera.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03252-001	03252-001	AXIS TQ6815-E Hard-Coated Smoked	Hard coated smoked dome accessory for: AXIS Q6315-L-E, AXIS Q6318-L-E, AXIS Q6355-L-E, AXIS Q6358-L-E. With anti-scratch hard coating, dome ring, cover IR.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
03226-001	03226-001	AXIS TQ6822-E Hard-Coated Dome Sm	Hard coated accessory smoked dome compatible with Q6010-E, Q6020-E. Comes with ring and dome.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03298-001	03298-001	AXIS TQ3818-E Dome Smoked	Smoked dome with anti-scratch hard coating. 5x domes per pack. AXIS Q3546-LVE, AXIS Q3548-LVE, AXIS Q3556-LVE, AXIS Q3558-LVE.	\$ 239.00	Each	5%	\$ 227.05	Cameras	Security	Product
03247-001	03247-001	AXIS TQ3813-E Dome Smoked	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3839-PVE, AXIS Q3839-SPVE, AXIS Q4809-PVE. Comes with steel screws and gasket for dome and cover.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
03200-001	03200-001	AXIS TQ3817-E Weathershield 4 pcs	Accessory 4 pack black weathershield compatible with: AXIS P3268-SLVE, AXIS Q3538-SLVE, AXIS Q3839-SPVE.	\$ 249.00	Each	5%	\$ 236.55	Cameras	Security	Product
03316-001	03316-001	AXIS TF3802 Dome Cover 4 pcs	AXIS TF3802 Dome Cover 4P is a bulk pack of 4 spare dome covers (dome + top cover) for AXIS F4108 Dome sensor unit.	\$ 29.00	Each	5%	\$ 27.55	Cameras	Security	Product
02325-001	02325-001	AXIS TQ1001-E WALL MOUNT	Wall mount in electro-polished 316L stainless steel for AXIS XPQ1785, designed for harsh industrial environments. Max load 150 kg / 331 lb.	\$ 1,159.00	Each	5%	\$ 1,101.05	Cameras	Security	Product
02343-001	02343-001	AXIS TQ1301-E POLE MOUNT 50-150mm	Pole mount in electro-polished 316L stainless steel for use together with AXIS TQ1001-E WALL MOUNT, designed for harsh industrial environments. Pole diameters 50-150 mm (2" - 6"). Max load 150 kg / 331 lb.	\$ 1,159.00	Each	5%	\$ 1,101.05	Cameras	Security	Product
02648-001	02648-001	AXIS TQ1303-E CORNER MOUNT	Corner bracket for AXIS XPQ1785 Explosion-protected PTZ Camera, to be used with AXIS TQ1001-E Wall Mount. Electro-polished stainless steel (316L) for harsh industrial and maritime environments. Max load 150 kg / 331 lb.	\$ 1,159.00	Each	5%	\$ 1,101.05	Cameras	Security	Product
03120-001	03120-001	AXIS TQ1604-E Conduit Back Box Gray	Backbox for AXIS P1468-XLE and AXIS Q1961-XTE Zone/Div 2 explosion-protected cameras, which enables safe cabling through 1/2" (M20) conduits. Compatible with AXIS T91B47 Pole Mount and AXIS T94P01B Corner Bracket.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01538-001	01538-001	WALL MOUNT EXCAM XPT	Wall mount for EXCAM XPT 06055 in stainless steel with protective hood for cable glands.	\$ 1,269.00	Each	5%	\$ 1,205.55	Cameras	Security	Product
01569-001	01569-001	WALL MOUNT EXCAM XF	Stainless steel (1.4404 / 316L) wall bracket for fixed explosion-protected cameras in the EXCam range, includes hinge and mounting material.	\$ 1,269.00	Each	5%	\$ 1,205.55	Cameras	Security	Product
01570-001	01570-001	POLE MOUNT EXCAM XF	Stainless steel (1.4404 / 316L) pole mount, to be used with Wall Mount Excam XF. Mounting material included.	\$ 1,269.00	Each	5%	\$ 1,205.55	Cameras	Security	Product
01930-001	01930-001	EXCAM XF WIPER BLADE 10 PACK	Replacement wiper blade for ExCam XF Q1785. Natural black rubber. 54mm. 10-pack.	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
02387-001	02387-001	AXIS TQ1812-E WEATHERSHIELD	Stainless steel (316L) weather shield for AXIS XPQ1785.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02801-001	02801-001	AXIS TQ1814-E WEATHERSHIELD	Stainless steel (316L) weather shield for AXIS XPQ1656.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02759-001	02759-001	AXIS TQ1915 PLUG THREAD M25x1.5	Ex d certified (ATEX, UL, IECEx, INMETRO, PESO, KCs, INMETRO) M25x1.5 blanking plug for Ex d enclosures. Nickel-plated brass.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02760-001	02760-001	AXIS TQ1916 PLUG THREAD M20x1.5	Ex d certified (ATEX, UL, IECEx, INMETRO, PESO, KCs, INMETRO) M20x1.5 blanking plug for Ex d enclosures. Nickel-plated brass.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02761-001	02761-001	AXIS TQ1917 ADAPTER M25x1.5-3/4 NPT	Explosion-protection certified "Ex d" M25x1.5 to 3/4" NPT nickel-plated brass thread reduction adapter. Worldwide certifications for use in Class I/II/III Div 1, Class I Zone 1, 21 and Zone 1, 21.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02762-001	02762-001	AXIS TQ1918 ADAPTER M20x1.5-3/4 NPT	Explosion-protection certified "Ex d" M20x1.5 to 3/4" NPT nickel-plated brass thread reduction adapter. Worldwide certifications for use in Class I/II/III Div 1, Class I Zone 1, 21 and Zone 1, 21.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02798-001	02798-001	AXIS TQ1920 ADAPTER M25x1.5-1/2 NPT	Explosion-protection certified "Ex d" M25x1.5 to 3/4" NPT nickel-plated brass thread reduction adapter. Worldwide certifications for use in Class I/II/III Div 1, Class I Zone 1, 21 and Zone 1, 21.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product

02797-001	02797-001	AXIS TQ1921 ADAPTER M20x1.5-1/2 NPT	Explosion-protection certified "Ex d" M20x1.5 to 1/2" NPT nickel-plated brass thread reduction adapter. Worldwide certifications for use in Class II/III Div 1, Class I Zone 1, 21 and Zone 1, 21.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02799-001	02799-001	AXIS TQ1925 ADAPTER M25x1.5-M20x1.5	Explosion-protection certified "Ex d" M25x1.5 to M20x1.5 nickel-plated brass thread reduction adapter. Worldwide certifications for use in Class II/III Div 1, Class I Zone 1, 21 and Zone 1, 21.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02802-001	02802-001	AXIS TQ1922-E SWIVEL JOINT	Swivel joint in stainless steel (316L) for flexible mounting of AXIS XFQ1656 on AXIS TQ1001-E Wall Mount.	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
02803-001	02803-001	AXIS TQ1923-E WIPER BLADE 5P	Silicon wiper blade spare part for AXIS XFQ1656, sold in quantity of 5.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02800-001	02800-001	AXIS TQ1924-E WASHER NOZZLE	Replacement washer nozzle in stainless steel (316L) for AXIS XFQ1656.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02824-001	02824-001	AXIS TU6012 CONN 2-PIN 7.62 ST	Replacement 2-pin power connector with 7.62mm pitch, for AXIS XFQ1656.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
02823-001	02823-001	AXIS TU6013 CONN 2-PIN 5.08 ST	Replacement 2-pin AUX connector with 5.08mm pitch, for AXIS XFQ1656.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
02825-001	02825-001	AXIS TU6014 CONN 6-Pin 3.81 ST	Replacement 6-pin I/O connector with 3.81mm pitch, for AXIS XFQ1656.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
03106-001	03106-001	AXIS TX3902 PROTECTIVE FILM A	4 layer PET-based protective film with acrylic adhesive, to protect front window of AXIS XPQ1785, AXIS XFQ1656.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
01706-001	01706-001	AXIS 1.5" NPS/NPT MALE COUPLER	1.5" NPT Male-to-Male coupler used to connect any AXIS Pendant Kit (e.g.: AXIS T94A01D) to a legacy mount with Female NPT or NPS thread (e.g.: 3rd party wall mount). Useful in retrofitting legacy cameras in existing installations. Lock nut included. Material: Aluminum with black anodizing. Note: The National Pipe Taper (NPT) is a U.S. standard for tapered threads used on threaded pipes and fittings. The National Pipe Straight (NPS) threads are straight (parallel). Both NPT and NPS have the same thread angle, shape, and pitch (threads per inch).	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
5026-411	5026-411	AXIS T8640 WALL MOUNT BRACKET	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	\$	27.00	Each	5%	\$	25.65	Cameras	Security	Product
5026-431	5026-431	AXIS T8640 DIN RAIL CLIP	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	\$	24.00	Each	5%	\$	22.80	Cameras	Security	Product
5026-421	5026-421	AXIS T8640 RACK MOUNT BRACKET	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	\$	66.00	Each	5%	\$	62.70	Cameras	Security	Product
5017-027	5017-027	AXIS T91A02 DIN RAIL CLIP 77MM	DIN rail clip for AXIS Q7401, AXIS P8221 and AXIS 7701.	\$	13.00	Each	5%	\$	12.35	Cameras	Security	Product
5017-028	5017-028	AXIS T91A02 DIN RAIL CLIP 86MM	DIN rail clip for AXIS M7014 and AXIS P7214	\$	13.00	Each	5%	\$	12.35	Cameras	Security	Product
5503-991	5503-991	TF9904 Swivel Mount 5P	AXIS TF9904 Swivel Mount allows to mount the sensor unit in different horizontal and vertical angles. It is sold a pack of 5.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5503-194	5503-194	AXIS T91A03 DIN RAIL MOUNT	DIN rail clip for AXIS Q7424-R.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5017-041	5017-041	AXIS T91A04 CAMERA HOLDER 3/4" NPS	Holding device for pendant mounted cameras. For use with 3/4" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
5017-051	5017-051	AXIS T91A05 CAMERA HOLDER 1.5" NPS	Holding device for pendant mounted cameras. For use with 1.5" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
5503-091	5503-091	AXIS T91A06 PIPE ADAPTER 3/4-1.5"	Pipe adapter step up from 3/4" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	\$	13.00	Each	5%	\$	12.35	Cameras	Security	Product
5507-331	5507-331	AXIS T91A10 MOUNTING KIT	Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5017-111	5017-111	AXIS T91A11 STAND WHITE	Plastic camera stand. Original stand for the AXIS M11-series.	\$	16.00	Each	5%	\$	15.20	Cameras	Security	Product
01464-001	01464-001	AXIS T91A13 THREADED CEIL MOUNT 10P	10-pack threaded ceiling mount for quick installation under ceiling tiles. Compatible with cameras with standard 1/4"-20 UNC tripod thread. Total length 80mm (3") with thread length 65mm (2.5"). Threaded rod in nylon, counter nut with friction pad. 10-piece bulk pack.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01612-001	01612-001	AXIS T91A23 TILE GRID CEIL MNT 4P	4-pack of ceiling mount accessory for mounting Axis cameras and stands on a variety of drop-ceiling tile grid system. Compatible with Axis Safety Wire. Color: Axis white. Bulk pack. Suitable tile grid (T-bar) dimensions: 15mm(0.6in)/24mm(0.9in)/35mm(1.4in). Suitable ceiling tiles type: square-edge, tegular edge.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01467-001	01467-001	AXIS T91A33 LIGHT TRACK MNT 4P	4-pack of lighting track mounts. Color: white. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01474-001	01474-001	AXIS T91A33 LIGHT TRACK MNT BLK 4P	4-pack of lighting track mounts. Color: black. Compatible with universal 3-circuit lighting track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product

01232-001	01232-001	AXIS T85 RACK MOUNT KIT A	Rack mount kit for AXIS T8508 PoE+ Network Switch	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5506-621	5506-621	AXIS T91B21 STAND BLACK	Black aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5506-611	5506-611	AXIS T91B21 STAND WHITE	White aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5503-971	5503-971	AXIS T91A27 POLE MOUNT 10PCS	Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20 UNC)	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01164-001	01164-001	AXIS T91B47 100-410MM	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
01165-001	01165-001	AXIS T91B47 50-150MM	AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
01470-001	01470-001	AXIS T91B57 POLE MOUNT 100-410MM	Aluminum Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B57 is compatible with mounts such as AXIS T91G61, T91H61, and AXIS T98A Surveillance Cabinet series. Color: Axis white.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
01446-001	01446-001	AXIS T91B57 POLE MOUNT GREY	Aluminum Pole Mount in Urban Grey color. For indoor and outdoor installations. Suitable for poles diameters between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B57 is compatible with mounts such as AXIS T91G61, T91H61, and AXIS T98A Surveillance Cabinet series.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
01473-001	01473-001	AXIS T91B67 POLE MOUNT 65-165MM	Outdoor-ready, powder-coated aluminum pole mount with 1.5" NPS thread for fixed dome pendant kits. Includes insect-proof cable gasket and 1 pair of stainless steel straps (with TX30 screw) for pole diameter between 65-165mm (2.5"-6.5"). White in color.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01149-001	01149-001	AXIS T91M47 POLE MOUNT	Pole mount for our outdoor midspans and switch.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01951-001	01951-001	AXIS TD9301 OUTDOOR MIDSPAN POLE MOUNT	AXIS TD9301 Outdoor Midspan Pole Mount for outdoor midspans, like AXIS 30W Outdoor Midspan.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5504-821	5504-821	AXIS T91D61 WALL MOUNT	Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product
5506-481	5506-481	AXIS T91E61 WALL MOUNT	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and outdoor installations.	\$ 49.00	Each	5%	\$ 46.55	Cameras	Security	Product
5506-951	5506-951	AXIS T91G61 WALL MOUNT	Aluminum wall mount with IP66 compartment to safely accommodate power and connectivity accessories (e.g. PoE midspan). IK10 and NEMA 4X rated in Axis white color. Includes a pre-terminated IP66 rated RJ45 connector. Compatible with wide range of Axis cameras, incl. AXIS M55, P56, Q37, Q60, Q61 Series.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
01444-001	01444-001	AXIS T91G61 WALL MOUNT GREY	Aluminum wall mount with IP66 compartment to safely accommodate power and connectivity accessories (e.g. PoE midspan). IK10 and NEMA 4X rated in Urban Grey color to match AXIS Q62 series. Includes a pre-terminated IP66 rated RJ45 connector. Compatible with wide range of Axis cameras.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product

02035-001	02035-001	AXIS TS2901 APPLIANCE STAND	<p>AXIS TS2901 Appliance Stand is a stand compatible with AXIS S2208 and AXIS S2212 Appliances which allows the unit to be mounted vertically, on a table or shelf. The appliance is secured to the stand with the 4 included screws.</p> <p>Mounted vertically, the appliance will take even less space than it usually does, leaving more space for other activities.</p> <p>The stand itself can be screwed to the table/shelf, which is a simple way to secure the appliance against light thefts and from falling. It can also lie on the table, when using the included rubber feet.</p>	\$ 43.00	Each	5%	\$ 40.85	Cameras	Security	Product
5507-641	5507-641	AXIS T91H61 WALL MOUNT	<p>AXIS T91H61 Wall Mount is designed with a built-in RJ45 cable and connector, and spacious compartment for connectivity accessories such as midspans and media converters. The wall mount is impact-resistant (IK10) and weather-resistant (IP66, NEMA 4X) for indoor and outdoor use. The 1.5" NPS thread mount ensures compatibility with all pendant kits for Axis fixed dome cameras.</p>	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
5506-681	5506-681	AXIS T91F61 WALL MOUNT STAINLESS STEEL	<p>Wall mount for AXIS Q3505-SVE, made of stainless steel.</p>	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
5901-331	5901-331	AXIS T94J01A WALL MOUNT	<p>Aluminum wall mount for Axis positioning cameras and positioning units. Robust and impact-resistant. Compatible with Axis ACI 3/4" conduit adapters, and offers multiple cable entries. Cables can be routed through the back or, by using a conduit connection, from each side or from the bottom. Suitable for indoor and outdoor use.</p>	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
01445-001	01445-001	AXIS T94J01A WALL MOUNT GREY	<p>Robust and impact-resistant aluminum wall mount for selected Axis PTZ and positioning cameras. Multiple cable entry points for 3/4" (M25) conduit pipes. Suitable for indoor and outdoor use. Color: Urban Grey.</p>	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
5507-271	5507-271	AXIS T91D62 TELESCOPIC PARAPET MNT	<p>Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own axis 180 degrees, allowing mounting/maintain the camera easily and safely from the rooftop. The mount is intended for outdoor fixed and PTZ dome cameras supporting 1.5" NPS thread. A retrofit mounting bracket (optional accessory) makes it possible to reuse holes drilled for Pelco's PTZ dome parapet mount.</p>	\$ 399.00	Each	5%	\$ 379.05	Cameras	Security	Product
5507-501	5507-501	AXIS T91D62 ADAPTER MOUNTING BRACKET	<p>Retrofit adapter mount bracket for re-using holes drilled from Pelco's PTZ dome parapet mount, or for increasing the attachment area towards the parapet.</p>	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5507-451	5507-451	AXIS T91B50 TELESCOPIC CEIL MNT	<p>Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1.5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.</p>	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5507-461	5507-461	AXIS T91B51 CEILING MOUNT	<p>The indoor/outdoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped ceilings/soffits to compensate angles up to 45 degrees. Available accessory extension pipes (Not included) of 30 cm (12") or 1 meter (39") to enable correct camera height for the specific environment. Compatible with all Axis pendant kits featuring a 1.5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.</p>	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
5507-491	5507-491	AXIS T91B52 EXTENSION PIPE 30 CM	<p>Extension pipe for AXIS T91B50 and AXIS T91B51. Length 30 cm (12").</p>	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5507-481	5507-481	AXIS T91B52 EXTENSION PIPE 100 CM	<p>Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (39").</p>	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01189-001	01189-001	AXIS T91B53 TELESCOPIC CEIL MNT 2P	<p>Twin-pack (bulk). Includes 2x indoor telescopic ceiling mounts, extendable between 1m to 1.8m (3.2 to 6ft) at 10cm (4") intervals. Compatible with Axis pendant kits and camera holder with 3/4" conduit interface. Suitable for vertical and horizontal mounting.</p>	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product

5504-641	5504-641	AXIS T91B63 CEILING MOUNT	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
5017-641	5017-641	AXIS T91A64 BRACKET CORNER	Corner Bracket that is compatible with several wall mounts: AXIS T91B61 Wall Mount, AXIS T91D61 Wall Mount 1.5" NPS, AXIS T91G61 Wall Mount, AXIS T91H61 Wall Mount, AXIS T91L61 Wall-and-Pole Mount. These wall mounts in turn are compatible with AXIS P55-series, AXIS Q60/61/63-series, AXIS M32-series, AXIS Q37-series, AXIS M55-series, AXIS P56-series and their associated pendant kits.	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product
5506-691	5506-691	AXIS T91F67 POLE MOUNT STAINLESS STEEL	Pole mount bracket for AXIS Q35-SLVE stainless steel cameras. Compatible with AXIS T91F61 Wall mount. Made of marine-grade stainless steel. Includes 1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Straps length: 1450mm (57") suitable for pole diameter range 100-410mm (4"-16")	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
5503-781	5503-781	AXIS T91A6 PIPE SEAL 1PCS	Pipe seal for AXIS T91A6, to protect from dust, water and bugs.	\$	12.00	Each	5%	\$	11.40	Cameras	Security	Product
5901-421	5901-421	AXIS T93C WALL-POLE CONDUIT BACKBOX	Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended to use with POWER SUPPLY PS24 240W (not included).	\$	229.00	Each	5%	\$	217.55	Cameras	Security	Product
5901-301	5901-301	AXIS T94A01C ATTACHMENT KIT	For attaching AXIS Q61 PTZ network camera to AXIS Q600-E MkII PTZ network camera.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
5502-431	5502-431	AXIS T94A01D PENDANT KIT	Pendant kit for the AXIS Q60-series and AXIS P55-series PTZ Network Cameras, enables mount on standard 1.5" NPT threaded brackets. White	\$	59.00	Each	5%	\$	56.05	Cameras	Security	Product
5506-181	5506-181	AXIS T94A01F CEILING BRACKET	Bracket for mounting an AXIS P56 Series camera in a hard ceiling. For indoor and outdoor installations. 3/4" conduit hole, compatible with ACI adapters.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
5801-601	5801-601	AXIS T94A02F CEILING BRACKET	Aluminum ceiling bracket for Axis PTZ cameras and AXIS Q37 Series for indoor or outdoor use. 3/4" conduit hole on the side	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5505-721	5505-721	AXIS T94A01L RECESSED MOUNT	Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-made holes solid concrete. The mount is very sturdy and made of aluminum and stainless steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit holes for a plenum rated and rodent safe installation.	\$	289.00	Each	5%	\$	274.55	Cameras	Security	Product
01159-001	01159-001	AXIS T94B02D PENDANT KIT 10PCS	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. 10-pack.	\$	229.00	Each	5%	\$	217.55	Cameras	Security	Product
5507-361	5507-361	AXIS T94B02D PENDANT KIT	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. Single pack.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
01185-001	01185-001	AXIS T94B02D PENDANT KIT BLACK	Pendant kit for wall mount or ceiling mount in black. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV-LVE, M30-V-WV and Companion dome cameras. Single pack.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
01150-001	01150-001	AXIS T94B05L RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3044-V/M3045-V/M3046-V/M3047-V/M3048-V.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
5801-861	5801-861	AXIS T94B03L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M2025/26 and AXIS Companion Bullet.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
5801-421	5801-421	AXIS T94B02M J-BOX/GANG BOX PLATE	Bracket for mounting a camera on a 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product

			Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters. There is an integrated female tripod thread for use of standard camera stands or holders. Compatible with AXIS M3044-V/M3045-V/M3046-V.																	
5507-401	5507-401	AXIS T94B01P CONDUIT BACK BOX		\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product								
01242-001	01242-001	AXIS T94C01L RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS M42 series and AXIS Companion Dome mini LE.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product								
01243-001	01243-001	AXIS T94C01M J-BOX/GANG BOX PLATE	Bracket for mounting camera on 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M42 Series and AXIS Companion Dome mini LE.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
01244-001	01244-001	AXIS T94C01U UNIVERSAL MOUNT	Versatile 4-in-1 mount accessory for use as either a pendant kit with 3/4" (M25) conduit interface, conduit back box with 1/2" (M20) conduit side entry, pole mount, or standard camera thread. Compatible with AXIS M42 series and AXIS Companion Dome mini LE. Pole mounting straps available separately.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5504-911	5504-911	AXIS T94D01S MT BRACKET FL WT 10PCS	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5504-921	5504-921	AXIS T94D02S MT BRACKET CU WT 10PCS	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on curved surfaces. 10 pack.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5503-881	5503-881	AXIS T94F01D PENDANT KIT	Indoor pendant kit for AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE. to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes. The camera network cable fits into the product and a RJ45 network cable coupler is included.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product								
02853-001	02853-001	AXIS TM1902 Stand Mount 4 pcs	Mounting stand in plastic for wall and ceiling. Stand height 70 mm (2.7 in). Circular base with diameter 69 mm (2.7 in). White color.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product								
5503-921	5503-921	AXIS T94F01M J-BOX/GANG BOX PLATE	Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. RJ45 network cable coupler included. Compatible with. Compatible with AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE, P14 Series. Backbox for AXIS M3006-V, AXIS M3007-PL, PV, AXIS M3024-LVE/3025-VE/3026-VE/3027-PVE, P14 Series, which enables safe cabling through 1/2" (M20) conduits.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5504-041	5504-041	AXIS T94F01P CONDUIT BACK BOX	Back box for 3/4" (M25) conduits/cable protection pipes. Compatible with AXIS Q1765-LE and AXIS Q1931-E.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5505-181	5505-181	AXIS T94G01P CONDUIT BACK BOX		\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product								
5505-081	5505-081	AXIS T94K01D PENDANT KIT	Indoor pendant kit for AXIS P32-V Series-AXIS P33-V and AXIS Q3505-V, compatible with Axis ceiling-wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$	49.00	Each	5%	\$	46.55	Cameras	Security	Product								
5505-091	5505-091	AXIS T94M01D PENDANT KIT	Outdoor pendant kit for AXIS P32 & Q35 series. Compatible with several Axis ceiling, wall, and pole mounts, As well 1.5" NPS threaded pipes.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product								
01513-001	01513-001	AXIS T94N01D PENDANT KIT	AXIS T94N01D Pendant Kit comprises a weathershield and a mounting adapter for AXIS P3717-PLE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3717-PLE to be mounted on walls, poles, parapets and outer corners using AXIS T91 mounting accessories.	\$	99.00	Each	5%	\$	94.05	Cameras	Security	Product								
02076-001	02076-001	AXIS T94N02D Pendant Kit	AXIS T94N02D Pendant Kit comprises a weathershield and a mounting adapter for AXIS P3715-PLVE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3715-PLVE to be mounted on walls, poles, parapets and outer corners using AXIS T91 mounting accessories.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product								
5901-341	5901-341	AXIS T94N01G POLE MOUNT	Stainless steel pole mount designed for use with heavier Axis products such as positioning cameras and positioning units. IK10. Includes 3pcs stainless steel straps included for pole diameter 60-400mm (2.4-15.7in) and sealing gaskets for multiple cable entries with protection against insect infestation.	\$	229.00	Each	5%	\$	217.55	Cameras	Security	Product								
5504-711	5504-711	AXIS T94P01B CORNER BRACKET	Corner mount for AXIS P5414-E/E-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product								
01172-001	01172-001	AXIS T94P01L RECESSED MOUNT	Indoor and outdoor recessed mount for AXIS M55 Series. Suitable for air-handling spaces in indoor installations as the enclosure is made of metal and has a 3/4" (M25) conduit hole for protected cable-routing. UL-approved.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product								

5505-241	5505-241	AXIS T94Q01A WALL MOUNT	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5507-591	5507-591	AXIS T94Q01F CEILING AND COLUMN MNT	The powder-coated aluminum AXIS T94Q01F for AXIS fixed box outdoor ready cameras and housings, can be used for both ceiling/soffit and column/parapet installations. This allows Axis' fixed camera housings to be mounted under hard surfaces such as ceilings, beams, soffits and canopies. It can also be mounted on pole or column tops, parapets and other horizontal building structures. Re-direction and maintenance of the camera is easy thanks to the swivel arm feature. The cable is routed through the pipe, and is never exposed to weather or potential vandalism. Cable conduits and Axis' conduit adapters (3/4" dimension) are used for cable protection when routed from the side.	\$ 129.00	Each	5%	\$ 122.55	Cameras	Security	Product
5507-601	5507-601	AXIS T94R01B CORNER BRACKET	The powder-coated aluminum AXIS T94R01B Corner Bracket is used for attaching the wall mount of Axis' camera housing to the outer corners of a building. AXIS T94R01B Corner Bracket is compatible with AXIS T91E01 Wall Mount for fixed dome cameras. Small-size fixed dome and bullet-style cameras can also be mounted, thanks to the included and commonly used hole pattern of a single gang junction box. Back box to enable external cable entry or use of cable protection equipment. Holes on top and side for 3/4 inch conduits or M25 cable protection pipes. Compatible with AXIS T94Q01A Wall mount, all AXIS M11-E/P13-E/Q10-E/Q1755-E/Q1910-E/Z1-E/Z2-E outdoor fixed box camera wall mounts and AXIS T92E Series and AXIS T93E05 Fixed camera housings.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02336-001	02336-001	AXIS TQ1601-E CONDUIT BACK BOX	Outdoor-ready, impact resistant (IK10+) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind a wide range of Axis network cameras. Includes a network cable and extra gaskets.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01190-001	01190-001	AXIS T94S01P CONDUIT BACK BOX	Outdoor-ready, impact resistant (IK10+) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind a wide range of Axis network cameras. Includes a network cable and extra gaskets. Specifically designed for aesthetically pleasing installations with AXIS Q17/Q19 and P14 Camera Series	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02421-001	02421-001	AXIS TQ1602-E CONDUIT BACK BOX	Outdoor pendant kit for AXIS M30-PLVE Series. Weathershield made from impact-, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded interface.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01461-001	01461-001	AXIS T94T02D PENDANT KIT	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5506-651	5506-651	AXIS T94U01D PENDANT KIT	Pendant kit for AXIS Q3505-SVE, without weather shield, mainly for indoor use made of stainless steel.	\$ 429.00	Each	5%	\$ 407.55	Cameras	Security	Product
5506-661	5506-661	AXIS T94U02D PENDANT KIT	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$ 479.00	Each	5%	\$ 455.05	Cameras	Security	Product
01457-001	01457-001	AXIS T94V01C DUAL CAMERA MOUNT	AXIS T94V01C Dual Camera Mount allows back-to-back installation of two Axis cameras for panoramic coverage. Compatible with a wide range of Axis dome cameras, box cameras, and bullet cameras. Compatible with Axis mounting accessories with 1.5" NPS threaded interface, for mounting on walls, poles, and under ceilings. AXIS T94V01C is IK10 rated for impact resistance, which safeguards it against vandalism. Suitable for both indoor and outdoor use. Note: To ensure physical stability, do not use AXIS T94V01C for single camera installations.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5801-431	5801-431	AXIS T94V01D PENDANT KIT	Pendant kit for indoor and outdoor use for the AXIS Q36-VE Series compatible with Axis ceiling/wall-pole mounts with 1.5" NPS thread.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
5801-541	5801-541	AXIS T94X01A WALL MOUNT 6PCS	Wall mount for AXIS T92F10 Outdoor Housing, 6-piece pack. Optional accessory: AXIS T94Y01G Pole Mount 6PCS (sold separately)	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5801-551	5801-551	AXIS T94Y01G POLE MOUNT 6PCS	Pole mount for AXIS T92F10 Outdoor Housing, with 1 pair stainless steel straps included per piece. 6-piece pack. Required accessory: AXIS T94X01A Wall Mount 6PCS (sold separately)	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product
5010-641	5010-641	AXIS T95A64 BRACKET CORNER	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS Positioning Cameras. When used with AXIS Positioning Cameras, AXIS T94J01A Wall Mount is required.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product

5000-011	5000-011	WALL MOUNT AXIS PS24	Metal box to mount AXIS PS24 to a wall.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
21764	21764	AXIS PS-24 Pole bracket	Outdoor pole mount bracket for PS-24 and AXIS T9/A10. Requires the Wall Mount AXIS PS-24 (5000-011) and a mounting tool for straps (21776 or similar).	\$ 45.00	Each	5%	\$ 42.75	Cameras	Security	Product
5800-511	5800-511	AXIS T91A03 DIN RAIL CLIP 5PCS	The clip, made of steel, enables mounting on a standard 35mm DIN rail. It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz.).	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
5503-931	5503-931	AXIS MIDSPAN DIN CLIP A	Din clip for AXIS midspan T8123, T8124 and T8125	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
5502-401	5502-401	AXIS P33 MOUNTING BRACKET	Mounting bracket for AXIS P33-V/LV indoor cameras. For mounting cameras on junction boxes (4" square, 4" octagon, single-gang, or double-gang), and other Axis mounting accessories. Also compatible with selected AXIS M30 and P32 cameras.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5800-461	5800-461	TF9905 Wall Mount 5P	Mounting kit for AXIS P1204/E. Kit contents: Flush mount wall bracket. 5 pack.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02451-001	02451-001	AXIS TQ1904 MOUNTING BRACKET	Mounting bracket compatible with AXIS Q1715. It includes bracket, pad, and TX20 screw.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
01982-001	01982-001	AXIS RETROFIT KIT FOR T94S01L 4P	Cover ring and holder for installing selected AXIS P32 cameras with legacy AXIS T94S01L Recessed Mount. Bulk pack with 4 sets of rings and clips to retrofit 4 cameras.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02002-001	02002-001	AXIS RETROFIT KIT T94K01L/02L 4P	Retrofit into T94K01L or T94K02L. Mic hole for LV cameras. Includes 4 sets of lid ring cover, gaskets, screws.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
5505-191	5505-191	AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS P54-series, AXIS P32-V Series (requires AXIS ACI Mounting Bracket A), AXIS Q3505-VE, AXIS T91B6X mounts and AXIS AXIS T94R01P Conduit Back Box. 5 pcs.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5505-541	5505-541	AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	Step up ACI adapter for attaching 3/4" conduits or M25 pipes to AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 2 pcs	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5505-521	5505-521	AXIS ACI COND ADAP 1/2" U-SHAPE 20MM 5P	Mechanical adapter that provides a U-shaped 20mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 5 pcs	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5505-591	5505-591	AXIS ACI COND ADAP 1/2"-3/4" NPS 2P	Threaded stainless steel step up ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 1/2" conduit interface such as AXIS Q35-V series. 2 pcs	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
5505-641	5505-641	AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	Threaded stainless steel ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 3/4" conduit interface such as AXIS Q35-VE series. 2 pcs	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5506-921	5506-921	AXIS F7308 CABLE BLACK 8M 4PCS	AXIS F7308 comes in packs of four. 8-m (26 ft.) black cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit. Used as a spare part for the original cable that comes with AXIS F1004 Sensor Unit.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5505-841	5505-841	AXIS F8401 CLEAR LENS PROTECTOR 5PCS	Lens protection for AXIS F1005-E. The lens protector is screwed onto the threaded front part of the sensor unit to protect the lens. Comes in pack of 5 units.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
5505-821	5505-821	AXIS F8202 STRAIGHT MT BRACKET 5PCS	Mounting bracket that allows the pinhole sensor unit of AXIS F1025 to be mounted onto a flat surface with the cone being flush with opposite surface. Comes in pack of 5 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5505-831	5505-831	AXIS F8203 FIXED MT BRACKET 5PCS	Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in pack of 5 units.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5507-101	5507-101	AXIS F8211 PINHOLE TRIM RING 10PCS	Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5507-111	5507-111	AXIS F8212 TRIM RING 10PCS	Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5506-531	5506-531	AXIS F8225 PINHOLE ACCESSORY	Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product

01630-001	01630-001	AXIS F92A01 BLACK HEIGHT S. HOUSING	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Black aluminium housing.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
01631-001	01631-001	AXIS F92A01 SILVER HEIGHT S. HOUSING	Height strip housing for discrete mounting of a pin hole sensor unit, for capturing eye-level images e.g. of people leaving a store. It is compatible with AXIS F1025, FA1125, F1004 Pin hole, AXIS P1264 and P1265. Comes with both a metric and an imperial height strip. Silver aluminium housing.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
01516-001	01516-001	AXIS T91R81 WALL MOUNT	Tiltable wall-mount for AXIS D2110-VE Security Radar and AXIS D2050-VE Network Radar Detector. Includes arm, AXIS T94R01P CONDUIT BACK BOX and conduit 260 mm (10 inch) cable kit.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
02281-001	02281-001	AXIS TD4601 ACI Conduit Bracket 5pcs	AXIS TD4601 is an ACI Conduit Bracket for AXIS D4100-E Network Strobe Siren_5P	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
01748-001	01748-001	AXIS TM3001 TILT MOUNT	Tilt Mount Plastic, 15deg tilt, 1/2" (M20) conduit. BRACKET MOUNT ASSEMBLY M3067.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
01742-001	01742-001	AXIS TM3101 PENDANT WALL MOUNT	Elegant mount for indoor mounting of Axis mini dome cameras in pendant style. Concealed mounting with no visible screws. Room for microphone and connectivity devices (e.g.: AXIS T6101, AXIS T8643). Compatible with wide range of cameras, incl. AXIS M20H30M31/M42, etc. Made from strengthened eco-friendly plastic.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01917-001	01917-001	AXIS TM3101 PENDANT WALL MNT BLACK	Elegant mount in black for indoor mounting of Axis mini dome cameras in pendant style. Concealed mounting with no visible screws. Room for microphone and connectivity devices (e.g.: AXIS T6101, AXIS T8643). Compatible with wide range of cameras, incl. AXIS M30, AXIS M31, AXIS M42, etc. Made from strengthened eco-friendly plastic.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01856-001	01856-001	AXIS TM3201 RECESSED MOUNT	Recessed mount for selected AXIS M30 cameras. Includes covers for fixed mini dome and panoramic cameras.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02425-001	02425-001	AXIS TM3204 RECESSED MOUNT	Indoor recessed mount for ceiling/wall installations. Compatible with AXIS M4308-PLV. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02381-001	02381-001	AXIS TM3205 RECESSED MOUNT	Designed for indoor drop ceiling installations for selected Axis cameras (M3057/8 and M3077). It's robust with an IK10-rating and is easily installed. The enclosure is made of metal alloy, making it suitable for installations in air-handling (plenum) spaces. Casing includes mic holes for M3077 and plugs in mic holes when used with M3057/8.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
02449-001	02449-001	AXIS TM3208 RECESSED MOUNT	Indoor recessed mount for ceiling/wall installations. Compatible with AXIS M3057-PLVE, AXIS M3057-PLVE Mk II, AXIS M3058-PLVE, AXIS M3077-PLVE. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02454-001	02454-001	AXIS TM3209 RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3064-V, AXIS M3065-V, AXIS M3066-V, AXIS M3067-P, AXIS M3069-P, AXIS M3075-V, AXIS M3065-V, AXIS M3086-V, AXIS M3088-V.	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
02817-001	02817-001	AXIS TM3210 RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with selected AXIS M43 Series fisheye panoramic cameras.	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
02818-001	02818-001	AXIS TM3211 RECESSED MOUNT	Recessed mount for selected AXIS M43 cameras. Includes cover for fisheye panoramic cameras.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02083-001	02083-001	AXIS TP1601 ADAPTER PLATE	Adapter plate for mounting on conduit back box TP3603 or T94S01P. Plate is for P14 series and M42 series that allows for the cameras to look aesthetically pleasing when mounted onto a conduit back box.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
01783-001	01783-001	AXIS TP3101 PENDANT WALL MOUNT	Elegant mount for indoor mounting of Axis dome cameras in pendant style. Concealed mounting with no visible screws. Room for microphone and connectivity devices (e.g.: AXIS T6101, T8643) and AXIS I/O Indication LED. Compatible with AXIS M32-LVE and AXIS P32-V/LV cameras. Made from strengthened eco-friendly plastic.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02548-001	02548-001	AXIS TP3103-E PENDANT KIT	Outdoor pendant kit for AXIS P32B5-LVE, P3267-LVE, P3268-LVE. Compatible with Axis mounts: ceiling, wall, parapet, pole and 1.5" NPS threaded pipes.	\$	79.00	Each	5%	\$	75.05	Cameras	Security	Product

01757-001	01757-001	AXIS TP3201 RECESSED MOUNT	Indoor recessed mount for drop ceiling installation. Supports the optional use of an internal microphone. Metal enclosure with conduit entries, suitable for installation in air handling / plenum spaces. Compatible with: AXIS M32-LVE, AXIS P32-V/LV, AXIS P33-V and AXIS Q35-V/LV series; and AXIS Device Microphone A and B.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02452-001	02452-001	AXIS TP3201-E RECESSED MOUNT	Outdoor recessed mount for drop ceiling plenum installations. Supports the optional use of an internal microphone. Metal enclosure with conduit entries, suitable for installation in air handling / plenum spaces. Compatible with: AXIS M32-LVE, AXIS P32-VE-LVE, T94M02L used in the past for outdoor but size was too big not matching form factor.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02509-001	02509-001	AXIS TP3203 RECESSED MOUNT	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with selected AXIS M32 and AXIS P32 cameras.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01804-001	01804-001	AXIS TP3601 3/4" CONDUIT ADAPTER 4P	Adapters for protected cable routing in 3/4" conduit (M25 pipe). Compatible with selected AXIS M32 and P32 cameras. 4pcs bulk pack.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02025-001	02025-001	AXIS TP3603 CONDUIT BACK BOX	TP3603 indoor conduit back box a complement to T94S01P at a lower price point for large indoor installations (eg data centers). Compatible with P32/M32 indoor versions as well as indoor versions of Q1719/29, P33, Q35, and P14/M42(plate needed TP1601). TP3603 has two separate conduit entries (1/2" & 3/4") and has space for connectors (e.g. T86 Media Converters & T6101 I/O interface).	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01743-001	01743-001	AXIS TP3701 J-BOX & POLE ADAPTER	Optional accessory for mounting over junction boxes or on poles. Plastic straps (two) are included. Compatible with AXIS TM3101 and TP3101 Pendant Wall Mount.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02388-001	02388-001	AXIS TP3905 CONDUIT ADAPTER 1" 4P	Step down ACI adapter 1" to 3/4", IK8 and made of plastic. For attaching 1" conduits or M25 pipes to AXIS products with a 3/4" conduit interface such as P32 or conduit back boxes. Pack of 4.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02019-001	02019-001	AXIS TP8101 PENDANT KIT	An indoor metal pendant kit for mounting AXIS P8815-2 3D People Counter. Compatible AXIS ceiling mounts and 1.5" and 3/4" conduits.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02020-001	02020-001	AXIS TP8201 RECESSED MOUNT	A plenum rated recessed mount for P8815-2 3D People Counter	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01805-001	01805-001	AXIS TP3602 1/2" CONDUIT ADAPTER 4P	Adapters for protected cable routing in 1/2" conduit (M20 pipe). Compatible with selected AXIS M32 and P32 cameras. 4pcs bulk pack.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02107-001	02107-001	AXIS TQ3101-E PENDANT KIT	An outdoor pendant kit for mounting AXIS Q38 Series.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
02108-001	02108-001	AXIS TQ3102 PENDANT KIT	An indoor pendant kit for mounting AXIS Q38 Series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02136-001	02136-001	AXIS TQ3201-E RECESSED MOUNT	Recessed mount for indoor and outdoor use of AXIS Q36, P38 and Q38 Series.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02110-001	02110-001	AXIS TQ6501-E PARAPET MOUNT	Parapet Mount is an outdoor-ready mount. The round base of the mount makes it easy to install as well as suitable for installations on poles. Cables can be routed through the bottom, or from the side by using a conduit connection. Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Includes mounting plate, pipe seal, conduit hole cover. Color: White	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
01818-001	01818-001	AXIS TQ9601 CONDUIT TOP BOX	CONDUIT TOP BOX for Q9216-SLV.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02111-001	02111-001	AXIS TQ6901-E ADAPTER BRACKET 4P	AXIS TQ6901-E is a useful adapter for retrofitting AXIS Q6215-LE in camera installations that have 3rd party competitor mounts. AXIS TQ6901-E is made of powder coated aluminum and is sold in packs of four.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02081-001	02081-001	AXIS TS3001 Recorder Mount	AXIS TS3001 Recorder Mount ensures that the AXIS S3008 Recorder is in a fixed position either if it is mounted on walls, shelves, or under tables. Its design and shape allows the recorder to be mounted in two opposite directions.	\$ 23.00	Each	5%	\$ 21.85	Cameras	Security	Product
02102-001	02102-001	AXIS TQ6201-E RECESSED MOUNT	Indoor and outdoor plenum recessed mount for AXIS Q6315-LE PTZ. Suitable for outdoor installations in roof overhangs and soffits. Also suitable for indoor installations in plenum spaces.	\$ 299.00	Each	5%	\$ 284.05	Cameras	Security	Product
02384-001	02384-001	AXIS TQ1501-E CRANE TRAFFIC MOUNT	A crane and traffic mount for more stability and less vibrations. Note: Pivot mount for more stability. Robust, IK10. Coating in corrosion resilient material, offers more stability to your camera installations in demanding situations, such as mounting on cranes or traffic lights. NEMA 4X-ratings and can be tilted up to 45 degrees. Compatible with P13-E/LE, T92E, T93F, Q16-LE, T92G20, T91B47.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product

02382-001	02382-001	AXIS TM3206 RECESSED MOUNT	Designed for indoor drop ceiling installations for M4306. It's robust with an IK10-rating and is easily installed. The enclosure is made of metal alloy, making it suitable for installations in air-handling (plenum) spaces. Casing includes mic holes.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02383-001	02383-001	AXIS TM3207 RECESSED MOUNT	Designed for indoor drop ceiling installations for selected Axis cameras (M3067/8, M4216). It's robust with an IK10-rating and is easily installed. The enclosure is made of metal alloy, making it suitable for installations in air-handling (plenum) spaces.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02360-001	02360-001	AXIS TF9902 SURFACE MOUNT	Bracket to mount and secure a F series main unit onto a surface. It withstands vibrations and secures all cables to/from the main unit.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02361-001	02361-001	AXIS TF9903 DIN RAIL CLIP	DIN clip + angled mounting bracket. Allows an AXIS F Series main unit to be mounted on a DIN rail with the short side against the rail to minimize used space. Main unit can be mounted with cables going in any of three directions (up, down or out from the rail).	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02427-001	02427-001	AXIS TM5601 CONDUIT BACK BOX	Indoor conduit back box for AXIS M5000 & AXIS M5000-G. Has a conduit side entry with a conduit cover. Has 3 bx20 screws.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02285-001	02285-001	AXIS TD3901 Strain Relief 2P	Strain relief accessory for AXIS D3110 Connectivity Hub, preventing cables getting loose over time causing disconnection of the device or sensors. Easy to mount, comes with two screws. 2 pack.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02302-001	02302-001	AXIS TD3902 Connector Kit	Spare kit of connectors for AXIS D3110 Connectivity Hub.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02712-001	02712-001	AXIS TP1602-E Conduit Back Box	A conduit back box that gives more space needed for installation. Deeper back box than what product comes with and existing conduit back boxes. Compatible with P1455-LE, P1467/8-LE. Comes in Axis white and is IP66 and IK10.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02214-001	02214-001	AXIS TF1902-RE MOUNTING BRACKET 4P	AXIS TF1902-RE Mounting Bracket 4P is a bulk pack of 4x Mounting brackets. The mounting bracket is an accessory for the AXIS F2105-RE and F2135-RE, F7225-RE, FA1105, FA1125 and FA1080-E sensors. Thanks to the different hole patterns as well as the possibility to bend the bracket in numerous directions, AXIS TF1202-RE Mounting bracket gives extra flexibility and resilience of the sensor unit.	\$ 10.00	Each	5%	\$ 9.50	Cameras	Security	Product
02216-001	02216-001	AXIS TF1202-RE RECESSED MOUNT 4P	TF1202-RE Recessed Mount 4P is a bulk pack of 4x Recessed Mounts for AXIS F2105-RE Standard sensor. AXIS TF1202-RE Recessed Mount is the perfect accessory when installing AXIS F2105-RE standard sensor in a wall, a glass, plastic or metal panel from 1 to 15mm. Beyond the aesthetics aspect giving a finishing look of the installation, it also guarantees that no water will leak into the wall or the panel. AXIS TF1202-RE Recessed Mount is made of plastic and comes with a built-in lens protection highly recommended when AXIS F2105-RE is used in harsh environment.	\$ 34.00	Each	5%	\$ 32.30	Cameras	Security	Product
02217-001	02217-001	AXIS TF1203-RE RECESSED MOUNT 4P	AXIS TF1203-RE Recessed Mount 4P is a bulk pack of 4x Recessed Mount for AXIS F2135-RE Fisheye sensor. AXIS TF1203-RE Recessed Mount is the perfect accessory when installing AXIS F2135-RE standard sensor in a wall, a glass, plastic or metal panel from 1 to 15mm. Beyond the esthetics aspect giving a finishing look of the installation, it also guarantees that no water will leak into the wall or the panel. AXIS TF1203-RE Recessed Mount is made of plastic and comes with a built-in lens protection highly recommended when AXIS F2135-RE is used in harsh environments.	\$ 34.00	Each	5%	\$ 32.30	Cameras	Security	Product
02212-001	02212-001	AXIS TF1901-RE SWIVEL MOUNT 4P	AXIS TF1901-RE Swivel Mount 4P is a bulk pack of 4x Swivel Mounts for AXIS F21 sensors. It allows the modular sensor unit to be fixed and angled to get the desired viewing direction.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product

02433-001	02433-001	AXIS TF1201-RE RECESSED MOUNT 4P	AXIS TF1201-RE Recessed Mount is a bulk pack of 4x Recessed Mount for AXIS F2105-RE standard sensor unit and AXIS F2135-RE fisheye sensor unit. AXIS TF1201-RE Recessed Mount is the perfect accessory when installing the selected sensor units in a wall, a glass, plastic or metal panel from 1mm to 15mm. Beyond the aesthetics aspect giving a finishing look of the installation, it also guarantees that no water will leak into the wall or the panel. AXIS TF1201-RE comes in silver and is made of aluminum.	\$	66.00	Each	5%	\$	62.70	Cameras	Security	Product
02567-001	02567-001	AXIS TQ1003-E Wall Mount	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated. Highly robust, Rotatable, and Flexible cable routing.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02855-001	02855-001	AXIS TQ3103-E PENDANT KIT	Pendant kit for indoor and outdoor use for the AXIS Q36-VE Series compatible with Axis ceiling-wall-pole mounts with 1.5" NPS thread.	\$	129.00	Each	5%	\$	122.55	Cameras	Security	Product
02856-001	02856-001	AXIS TQ3202-E RECESSED MOUNT	Recessed mount for indoor and outdoor use of AXIS Q3626/8 VE. It has a metal back box and is suitable for installation in plenum (air-handling) spaces.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02837-001	02837-001	AXIS TM4101 PENDANT KIT	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. Compatible with the small form factor of AXIS M42 series of cameras.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02836-001	02836-001	AXIS TM4201 RECESSED MOUNT 4P	A recessed mount compatible with M42 series of cameras. Designed for soft ceilings that have thickness of 15+/-1 mm. Includes adapter mount top and mount bottom. Comes in 4p.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02830-001	02830-001	AXIS TP5201-E RECESSED MOUNT	Outdoor recessed mount for AXIS P56 cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a hole for cable protection conduits.	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
02750-001	02750-001	AXIS TP4601-E Conduit Back Box	Outdoor-ready, impact resistant (IK10) back box with sealed compartment (IP66/67) for secure storage of connectivity devices (T6101 MKII, T8645.8), 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind AXIS P4705-PLVE, and AXIS P4707-PLVE.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02913-001	02913-001	AXIS TQ3601-E CONDUIT BACK BOX	Outdoor-ready, impact resistant (IK11) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and back. Can be mounted directly behind: AXIS P3807-PVE, AXIS P3818-PVE, AXIS P3827-PVE, AXIS Q3536-LVE, AXIS Q3538-LVE, AXIS Q3626-VE, AXIS Q3628-VE, AXIS Q3819-PVE, AXIS Q3839-PVE. Includes a network cable and extra gaskets.	\$	189.00	Each	5%	\$	179.55	Cameras	Security	Product
02923-001	02923-001	AXIS TP3004-E Wall Mount Black	A black version of T91D61 which is chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: Black	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
02924-001	02924-001	AXIS TP3105-E Pendant Kit Black	TP3105-E is a black version of T94N01D which is white. It has a weathershield and a mounting adapter for AXIS P37x-PLE Network Cameras. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P37x-PLE to be mounted on walls, poles, parapets and outer corners using AXIS T91 mounting accessories.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
02925-001	02925-001	AXIS TP3106-E Pendant Kit Black	Black indoor pendant kit similar to T94K01D white for AXIS P32-V Series- AXIS M43-V, AXIS M32-V, AXIS M30-V compatible with Axis ceiling-wall mounts, AXIS pole mount and 1.5" NPS threaded pipes.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02961-001	02961-001	AXIS TP3301-E Pole Mount Black	A black version of T91B67 white which is Outdoor-ready, powder-coated aluminum pole mount with 1.5" NPS thread for fixed dome pendant kits. Includes insect-proof cable gasket and 1 pair of stainless steel straps (with TX30 screw) for pole diameter between 65-165mm (2.5"-6.5"). White in color.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02873-001	02873-001	AXIS TP3204-E RECESSED MOUNT	Outdoor recessed mount for discreet installations in drop ceilings, roof overhangs/offsets of AXIS P3735-PLE, AXIS P3737-PLE, AXIS P3738-PLE. Suitable for installations in plenum space, as the back box is made of metal with a 3/4" hole for cable protection conduits.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product

02411-001	02411-001	AXIS TQ5001-E Wall/Pole Mount	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02851-001	02851-001	AXIS TP1001-E Wall/Pole Mount	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation. The 1.5" NPS thread mount ensures compatibility with all pendant kits for Axis fixed dome cameras.	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
02978-001	02978-001	AXIS TW4100 Front Windshield Mount	Adhesive windshield mount compatible with selected F-series sensors for secure and easy mounting on the front windshield.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02979-001	02979-001	AXIS TW4101 Rear Windshield Mount	Adhesive windshield mount compatible with selected F-series sensors for secure and easy mounting on the rear windshield.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02751-001	02751-001	AXIS TQ4901 Cover Sleeve	A cover sleeve that fits around AXIS TP4601-E Conduit Back Box. Sleeve done for Q9307-LV used with AXIS TP4601-E Conduit Back Box. If sleeve not used with conduit back box there is a mushroom effect where Q9307 is too big for TP4601. Technically Q9307 can fit on TP4601 without sleeve but would not look good.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02866-001	02866-001	AXIS TP9601 Conduit Top Box	Conduit back box for corner camera P9117-PV. Has two conduit entries 3/4" (m25), made of steel and comes in white.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
03011-001	03011-001	AXIS TM5602-E CONDUIT ADAPTER	Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS M5525-E, AXIS M5526-E.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
03003-001	03003-001	AXIS TQ9301 Corner Bracket	Corner indoor bracket compatible with: AXIS P3265-LV; AXIS P3265-V; AXIS P3267-LV; AXIS P3268-LV; AXIS Q9307-LV. Comes with 4 TX20 screws. Made of steel, and painted Axis white.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
03116-001	03116-001	AXIS TM3213 Recessed Mount	Indoor recessed mount for drop ceiling installation. The aluminum (plenum) casing makes it suitable for use in air handling spaces. Compatible with AXIS M3125-LVE, AXIS M3126-LVE, AXIS M3128-LVE.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
03054-001	03054-001	AXIS TQ9302 Pole Mount	A pole mount for Telesitting in Healthcare is main use case when a IV pole type needs a mount for a pole to attach a camera. The mount should be mountable on thin poles from 18mm to 25mm. Cable entry from top or bottom up. Mount compatible with Q9307-LV, several P32 cameras and I8116.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03208-001	03208-001	AXIS TF1202 RECESSED MOUNT 4P	TF1202 Recessed Mount 4P is a bulk pack of 4x Recessed Mounts for AXIS FA1105 sensor unit. Beyond the aesthetics aspect giving a finishing look of the installation, AXIS TF1202 Recessed Mount is the perfect accessory when installing AXIS FA1105 sensor unit in a wall, a glass, plastic or metal panel from 1 to 15mm. AXIS TF1202 Recessed Mount is made of plastic and comes with a built-in lens protection highly recommended to protect FA1105 lens from tempering or vandalism.	\$ 34.00	Each	5%	\$ 32.30	Cameras	Security	Product
03035-001	03035-001	AXIS TF1804 Bullet Housing 4 pcs	AXIS TF1804 Bullet Housing 4P is a bulk pack of 4 Bullet Housings for AXIS F21 sensor units. AXIS TF1804 Bullet Housing is an indoor Bullet housing which fits all F21 sensors. The bullet housing comes with a stand for an easy mounting on a wall or ceiling.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
03115-001	03115-001	AXIS TM3212 Recessed Mount	Recessed mount for AXIS M3125-LVE, AXIS M3126-LVE, AXIS M3128-LVE. Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
03187-001	03187-001	AXIS TM5806-E Housing	A housing for AXIS M5000, AXIS M5000-G that makes the camera outdoor ready. Resistant to harsh weather conditions (IP66, IK10, NEMA 4x), PVC-free, made of aluminum material. Note a hartring connector needs to be used as interface to secure IP-rating.	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product

03232-001	03232-001	AXIS TP3107 Pendant Kit	AXIS TP3107 Pendant Kit a mounting adapter for AXIS P3747-PLVE, AXIS P3748-PLVE. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables mounting on walls, poles, parapets and outer corners using mounting accessories.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
03233-001	03233-001	AXIS TP3108-E Pendant Kit	AXIS TP3108-E Pendant Kit a mounting adapter with a weatherhead for AXIS P3747-PLVE, AXIS P3748-PLVE. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables mounting on walls, poles, parapets and outer corners using mounting accessories.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
03008-001	03008-001	AXIS TP3005-E Wall Mount	Elegant mount for outdoor/indoor mounting of Axis dome cameras in pendant style. Concealed mounting with no visible screws. Audio sensor input entry. Natural weather protection as well. Room for cable slack. Compatible with P32 LV/LVE variants and M32S16-LVE variants.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
02987-001	02987-001	AXIS TQ3003-SE Wall Mount	Wall mount for AXIS P3268-SLVE, AXIS Q3538-SLVE made of marine grade stainless steel. Resistant to sea water and chemicals.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
02988-001	02988-001	AXIS TQ3106-SE Pendant Kit	Marine grade stainless steel pendant kit. Corrosion resistant to seawater and chemicals. Compatible with AXIS P3268-SLVE, AXIS Q3538-SLVE, AXIS TQ3003-SE Wall Mount.	\$	479.00	Each	5%	\$	455.05	Cameras	Security	Product
02989-001	02989-001	AXIS TQ3107-SE Pendant Kit	Marine grade stainless steel pendant kit. Corrosion resistant to seawater and chemicals. Compatible with AXIS P3268-SLVE, AXIS Q3538-SLVE, AXIS TQ3003-SE Wall Mount. Additional weather protection.	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product
03186-001	03186-001	AXIS TC1605 Ceiling Mount	AXIS TC1605 Ceiling Mount - For ceiling installation of the AXIS C1720 Network Display Speaker (Corridor version with two displays and speakers). This accessory is designed to fit axis range of (pipe) ceiling mounts, such as the AXIS T91B51 Ceiling Mount.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
03185-001	03185-001	AXIS TC1604 Wall Mount	AXIS TC1604 Wall Mount, intended for wall mounting the AXIS C1720 Network Display Speaker (Corridor version with two displays and speakers).	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
03385-001	03385-001	AXIS TQ1501-E CRANE TRAFFIC MOUNT	A crane and traffic mount for more stability and less vibrations. Note: Pivot mount for more stability. Robust, IK10. Coating in corrosion resilient material, offers more stability to your camera installations in demanding situations, such as mounting on cranes or traffic lights. NEMA 4X-ratings and can be tilted up to 45 degrees. Compatible with P13-E/LE, P15-E/LE, T92E, T93F, Q16-LE, Q21-E/TE, T92G20, T91B47, TQ1809 Housing T92G.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
03006-001	03006-001	AXIS TD4301-E Angle Mount	Mount for the AXIS D4200-VE Network Strobe Speaker. For use cases where angling of the speaker is better and also allows for corner mounting.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
03266-001	03266-001	AXIS TP3205 Recessed Mount	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with: AXIS P3267-LV/LE, AXIS P327x-LV/LVE, AXIS P327x-LV/LVE, AXIS P328x-LV/LVE.	\$	59.00	Each	5%	\$	56.05	Cameras	Security	Product
03096-001	03096-001	AXIS TM3601-E Conduit Back Box	Conduit back box for 1/4"-20 UNC 3/4" (M25). Features the 1/4" ACI interface to enable use of ACI adapters. Compatible with AXIS M42x-LV, V, LVE.	\$	29.00	Each	5%	\$	27.55	Cameras	Security	Product
03136-001	03136-001	AXIS TQ1603-E Conduit Back Box	Conduit backbox for: AXIS P1455-LE, AXIS P1465-LE, AXIS P1465-LE-3, AXIS P1467-LE, AXIS P1468-LE, AXIS Q1951-E, AXIS Q1952-E, AXIS Q1961-TE, AXIS Q1971-E, AXIS Q1972-E. Enables safe cabling through 1/2" (M20) conduits.	\$	49.00	Each	5%	\$	46.55	Cameras	Security	Product
03404-001	03404-001	AXIS TF1201 Recessed Mount 4P	AXIS TF1201 Recessed Mount 4P is a bulk pack of 4x Recessed Mount for indoor modular sensor units. It is compatible with both AXIS F2108 dome sensor and AXIS FA1105 sensor unit. Beyond the aesthetics aspect giving a finishing look of the installation, AXIS TF1201 Recessed Mount is the perfect accessory when installing the selected sensor units in a wall, a glass, plastic or metal panel from 1mm to 15mm. AXIS TF1201 comes in silver and is made of aluminium.	\$	49.00	Each	5%	\$	46.55	Cameras	Security	Product

03159-001	03159-001	AXIS TQ5301-E Corner Mount	Outer corner mount for Axis PTZ cameras. With a stylish design, this compact, all-in-one, outdoor-ready mount blends seamlessly into most indoor and outdoor environments. It offers flexible installation and can be mounted on either the left or right side to suit specific needs. > Room for connectivity devices > Robust, IK10-rated > Outdoor and indoor-ready	\$ 399.00	Each	5%	\$ 379.05	Cameras	Security	Product
03158-001	03158-001	AXIS TP3302-E Corner Mount	Corner mount for dome and panoramic cameras. With a stylish design, this compact, all-in-one, outdoor-ready mount blends seamlessly into most indoor and outdoor environments. It offers flexible installation and can be mounted on either the left or right side to suit specific needs. > Spacious compartment for connectivity devices, > Robust, IK10-rated, > Outdoor and indoor-ready	\$ 399.00	Each	5%	\$ 379.05	Cameras	Security	Product
03049-001	03049-001	AXIS TQ1818-E	High accuracy outdoor positioning unit to be used with the outdoor models of fixed cameras series: AXIS P13, P15, Q16, and thermal Q21 Series. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Optional wall mount and pole mount accessories available separately. Powered by 50 V AC/DC. Expand the possibilities for IR light, with white light as well as wipers.	\$ 2,069.00	Each	5%	\$ 1,965.55	Cameras	Security	Product
02222-001	02222-001	AXIS TC1601 Universal Mount	Versatile accessory to be used with AXIS C1410 Network Mini Speaker. It can be used as either a pendant kit with 3/4" (M25) conduit interface, conduit back box with 1/2" (M20) conduit side entry, or with standard stands or holders using the integrated female (M6) tripod thread.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02223-001	02223-001	AXIS TC1701 Front Cover 5P	AXIS TC1701 Front Cover is sold as spare parts to the AXIS C1410 Network Mini Speaker. It enables easy on-site replacement in case the original front cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02556-001	02556-001	AXIS TC1702 BACK COVER 4P	AXIS TC1702 Back Cover is an extra plenum cover to meet special plenum requirements in Chicago and Las Vegas installation. This back cover needs to be installed together with the AXIS TC1603 Tile Bridge. Sold in 4pcs per pack.	\$ 399.00	Each	5%	\$ 379.05	Cameras	Security	Product
02555-001	02555-001	AXIS TC1603 TILE BRIDGE 2P	AXIS TC1603 Tile Bridge is a mount plate used with AXIS C1210-E Network Ceiling Speaker and AXIS C1211-E Network Ceiling Speaker. The tile bridge is to be used in soft ceiling installations, as it prevents the ceiling tile to sink downward by distributing the speaker weight. Sold in 2pcs per pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02557-001	02557-001	AXIS TC1602 CONDUIT ADAPTER 5P	AXIS TC1602 Conduit Adapter is used for protected cable routing in 3/4" conduits and M20 pipes. Compatible with AXIS C12-series of network ceiling speakers. Sold in 5pcs per pack.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02558-001	02558-001	AXIS TC1901 WIRE KIT 5P	AXIS TC1901 is a kit for installing AXIS C15 pendant speakers hanging from the ceiling. It contains a 10m/32.8ft wire and a hook for easy adjustment of the mounting height. Sold in 5pcs per pack.	\$ 109.00	Each	5%	\$ 103.55	Cameras	Security	Product
02720-001	02720-001	AXIS TC1902 Ceiling Speaker Gasket 5P	AXIS TC1902 is a gasket to use with AXIS C1210-E ceiling speakers to allow IP54 rating.	\$ 109.00	Each	5%	\$ 103.55	Audio/Visual	Security	Product
02721-001	02721-001	AXIS TC1903 Ceiling Speaker Gasket 5P	AXIS TC1903 is a gasket to use with AXIS C1211-E ceiling speakers to allow IP54 rating.	\$ 84.00	Each	5%	\$ 79.80	Audio/Visual	Security	Product
02789-001	02789-001	AXIS TC6901	AXIS C6110 Network Paging Console comes with a built in microphone and can be used stand-alone. For customers preferring a gooseneck microphone AXIS TC6901 Gooseneck Microphone can be bought as an optional accessory.	\$ 179.00	Each	5%	\$ 170.05	Audio/Visual	Security	Product
02062-001	02062-001	AXIS AUDIO MANAGER PRO - E-LICENSE	AXIS Audio Manager Pro provides easy, remote management of large IP audio installations. The AXIS AUDIO MANAGER PRO - E-LICENSE is used to when installing AXIS Audio Manager Pro on your own custom hardware or virtual machine (VMWare, Microsoft Hyper-V, Microsoft Windows Datacenter) Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 2,859.00	Each	5%	\$ 2,716.05	Audio/Visual	Security	Product

02246-001	02246-001	AXIS AUDIO MANAGER CENTER 1Y ELIC	<p>AXIS Audio Manager Center is a subscription-based hybrid cloud service for remote management and monitoring of multisite audio systems. Cloud-based and on-premises components combine to provide a stable solution, even if internet access is temporarily down. The software significantly reduces user workloads, with a single sign-on to schedule announcements, background music, ads, and more for all selected sites using AXIS Audio Manager Edge. It's simple to set up and to adjust zones, content, and schedules, without downtime. Furthermore, health monitoring provides immediate notifications if any part of the system isn't working.</p> <p>AXIS Audio Manager is licensed annually by the number of speaker devices (or equivalent) in the system. A no-cost version with a limited feature set is also available.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	7.00	Each	5%	\$	6.65	Audio/Visual	Security	Product
02723-004	02723-004	AXIS C7050 MK III	<p>AXIS Audio Manager Pro provides easy, remote management of large IP audio installations. Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content management, and audio scheduling. Especially useful in retail or in schools, AXIS Audio Manager Pro helps you broadcast music, live or scheduled announcements, emergency messages, and more, either individually in separate zones or centrally to all devices. With quick installation, intuitive operation, and online device status monitoring, AXIS Audio Manager realizes the benefits of network audio.</p>	\$	3,499.00	Each	5%	\$	3,324.05	Audio/Visual	Security	Product
03093-001	03093-001	AXIS SPEAKER FOR INFORMACAST ELIC	<p>AXIS Speaker Functionality for Singlewire InformaCast® is a licensed add-on to compatible Axis network speakers, network bridge or network amplifier and with this you get InformaCast® compatibility.</p> <p>AXIS Speaker Functionality for Singlewire InformaCast® is applicable for One(1) Axis network device perpetually and it requires a separate subscription for the InformaCast® application acquired from Singlewire.</p> <p>Delivered as an eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	69.00	Each	5%	\$	65.55	Audio/Visual	Security	Product
02962-001	02962-001	AXIS XC1311	<p>AXIS XC1311 Explosion-protected Network Horn Speaker is certified for use in hazardous locations (ATEX: II 2G Ex d IIC T5 Gb, II 2D Ex tb IIIC T=91°C Db; IECEx: Ex db IIC T5 Gb, Ex tb IIIC T=91°C Db; cULus: Class I Div 1 ABCD T5, Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T=91°C Db). The speaker is a complete audio system in a single unit. It connects to the standard existing network without need for a separate audio network. Built-in memory supports pre-recorded messages, or operators can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound. Open standards support easy integration with network video, access control, analytics, and VoIP (supporting SIP).</p>	\$	2,749.00	Each	5%	\$	2,611.55	Audio/Visual	Security	Product
02709-001	02709-001	AXIS C6110	<p>AXIS C6110 Network Paging Console complements your network speakers to create a complete public address system that enables live paging, pre-recorded callouts, and two-way audio. Configure as many zones as needed in the web interface, using the expandable tree structure. Then, to page, navigate to the right zone using the console's color LCD and twelve physical buttons. You can also configure buttons to trigger actions on other IoT devices – for example, doors or lights. The console can be wall-mounted or placed on a desktop, where you can use it as-is, with an external headset, or with</p> <p>AXIS TC6901 Gooseneck Microphone</p>	\$	1,479.00	Each	5%	\$	1,405.05	Audio/Visual	Security	Product

01796-001	01796-001	AXIS C1310-E NETWORK HORN SPEAKER	AXIS C1310-E Network Horn Speaker is perfect for outdoor environments in most climates. The speaker is a complete audio system in a single unit. It connects to the standard existing network so there is no need for a separate audio network. Further it is simple to install with PoE for both power and connectivity. AXIS C1310-E allows users to remotely warn users to remotely warn off intruders before they commit a crime, to deliver instructions during an emergency or to make general voice messages. Built-in memory supports pre-recorded messages, or security personnel can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound. Open standards support easy integration with network video, access control, analytics, and VoIP (supporting SIP). AXIS C1310-E is a standalone unit that can be placed anywhere, which supports a flexible, scalable and cost-effective approach to system design.	\$ 599.00	Each	5%	\$ 569.05	Audio/Visual	Security	Product
0923-001	0923-001	AXIS C1004-E NETW CAB SPEAKER BLACK	AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$ 689.00	Each	5%	\$ 654.55	Audio/Visual	Security	Product
0833-001	0833-001	AXIS C1004-E NETW CAB SPEAKER WHITE	AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.	\$ 689.00	Each	5%	\$ 654.55	Audio/Visual	Security	Product
01916-001	01916-001	AXIS C1410 NETWORK MINI SPEAKER	AXIS C1410 Network Mini Speaker is a discreet and affordable speaker that fits into smaller spaces and provides wide-area audio coverage. The speaker is a complete audio system in a single unit. It connects to the standard existing network so there is no need for a separate audio network. Further it is simple to install with PoE for both power and connectivity. AXIS C1410 allows users to remotely warn off intruders before they commit a crime, to deliver instructions during an emergency or to make general announcements. Built-in memory supports pre-recorded messages, or personnel can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound and with remote health testing you know that it is working. Open standards support easy integration with network video, access control, analytics, and VoIP. AXIS C1410 is a standalone unit that can be placed anywhere, which supports a flexible, scalable and cost-effective approach to system design. It also has a built-in PIR sensor for motion detection.	\$ 329.00	Each	5%	\$ 312.55	Audio/Visual	Security	Product

02324-001	02324-001	AXIS C1210-E NETWORK CEILING SPEAKER	AXIS C1210-E Network Ceiling Speaker is an all-in-one speaker system that makes voice announcements and background music smart and easy. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1210-E offers flexible, discrete recessed ceiling installation, ideal for indoor environments but can also be used for protected outdoor areas like under the eaves. Additionally, it features a backbox that meets plenum requirements. It offers easy integration with your video management software (VMS), VoIP telephony, analytics, and more. Including a preconfigured digital signal processor (DSP) it produces clear voice every time. It also features a built-in microphone enabling remote health testing and 2-way audio talk-back. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. The outer diameter is 283 mm (11.1 in) and the dimension for fixing hole is 261 mm (10.3 in).	\$	529.00	Each	5%	\$	502.55	Audio/Visual	Security	Product
02323-001	02323-001	AXIS C1211-E NETWORK CEILING SPEAKER	AXIS C1211-E Network Ceiling Speaker is an all-in-one speaker system that makes voice announcements smart and easy. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1211-E offers flexible, discrete recessed ceiling installation, ideal for indoor environments but can also be used for protected outdoor areas like under the eaves. Additionally, it features a backbox that meets plenum requirements. It offers easy integration with your video management software (VMS), VoIP telephony, analytics, and more. Including a preconfigured digital signal processor (DSP) it produces clear voice every time. It also features a built-in microphone enabling remote health testing and 2-way audio talk-back. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. The outer diameter is 216 mm (8.5 in) and the dimension for fixing hole is 194 mm (7.6 in).	\$	449.00	Each	5%	\$	426.55	Audio/Visual	Security	Product
02389-001	02389-001	AXIS C1510 NETWORK PENDANT SPEAKER	AXIS C1510 Network Pendant Speaker is an all-in-one speaker system that makes voice announcements smart and easy. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1510 is ideal for high ceiling installations of any height, thanks to easy adjustable wire length [wire not included]. It offers easy integration with your video management software (VMS), VoIP telephony, analytics, and more. Including a preconfigured digital signal processor (DSP) it produces clear voice every time. It also features a built-in microphone enabling remote health testing and 2-way audio talk-back. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. Axis pendant speakers comes in two sizes, whereas AXIS C1510 is the larger more powerful model.	\$	629.00	Each	5%	\$	597.55	Audio/Visual	Security	Product
02390-001	02390-001	AXIS C1511 NETWORK PENDANT SPEAKER	AXIS C1511 Network Pendant Speaker is an all-in-one speaker system that makes voice announcements smart and easy. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1511 is ideal for high ceiling installations of any height, thanks to easy adjustable wire length [wire not included]. It offers easy integration with your video management software (VMS), VoIP telephony, analytics, and more. Including a preconfigured digital signal processor (DSP) it produces clear voice every time. It also features a built-in microphone enabling remote health testing and 2-way audio talk-back. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. Axis pendant speakers comes in two sizes, whereas AXIS C1511 is the smaller model.	\$	559.00	Each	5%	\$	531.05	Audio/Visual	Security	Product
02378-004	02378-004	AUDIO CEILING TILE KIT US	This timesaving, pre-assembled Audio Ceiling Tile Kit includes Quam SYSTEM 17/8 - a 2x2 drop-in, perforated steel ceiling tile speaker - integrated with AXIS C8210 Network Audio Amplifier. Utilizing AXIS C8210, the kit provides network audio via PoE connection as well as flexibility for live or scheduled announcements, alerts, background music and more.	\$	579.00	Each	5%	\$	550.05	Audio/Visual	Security	Product

02379-004	02379-004	AUDIO CEILING TILE KIT CAM READY US	Audio Ceiling Tile Kit - Camera Ready includes Kit includes Quam SYSTEM 17/8 - a 2x2 drop-in, perforated steel ceiling tile speaker - integrated with AXIS C8210 Network Audio Amplifier. Utilizing AXIS C8210, the kit provides network audio via PoE connection as well as flexibility for live or scheduled announcements, alerts, background music and more. This camera-ready version provides mounting for a fixed-dome or panoramic camera, or another device that fits a 1-gang and 4-square mounting hole pattern. Camera sold separately.	\$	629.00	Each	5%	\$	597.55	Audio/Visual	Security	Product
02380-001	02380-001	AXIS C1610-VE	AXIS C1610-VE Network Sound Projector is perfect for outdoor environments in most climates. It has a nice design and is very robust (IK11 rating) making it the perfect choice for environments in need for a less intrusive design and when the placement means a risk for vandalism from people. AXIS C1610-VE allows users to remotely warn off intruders before they commit a crime, to deliver instructions during an emergency or to make general voice messages. The speaker is a complete audio system in a single unit including audio management software. It connects to the standard existing network so there is no need for a separate audio network. Further it is simple to install with PoE for both power and connectivity. Built-in memory supports pre-recorded messages, or security personal can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound and the speakers sound quality enables high quality speech. Open standards support easy integration with network video, access control, analytics, and VoIP (supporting SIP). AXIS C1610-VE is a standalone unit that can be placed anywhere, which supports a flexible, scalable and cost-effective approach to system design.	\$	849.00	Each	5%	\$	806.55	Audio/Visual	Security	Product
02695-001	02695-001	AXIS C1110-E White	AXIS C1110-E is a combination of great performance and design. It is a very flexible speaker that can be used for voice messages and background music. can be installed indoors or protected outdoors, its easy-click mounting bracket supports installations on walls, ceilings, and poles, and it can be mounted horizontally or vertically. AXIS C1110-E supports full duplex 2-way communication with echo cancellation, and the built-in microphone enables remote health testing as well. AXIS C1010-E offers digital signal processing for clear voice messages and background music, and its rich bass makes it the perfect choice if background music is a primary use case. It's built on an open platform, supporting integration with VMS, access control, analytics and VoIP with SIP support. AXIS Audio Manager Edge software comes preinstalled for easy management of users, content, zones, and scheduling. This all-in-one speaker system connects to the standard network using a single cable for power (PoE) and connectivity.	\$	789.00	Each	5%	\$	749.55	Audio/Visual	Security	Product
02696-001	02696-001	AXIS C1110-E Black	AXIS C1110-E is a combination of great performance and design. It is a very flexible speaker that can be used for voice messages and background music. can be installed indoors or protected outdoors, its easy-click mounting bracket supports installations on walls, ceilings, and poles, and it can be mounted horizontally or vertically. AXIS C1110-E supports full duplex 2-way communication with echo cancellation, and the built-in microphone enables remote health testing as well. AXIS C1010-E offers digital signal processing for clear voice messages and background music, and its rich bass makes it the perfect choice if background music is a primary use case. It's built on an open platform, supporting integration with VMS, access control, analytics and VoIP with SIP support. AXIS Audio Manager Edge software comes preinstalled for easy management of users, content, zones, and scheduling. This all-in-one speaker system connects to the standard network using a single cable for power (PoE) and connectivity.	\$	789.00	Each	5%	\$	749.55	Audio/Visual	Security	Product

02697-001	02697-001	AXIS C1111-E White	AXIS C1111-E is a combination of great performance and design. It is a very flexible speaker that can be used for voice messages and background music, can be installed indoors or protected outdoors, its easy-click mounting bracket supports installations on walls, ceilings, and poles, and it can be mounted horizontally or vertically. AXIS C1111-E supports full duplex 2-way communication with echo cancellation, and the built-in microphone enables remote health testing as well. AXIS C1011-E offers digital signal processing for clear voice messages and background music. It's built on an open platform, supporting integration with VMS, access control, analytics and VoIP with SIP support. AXIS Audio Manager Edge software comes preinstalled for easy management of users, content, zones, and scheduling. This all-in-one speaker system connects to the standard network using a single cable for power (PoE) and connectivity.	\$ 629.00	Each	5%	\$ 597.55	Audio/Visual	Security	Product
02698-001	02698-001	AXIS C1111-E Black	AXIS C1111-E is a combination of great performance and design. It is a very flexible speaker that can be used for voice messages and background music, can be installed indoors or protected outdoors, its easy-click mounting bracket supports installations on walls, ceilings, and poles, and it can be mounted horizontally or vertically. AXIS C1111-E supports full duplex 2-way communication with echo cancellation, and the built-in microphone enables remote health testing as well. AXIS C1011-E offers digital signal processing for clear voice messages and background music. It's built on an open platform, supporting integration with VMS, access control, analytics and VoIP with SIP support. AXIS Audio Manager Edge software comes preinstalled for easy management of users, content, zones, and scheduling. This all-in-one speaker system connects to the standard network using a single cable for power (PoE) and connectivity.	\$ 629.00	Each	5%	\$ 597.55	Audio/Visual	Security	Product
02813-001	02813-001	AXIS C1310-E Mk II	AXIS C1310-E Mk II Network Horn Speaker is perfect for outdoor environments in most climates. The speaker is a complete audio system in a single unit. It connects to the standard existing network so there is no need for a separate audio network. Further it is simple to install with PoE for both power and connectivity. AXIS C1310-E Mk II allows users to remotely warn off intruders before they commit a crime, to deliver instructions during an emergency or to make general voice messages. Built-in memory supports pre-recorded messages, or security personnel can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound. Open standards support easy integration with network video, access control, analytics, and VoIP (supporting SIP).	\$ 639.00	Each	5%	\$ 607.05	Audio/Visual	Security	Product
02838-001	02838-001	AXIS C1410 Mk II	AXIS C1410 Mk II Network Mini Speaker is a discreet and affordable speaker that fits into smaller spaces and provides widearea audio coverage. It allows users to remotely warn off intruders before they commit a crime, to deliver instructions during an emergency or to make general announcements. Built-in memory supports pre-recorded messages, or personnel can respond to notifications with live speak. Digital signal processing (DSP) ensures clear sound. Open standards support easy integration with network video, access control, analytics, and VoIP. It also has a built-in PIR sensor for motion detection.	\$ 369.00	Each	5%	\$ 350.55	Audio/Visual	Security	Product

02959-001	02959-001	AXIS C1710 Network Display Speaker	AXIS C1710 Network Display Speaker (wall mounted) is an all-in-one speaker system featuring a powerful speaker, a bright color LCD display and a strobe light. The speaker delivers clear and loud voice messages for critical situations as well as daily communications. The strobe captivates attention and the bright display communicates the text message. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1710 works both stand alone as well as integrated with your video management software (VMS), VoIP telephony, analytics, and third party mass communication systems like Singlewire Informacast. A built-in microphone enabling remote health testing and two-way audio in full duplex with echo cancellation. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. This wall-mounted product is designed with the installer and customer in mind, easy and safe installation and configurable to the customers use cases.	\$	1,689.00	Each	5%	\$	1,604.55	Audio/Visual	Security	Product
02960-001	02960-001	AXIS C1720 Network Display Speaker	AXIS C1720 Network Display Speaker (Corridor version with two displays and speakers) is an all-in-one speaker system featuring two powerful speakers, two bright color LCD displays and a strobe light. The speaker delivers clear and loud voice messages for critical situations as well as daily communications. The strobe captivates attention and the bright display communicates the text message. It connects to standard network using one cable for both power (PoE) and connectivity. AXIS C1710 works both stand alone as well as integrated with your video management software (VMS), VoIP telephony, analytics, and third party mass communication systems like Singlewire Informacast. A built-in microphone enabling remote health testing and two-way audio in full duplex with echo cancellation. Furthermore, the embedded audio management software supports user, content, zone, and scheduling management. This wall or ceiling mounted product is designed with the installer and customer in mind, easy and safe installation and configurable to the customers use cases.	\$	1,999.00	Each	5%	\$	1,899.05	Audio/Visual	Security	Product
02559-001	02559-001	AXIS TC1703 Mesh Cover 5p	AXIS TC1703 Front mesh cover is sold as spare parts to the AXIS C1210-E Ceiling Speaker and AXIS C1510 Pendant Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	109.00	Each	5%	\$	103.55	Audio/Visual	Security	Product
02560-001	02560-001	AXIS TC1704 Mesh Cover 5p	AXIS TC1704 Front mesh cover is sold as spare parts to the AXIS C1211-E Ceiling Speaker and AXIS C1511 Pendant Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	84.00	Each	5%	\$	79.80	Audio/Visual	Security	Product
02888-001	02888-001	AXIS TC1705 Mesh Cover White 5 pcs	AXIS TC1705 White Front mesh cover is sold as spare parts to the White AXIS C1110-E Network Cabinet Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	209.00	Each	5%	\$	198.55	Audio/Visual	Security	Product
02889-001	02889-001	AXIS TC1705 Mesh Cover Black 5 pcs	AXIS TC1705 Black Front mesh cover is sold as spare parts to the Black AXIS C1110-E Network Cabinet Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	209.00	Each	5%	\$	198.55	Audio/Visual	Security	Product
02890-001	02890-001	AXIS TC1706 Mesh Cover White 5 pcs	AXIS TC1706 White Front mesh cover is sold as spare parts to the AXIS C1111-E Network Cabinet Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	189.00	Each	5%	\$	179.55	Audio/Visual	Security	Product
02891-001	02891-001	AXIS TC1706 Mesh Cover Black 5 pcs	AXIS TC1706 Black Front mesh cover is sold as spare parts to the AXIS C1111-E Network Cabinet Speaker. It enables easy on-site replacement in case the original front mesh cover has been damaged. The cover is re-paintable. Sold in packs of five units.	\$	189.00	Each	5%	\$	179.55	Audio/Visual	Security	Product

02741-001	02741-001	AXIS C8310 Volume Controller	AXIS C8310 is a control panel for adjusting music volume in a zone and selecting between multiple scheduled audio sources. The panel has six buttons with volume up, volume down, mute and three numbered program selectors. It connects as an accessory to the I/O port of a host network audio device. It supports recessed wall mount (US single gang box and EU connection box). The product is easy to install and a frame for optional wall mount is included. The product is available in white.	\$	179.00	Each	5%	\$	170.05	Audio/Visual	Security	Product
02370-001	02370-001	AXIS C8110 NETWORK AUDIO BRIDGE	AXIS C8110 Network Audio Bridge is a smart solution based on open standards for connecting and combining analog and digital audio systems. Thanks to the built-in AXIS Audio Manager Edge application you can get functionalities like zone management and content scheduling in existing analog systems. With SIP support it is possible to connect an IP telephony system for callouts in analog speakers. With analog audio input you can easily integrate your intercom system or music streaming box with network speakers from Axis.	\$	289.00	Each	5%	\$	274.55	Audio/Visual	Security	Product
01558-001	01558-001	AXIS C8210 NETWORK AUDIO AMP	AXIS C8210 Network Audio Amplifier is a smart migration tool for transforming any passive speaker, independent of brand or formfactor, into a network speaker. This gives you all the benefits of network audio including less components. AXIS C8210 enables scalable and cost-effective solutions and can power up to eight speakers with a total power output of 15 W. Based on open standards, the amplifier is easily integrated with other systems. It is small, easy to place, and easy to connect using Power over Ethernet.	\$	449.00	Each	5%	\$	426.55	Audio/Visual	Security	Product
02278-001	02278-001	AXIS XPQ1785	Explosion-protected stainless steel (316L) PTZ network camera certified for use in hazardous areas according to ATEX, IECEx, cMETus. Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, Class II/III Div 1 Groups B, C, D, E, F, G, Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db. IP 66/67/68, Type 4X. Certificate: 20ATEX0651X (ATEX), EXV 20.0017X (IECEX), E115198 (cMETus), part code: P21. AXIS Q1785 1080p HDTV camera inside with 32x optical zoom, auto focus and day/night mode. Continuous 360° pan and tilt and 256 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR, EIS and built-in smoke and fire detection. Operating temp -60°C to +60°C. 110-230VAC, RJ45 and SFP for fiber or coax connection. Integrated wiper, sunshield and AXIS Surveillance microSDXC card 128Gb included.	\$	19,999.00	Each	5%	\$	18,999.05	Cameras	Security	Product
02462-001	02462-001	AXIS XFQ1656	1/1.8" sensor, 4 MP, Day/night, explosion-protected fixed camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0. Includes an IR corrected varifocal 3.9-10 mm F1.5 I-OS lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics with PPE monitoring (missing hard hat detection). Video motion detection, shock detection and active tampering alarm. Smoke alert smoke and fire detection analytic. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Optional analog or digital microphone, two-way audio. Supervised I/O for alarm/event handling, 128GB SD card included. Serial port for RS485 communication. PoE or 110-230VAC power input, SFP + RJ45 for network connectivity. Electropolished stainless steel (316L) enclosure, certified for use in hazardous areas according to ATEX, IECEx, cMETus. Ex db IIC T5 Gb, Ex tb IIIC T100°C Db, Class II/III Div 1 Groups B, C, D, E, F, G, Class I Zone 1 AEx db IIC T5 Gb, Zone 21 AEx tb IIIC T100°C Db. IP 66/67/68, Type 4X. Certificate: 20ATEX0651X (ATEX), EXV 20.0017X (IECEX), E115198 (cMETus), part code: F31. Swivel joint included.	\$	10,599.00	Each	5%	\$	10,069.05	Cameras	Security	Product

02534-001	02534-001	AXIS P1468-XLE	Explosion-protected (ATEX: II 3 G Ex ec IIC T4 Gc, II 2 D Ex tb IIIC 135C Db; IECEX: Ex ec IIC T4 Gc, Ex tb IIIC T135C Db; cULus: Class I Div 2 Group ABCD T4, Class II Div 2 Group FG T135C; Class III Div 2, Class I Zone 2 AEx ec IIC T4 Gc, Zone 21 AEx IIIC T135C Db) fixed bullet camera with Deep Learning Processing Unit (DPLU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedR. Varifocal 6-13 mm P-iris lens with remote zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 60 fps, 30fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics, Smoke alert analytic. Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, defogging and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. AXIS Edge Vault for added cyber security. OptimizedR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. Powered by IEEE 802.3af/802.3at Type 1 Class 3 and 10-28V DC power with redundancy. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield.	\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
02535-001	02535-001	AXIS Q1961-XTE 7 mm 30 fps	AXIS Q1961-XTE is an ARTPEC 8 based explosion-protected (ATEX: II 3 G Ex ec IIC T4 Gc, II 2 D Ex tb IIIC 135C Db; IECEX: Ex ec IIC T4 Gc, Ex tb IIIC T135C Db; cULus: Class I Div 2 Group ABCD T4, Class II Div 2 Group FG T135C; Class III Div 2, Class I Zone 2 AEx ec IIC T4 Gc, Zone 21 AEx IIIC T135C Db) thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F). It supports up to 10 configurable polygonal detection areas allowing you to monitor for specific temperature levels and change rates. With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire. Robust and impact-resistant (IK10 (excluding front glass) and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free and light weight. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.	\$	7,419.00	Each	5%	\$	7,048.05	Cameras	Security	Product
02349-001	02349-001	AXIS M1055-L BOX CAMERA	Day/night, small indoor box style 2 MP / HDTV camera with a Deep Learning Processing Unit (DPLU). Built-in IR illumination and WDR. Fixed lens with 103° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Built-in I/O. MQTT support. Axis Object Analytics, video motion detection and active tampering alarm. MicroSD memory card slot for local storage. AXIS Edge Vault for increased Cyber Security. Tally LED to indicate video streaming or recording. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Includes bracket for easy mounting on wall and corner. Midspan not included.	\$	309.00	Each	5%	\$	293.55	Cameras	Security	Product
02350-001	02350-001	AXIS M1075-L BOX CAMERA	Day/night, small fully featured indoor box style 2 MP / HDTV camera with a Deep Learning Processing Unit (DPLU). Built-in IR illumination and WDR. Fixed lens with 103° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Built-in microphones and speaker for two-way audio, I/O and integrated PIR motion sensor. Micro-HDMI output. MQTT support. Axis Object Analytics, video motion detection and active tampering alarm. MicroSD memory card slot for local storage. AXIS Edge Vault for increased Cyber Security. Tally LED to indicate video streaming or recording. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Optional wireless kit available. Includes bracket for easy mounting on wall and corner. Midspan not included.	\$	359.00	Each	5%	\$	341.05	Cameras	Security	Product

02483-001	02483-001	AXIS M1135 MK II	HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 3-10.5 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$	479.00	Each	5%	\$	455.05	Cameras	Security	Product
02580-001	02580-001	AXIS M1135 MK II I-CS	HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal i-CS lens 3.5-10 mm F1.8 with remote installation zoom and focus. Camera also supports DC-iris lenses. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
02485-001	02485-001	AXIS M1135-E MK II	Outdoor, NEMA 4X, IP66 and IK10-rated, light weight HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 3-10.5 mm F1.4 DC-iris lens. Camera also supports i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan or power supply not included.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
02622-001	02622-001	AXIS M1135-E MK II I-CS	Outdoor, NEMA 4X, IP66 and IK10-rated, light weight HDTV 1080p resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal i-CS lens 3.5-10 mm F1.8 with remote installation zoom and focus. Camera also supports DC-iris lenses. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling, MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan or power supply not included.	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product

02484-001	02484-001	AXIS M1137 MK II	5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-13 mm F1.4 DC-iris lens. Camera also supports I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$	569.00	Each	5%	\$	540.55	Cameras	Security	Product
02581-001	02581-001	AXIS M1137 MK II I-CS	5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal I-CS lens 3.5-10 mm F1.8 with remote installation zoom and focus. Camera also supports DC-iris lenses. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with either built-in microphone or optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes stand for wall and ceiling mount. Midspan or power supply not included.	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product
02486-001	02486-001	AXIS M1137-E MK II	Outdoor, NEMA 4X, IP66 and IK10-rated, light weight 5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal 2.8-13 mm F1.4 DC-iris lens. Camera also supports I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan or power supply not included.	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product
02623-001	02623-001	AXIS M1137-E MK II I-CS	Outdoor, NEMA 4X, IP66 and IK10-rated, light weight 5MP resolution, day/night, compact fixed box camera with CS-mount providing Forensic WDR and Lightfinder technology. Includes an IR corrected varifocal I-CS lens 3.5-10 mm F1.8 with remote installation zoom and focus. Camera also supports DC-iris lenses. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 5MP at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics and active tampering alarm. Audio in and audio detection with optional microphone. I/O for alarm/event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD card slot for local storage. Operation in -25°C to +50°C. Powered by IEEE 802.3af/802.3at Type 1 Class 3 or 8-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66-rated cable glands. Midspan or power supply not included.	\$	779.00	Each	5%	\$	740.05	Cameras	Security	Product

02124-001	02124-001	AXIS M2035-LE	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 101° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
02131-001	02131-001	AXIS M2035-LE Black	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 101° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
02132-001	02132-001	AXIS M2035-LE 8 MM	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed tele lens with 39° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
02133-001	02133-001	AXIS M2035-LE 8 MM BLACK	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed tele lens with 39° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product

02125-001	02125-001	AXIS M2036-LE	Day/night, compact and outdoor-ready bullet style 4 MP camera, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	449.00	Each	5%	\$	426.55	Cameras	Security	Product
02134-001	02134-001	AXIS M2036-LE Black	Day/night, compact and outdoor-ready bullet style 4 MP camera in black color, IP66, IP67, NEMA 4X and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV, corridor format, automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. Memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$	449.00	Each	5%	\$	426.55	Cameras	Security	Product
01532-001	01532-001	AXIS P1375	HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder 2.0 technology. Includes an IR corrected varifocal 2.8-8 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and ICS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and security lock slot. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 12-28VDC input. Includes black stand for wall and ceiling mount with hole for easy cable management. Midspan or power supply not included.	\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product
01533-031	01533-031	AXIS P1375-E BAREBONE	AXIS P1375-E Barebone. No lens. Midspan not included	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product

			Outdoor with extra heater, NEMA 4X, IP66/67 and IK10-rated, 5MP resolution, day/night, fixed box camera providing providing Forensic WDR and Lightfinder technology. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (130 feet).Includes an IR corrected varifocal 2.8-8 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 5MP at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Operation in -40°C to +60°C. PoE+ class4 or 12-28VDC input. Support for optional AXIS P13 Weathershield Extension A. Includes pre-mounted AXIS Fixed Box IR Illuminator Kit A, removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan or power supply not included.										
41809-001	41809-001	AXIS P1377-LE		\$	1,139.00	Each	5%	\$	1,082.05	Cameras	Security	Product	
41809-031	41809-031	AXIS P1377-LE BAREBONE	AXIS P1377-LE Barebone with extra heater. No lens. Midspan not included.	\$	1,089.00	Each	5%	\$	1,034.55	Cameras	Security	Product	
			Outdoor, NEMA 4X, IP66/67 and IK10-rated, 4K resolution, day/night, fixed box camera providing providing Forensic WDR and Lightfinder technology. Features a 1/1.8" image sensor. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (164 feet).Includes an IR corrected varifocal 3.9-10 mm F1.5 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4K at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Operation in -40°C to +60°C. PoE+ class4 or 12-28VDC input. Support for optional AXIS P13 Weathershield Extension A. Includes pre-mounted AXIS Fixed Box IR Illuminator Kit A, removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan or power supply not included.										
01811-001	01811-001	AXIS P1378-LE		\$	1,249.00	Each	5%	\$	1,186.55	Cameras	Security	Product	
01811-031	01811-031	AXIS P1378-LE BAREBONE	AXIS P1378-LE Barebone. No lens. Midspan not included.	\$	1,199.00	Each	5%	\$	1,139.05	Cameras	Security	Product	
			Outdoor with extra heater, NEMA 4X, IP66/67 and IK10-rated, 4K resolution, day/night, fixed box camera providing providing Forensic WDR and Lightfinder technology. Features a 1/1.8" image sensor. OptimizedIR, a power-efficient 850nm IR LED technology covering 40 meters (130 feet).Includes an IR corrected varifocal 3.9-10 mm F1.5 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4K at 25/30 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Operation in -40°C to +60°C. PoE+ class4 or 12-28VDC input. Support for optional AXIS P13 Weathershield Extension A. Includes pre-mounted AXIS Fixed Box IR Illuminator Kit A, removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan or power supply not included.										
41811-001	41811-001	AXIS P1378-LE		\$	1,249.00	Each	5%	\$	1,186.55	Cameras	Security	Product	

41811-031	41811-031	AXIS P1378-LE BAREBONE	AXIS P1378-LE Barebone with extra heater. No lens. Midspan not included	\$ 1,199.00	Each	5%	\$ 1,139.05	Cameras	Security	Product
02733-001	02733-001	AXIS P1385	1/2.8" image sensor, 2 MP / 1080p resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Varifocal IR corrected CS-mount 2.8-13 mm P-Iris lens with remote focus. Camera supports CS-mount P-Iris, DC-Iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.	\$ 789.00	Each	5%	\$ 749.55	Cameras	Security	Product
02899-001	02899-001	AXIS P1385-B	1/2.8" image sensor, 2 MP / 1080p resolution, day/night, box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Camera supports CS-mount P-Iris, DC-Iris and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Lens and stand are not included but available as optional accessories. Midspan and power supply not included.	\$ 739.00	Each	5%	\$ 702.05	Cameras	Security	Product
02734-001	02734-001	AXIS P1385-E	1/2.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 2MP / 1080p resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Varifocal IR corrected 2.8-13 mm F1.4 P-Iris lens and remote focus. Camera supports CS-mount P-Iris, DC-Iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 2 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included	\$ 1,059.00	Each	5%	\$ 1,006.05	Cameras	Security	Product

02900-001	02900-001	AXIS P1385-BE	<p>AXIS P1385-BE 1/2.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 2MP / 1080p resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Camera supports CS mount P-Iris, DC-Iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG, 2 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield and cable glands. Lens, mounts, illuminator are not included but available as optional accessories. Midspan or power supply not included.</p>	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product
02735-001	02735-001	AXIS P1387	<p>1/2.7" image sensor, 5 MP resolution, day/night, box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Varifocal IR corrected CS-mount 2.8-13 mm P-Iris lens with remote focus. Camera supports CS-mount P-Iris, DC-Iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG, 5 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.</p>	\$	899.00	Each	5%	\$	854.05	Cameras	Security	Product
02901-001	02901-001	AXIS P1387-B	<p>1/2.7" image sensor, 5 MP resolution, day/night, box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Camera supports CS-mount P-Iris, DC-Iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG, 5 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Lens and stand are not included but available as optional accessories. Midspan or power supply not included.</p>	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product

02736-001	02736-001	AXIS P1387-LE	1/2.7" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 5 MP resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (164 feet). Varifocal IR corrected 2.8-13 mm F1.4 P-iris lens and remote focus. Camera supports CS-mount P-iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 5 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	1,199.00	Each	5%	\$	1,139.05	Cameras	Security	Product
02902-001	02902-001	AXIS P1387-BE	1/2.7" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 5 MP resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (164 feet). Camera supports CS-mount P-iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 5 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield and cable glands. Lens, mounts, illuminator are not included but available as optional accessories. Midspan or power supply not included.	\$	979.00	Each	5%	\$	930.05	Cameras	Security	Product
02737-001	02737-001	AXIS P1388	1/1.8" image sensor, 4K / 8 MP resolution, day/night, box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Varifocal IR corrected CS-mount 3.9-10 mm P-iris lens with remote focus. Camera supports CS-mount P-iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product

02903-001	02903-001	AXIS P1388-B	1/1.8" image sensor, 4K / 8 MP resolution, day/night, box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Camera supports CS-mount P-Iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Lens and stand are not included but available as optional accessories. Midspan and power supply not included.	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product
02738-001	02738-001	AXIS P1388-LE	1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 4K / 8MP resolution, day/night box camera with Deep Learning Processing Unit (DLPU), WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (164 feet). Varifocal IR corrected 3.9-10 mm F1.5 P-iris lens and remote focus. Camera supports CS-mount P-Iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40°F to 140°F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	1,299.00	Each	5%	\$	1,234.05	Cameras	Security	Product
02904-001	02904-001	AXIS P1388-BE	1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 4K / 8MP resolution, day/night box camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology covering 50 meters (164 feet). Camera supports CS-mount P-Iris, DC-iris lenses and I-CS lenses for remote installation zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio with speaker pairing, audio detection with either optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40°F to 140°F). Includes removable sunshield and cable glands. Lens, mounts, illuminator are not included but available as optional accessories. Midspan or power supply not included.	\$	1,089.00	Each	5%	\$	1,034.55	Cameras	Security	Product

02235-001	02235-001	AXIS P1455-LE-3 L. P. Verifier Kit	<p>Please check the supported countries Visit www.axis.com for supported products and application download.</p> <p>Compact outdoor, HDTV / 1080p, day/night, fixed bullet camera with built-in AXIS License Plate Verifier application. Detect and verify vehicles in single lanes with speed up to 70 km/h (45 mph) in 7 to 20 meter distance (23-65 feet). License plate reading time less than 1 second.</p> <p>OptimizedIR, Forensic WDR, Lightfinder, shock detection, IK10, IP66/67, NEMA TS-2-2003 v02.06. Operation temperature -40°C to +60°C (-40°F to 140°F). Integrated bracket for easy mounting on wall and ceiling. License plate verification day and night. Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE) or 12-28 VDC input. Midspan not included.</p>	\$	1,369.00	Each	5%	\$	1,300.55	Cameras	Security	Product
02811-001	02811-001	AXIS P1465-LE-3 L.P-Verifier Kit	<p>Please check the supported countries Visit www.axis.com for supported products and application download.</p> <p>Compact outdoor, HDTV / 1080p, day/night, fixed bullet camera with built-in AXIS License Plate Verifier application. Detect and verify vehicles in single lanes with speed up to 70 km/h (45 mph) in 7 to 20 meter distance (23-65 feet). License plate reading time less than 1 second.</p> <p>OptimizedIR, Forensic WDR, Lightfinder, shock detection, IK10, IP66/67, NEMA TS-2-2003 v02.06. Operation temperature -40°C to +60°C (-40°F to 140°F). Integrated bracket for easy mounting on wall and ceiling. License plate verification day and night. Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE) or 12-28 VDC input. Midspan not included.</p>	\$	1,419.00	Each	5%	\$	1,348.05	Cameras	Security	Product
01997-001	01997-001	AXIS P1455-LE	<p>Compact and outdoor-ready HDTV camera for day and night surveillance. NEMA 4X, IP66/67 and IK10-rated, light weight HDTV 1080p resolution fixed bullet camera providing Forensic WDR and Lightfinder 2.0. Varifocal 3-9 mm F1.6 lens with remote 3 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection and active tampering alarm, defogging and corridor format. Audio in and I/O port, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield, mounting bracket, Torx L-key, and IP66/67-rated cable glands. Midspan not included.</p>	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product
02339-001	02339-001	AXIS P1465-LE 9 mm	<p>Compact outdoor, NEMA 4X, IP66, IP67 and IK10-rated 2MP /1080p resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR. Varifocal 3-9 mm P-iris lens with remote zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2MP at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics. Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, defogging and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. AXIS Edge Vault for added cyber security. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3 and 10-28V DC power with redundancy. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable weather shield, mounting bracket, Torx L-keys, and IP66/67-rated cable glands. Midspan not included.</p>	\$	789.00	Each	5%	\$	749.55	Cameras	Security	Product

02340-001	02340-001	AXIS P1465-LE 29 mm	<p>Compact outdoor, NEMA 4X, IP66, IP67 and IK10-rated 2MP /1080p resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR. Varifocal 10.9-29 mm P-iris tele lens with remote zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2MP at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm.</p> <p>Electronic image stabilization, Barrel distortion correction, defogging and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. AXIS Edge Vault for added cyber security. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3 and 10-28V DC power with redundancy. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable weather shield, mounting bracket, Torx L-keys, and IP66/67-rated cable glands. Midspan not included.</p>	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product
02341-001	02341-001	AXIS P1467-LE	<p>Compact outdoor, NEMA 4X, IP66, IP67 and IK10-rated 5MP resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR. Varifocal 2.8-8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 5MP at 25/30. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm.</p> <p>Barrel distortion correction, defogging and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. AXIS Edge Vault for added cyber security. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3 and 10-28V DC power with redundancy. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield, mounting bracket, Torx L-keys, and IP66/67-rated cable glands. Midspan not included.</p>	\$	899.00	Each	5%	\$	854.05	Cameras	Security	Product
01055-001	01055-001	AXIS P1448-LE	<p>Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.5 P-iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling.</p> <p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C (-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product

			Compact outdoor, NEMA 4X, IP66, IP67 and IK10-rated 8MP resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR. Varifocal 6-13 mm P-iris lens with remote zoom and focus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 60 fps, 30fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. AXIS Object Analytics. Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, defogging and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. AXIS Edge Vault for added cyber security. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. Powered by IEEE 802.3af/802.3at Type 1 Class 3 and 10-28V DC power with redundancy. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield, mounting bracket, Torx L-keys, and IP66/67-rated cable glands. Midspan not included.	\$	1,109.00	Each	5%	\$	1,053.55	Cameras	Security	Product
02342-001	02342-001	AXIS P1468-LE										
03244-001	03244-001	AXIS TQ3104 Pendant Kit	An indoor pendant kit for mounting AXIS AXIS Q3839-PVE, AXIS Q4809-PVE.	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
03245-001	03245-001	AXIS TQ3104-E Pendant Kit	An outdoor pendant kit for AXIS Q3839-PVE, AXIS Q4809-PVE. With weather protection hat.	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
03246-001	03246-001	AXIS TQ3814-E Dome Clear	Spare part clear dome with anti-scratch hard coating. Compatible with AXIS Q3839-PVE, AXIS Q3839-SPVE, AXIS Q4809-PVE. Comes with steel screws and gaskets for dome and cover.	\$	74.00	Each	5%	\$	70.30	Cameras	Security	Product
02758-001	02758-001	AXIS P1518-E	Dual lens box camera with 1/1.2" 8 MP and 1/2.8" 2MP image sensors. Outdoor, NEMA 4X, IP66, IP67 and IK10 impact resistant, day/night camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. Fixed focal 5.9 mm 8MP lens, 114° HFOV with corridor format and 10.9-29 mm 2MP lens, 29-11° HFOV with remote zoom, focus, pan and tilt adjustment. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 25/30 fps, 2MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3. Audio in and supervised I/O port, microSD memory card slot and serial RS422/485 communication. Powered by IEEE 802.3at Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Illuminator is available as optional accessory. Midspan or power supply not included.	\$	1,599.00	Each	5%	\$	1,519.05	Cameras	Security	Product
02757-001	02757-001	AXIS P1518-LE	Dual lens box camera with 1/1.2" 8 MP and 1/2.8" 2MP image sensors. Outdoor, NEMA 4X, IP66, IP67 and IK10 impact resistant, day/night camera with Deep Learning Processing Unit (DLPU), Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology. Fixed focal 5.9 mm 8MP lens, 114° HFOV with corridor format and 10.9-29 mm 2MP lens, 29-11° HFOV with remote zoom, focus, pan and tilt adjustment. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 25/30 fps, 2MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3. Audio in and supervised I/O port, microSD memory card slot and serial RS422/485 communication. Powered by IEEE 802.3at Type2 Class 4 or 10-28 V DC power with redundancy. Built-in heater. Operating conditions -40 °C to 60 °C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	1,749.00	Each	5%	\$	1,661.55	Cameras	Security	Product

02064-001	02064-001	AXIS Q1615-LE Mk III	Outdoor, NEMA 4X, IP66/67 and IK10-rated, light weight HDTV 1080p resolution, day/night, fixed box camera providing OptimizediR, Forensic WDR and Lightfinder 2.0. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 I-CS lens with remote zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Axis Zipstream technology for reduced bandwidth and storage needs. Deep learning processing unit, shock detection, intrusion alarm. Barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start-up in -40°C to 60°C (-40°F to 140°F). Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66/67-rated cable glands. Midspan or power supply not included.	\$	1,479.00	Each	5%	\$	1,405.05	Cameras	Security	Product
02164-001	02164-001	AXIS Q1656	1/1.8" sensor, 4 MP, Day/night fixed box camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0. Includes an IR corrected varifocal 3.9-10 mm F1.5 I-CS lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics. Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
02164-031	02164-031	AXIS Q1656-B	1/1.8" sensor, 4 MP, Day/night fixed box camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics. Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Lens and stand are not included but available as optional accessories. Midspan and power supply not included.	\$	1,159.00	Each	5%	\$	1,101.05	Cameras	Security	Product

02168-001	02168-001	AXIS Q1656-LE	1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 4 MP, Day/night fixed box camera with Deep Learning Processing Unit (DLPU), Built in wiper. Support for Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR and White IR LED technology. Includes an IR corrected varifocal 3.9-10 mm F1.5 I-CS lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3at Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield, wall bracket, Torx T20 screwdriver and cable glands. Midspan or power supply not included.	\$	1,899.00	Each	5%	\$	1,804.05	Cameras	Security	Product
02442-031	02442-031	AXIS Q1656-BLE	1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact resistant, 4 MP, Day/night fixed box camera with Deep Learning Processing Unit (DLPU), Built in wiper. Support for Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR and White LED technology. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3at Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield and cable glands. Lens and mounts are not included but available as optional accessories. Midspan or power supply not included.	\$	1,639.00	Each	5%	\$	1,557.05	Cameras	Security	Product
02168-031	02168-031	AXIS Q1656-BE	1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and IK10 impact resistant, 4 MP, Day/night fixed box camera with Deep Learning Processing Unit (DLPU), Support for Forensic WDR and Lightfinder 2.0. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3at Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. Built-in heater, Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield and cable glands. Lens, mounts, wiper, illuminator are not included but available as optional accessories. Midspan or power supply not included.	\$	1,319.00	Each	5%	\$	1,253.05	Cameras	Security	Product

02420-001	02420-001	AXIS Q1656-DLE	<p>Camera. Enhanced situational awareness based on the fusion of visual- and radar sensor information in one device.</p> <p>1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact-resistant, 4 MP, Day/night radar-video fusion camera with Deep Learning Processing Unit (DLPU), Support for Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR and White IR LED technology. Includes an IR corrected varifocal 3.9-10 mm F1.5 i-CIS lens with remote zoom and focus. Integrated radar unit, 60.0 GHz-61.5 GHz and 95 degree horizontal field of detection. In addition to radar-video fusion, radar functionality such as built-in analytics including classification of humans and vehicles, is available and enables filtering on distance, customized detection zones, and autotracking for PTZ cameras.</p> <p>Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. AXIS Object Analytics, Video motion detection, Radar motion detection, AXIS Speed Monitor, shock detection and active tampering alarm. Axis Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling.</p>	\$	2,649.00	Each	5%	\$	2,516.55	Cameras	Security	Product
02220-001	02220-001	AXIS Q1715 BLOCK CAMERA	<p>HDTV 1080p camera with 21x motorized zoom, day/night, fixed block camera with Deep Learning Processing Unit (DLPU), Support for Forensic WDR and Lightfinder 2.0. Built-in varifocal lens, 4-84.6 mm F1.6 with fixed focus and auto focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. Micro-HDMI and HD-SDI output. AXIS Edge Vault with FIPS certified TPM for added cyber security. Defogging, electronic image stabilization and scene profiles. MQTT Support. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 or IEEE 802.3af Type2 Class 4 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling mount. Midspan or power supply not included.</p>	\$	1,159.00	Each	5%	\$	1,101.05	Cameras	Security	Product
02839-001	02839-001	AXIS Q1728	<p>1/1.2" image sensor, 4K / 8 MP resolution, day/night, block camera with Deep Learning Processing Unit (DLPU), ARTPEC-9 SoC. Forensic WDR and Lightfinder 2.0. Varifocal IR corrected 5.9-13.3 mm lens, 108°-49° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264/H.265/AV1 with Zipstream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Audio in and supervised I/O port, microSD memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.</p>	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product

02840-001	02840-001	AXIS Q1728 48 mm	1/1.2" image sensor, 4K / 8 MP resolution, day/night, block camera with Deep Learning Processing Unit (DLPU), ARTPEC-9 SoC, Forensic WDR and Lightfinder 2.0. Varifocal IR corrected 15.2-48.7 mm lens, 42°-13° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264/H.265/AV1 with Ziptream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Audio in and supervised I/O port, microSD memory card slot for optional local video storage. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type1 Class 3 (PoE) or 10-28 V DC power with redundancy. Includes black stand for wall and ceiling. Midspan or power supply not included.	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product
03210-001	03210-001	AXIS Q1728-LE	1/1.2" image sensor, outdoor block camera with built-in wiper, NEMA 4X, IP66, IP67 and IK10-rated, 4K / 8 MP resolution, day/night, with Deep Learning Processing Unit (DLPU), ARTPEC-9 SoC, Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology. Varifocal IR corrected 5.9-13.3 mm lens, 108°-49° HFOV with remote zoom, focus and corridor format bracket. Multiple, individually configurable H.264/H.265/AV1 with Ziptream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm and open casing intrusion detection. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Audio in jack, audio out with speaker pairing and supervised I/O port, microSD memory card slot. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. IDC punch or RJ45 connection. Carbon nanotube window heater, camera heater and fan. Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	1,899.00	Each	5%	\$	1,804.05	Cameras	Security	Product
03211-001	03211-001	AXIS Q1728-LE 48 mm	1/1.2" image sensor, outdoor block camera with built-in wiper, NEMA 4X, IP66, IP67 and IK10-rated, 4K / 8 MP resolution, day/night, with Deep Learning Processing Unit (DLPU), ARTPEC-9 SoC. Built in wiper. Forensic WDR and Lightfinder 2.0. OptimizedIR, a power-efficient 850nm IR LED technology. Varifocal IR corrected 15.2-48.7 mm lens, 42°-13° HFOV with remote zoom and autofocus and corridor format bracket. Multiple, individually configurable H.264/H.265/AV1 with Ziptream and Motion JPEG. 8 MP stream up to 50/60 fps. AXIS Object Analytics, shock detection and active tampering alarm and open casing intrusion detection. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security. Barrel distortion correction, defogging, electronic image stabilization and scene profiles. MQTT Support. Audio in jack, audio out with speaker pairing and supervised I/O port, microSD memory card slot. Serial port for RS422/485 communication. Powered by IEEE 802.3af Type2 Class 4 (PoE+) or 10-28 V DC power with redundancy. IDC punch or RJ45 connection. Carbon nanotube window heater, camera heater and fan. Arctic Temperature Control for start-up in -40°C to +60°C (-40 °F to 140 °F). Includes removable sunshield, wall bracket and cable glands. Midspan or power supply not included.	\$	1,899.00	Each	5%	\$	1,804.05	Cameras	Security	Product

01782-001	01782-001	AXIS Q1700-LE	<p>Robust outdoor, color 2 MP/1080p HDTV license plate camera for sharp license plate images day and night. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p / 2MP resolution at up to 50/60 fps.</p> <p>Varifocal 18–137 mm, 8x optical zoom lens, 16° 2.3° HFOV, F2.9 with remote zoom and installation focus. License plate capture range 20-50 meter at night with built-in OptimizedIR at speeds up to 130 km/h (81 mph)</p> <p>Includes license plate capture assistant for easy setup, pixel counter, shock detection, active tampering alarm, defogging and electronic image stabilization.</p> <p>Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage.</p> <p>Integrated bracket for easy mounting on wall and ceiling. Dark grey (NCS S5502-B) casing, black fixed metal weather shield with anti-glare coating.</p> <p>NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C (-40 °F to 140 °F).</p> <p>Powered by PoE (IEEE 802.3at), RJ45 or IDC punchdown connector, 20-28 V DC or 20-24 V AC. License plate recognition software, power supply or midspan not included.</p>	\$	1,479.00	Each	5%	\$	1,405.05	Cameras	Security	Product
01702-001	01702-001	AXIS Q1798-LE	<p>rated 10 MP/ 4K, day/night, fixed bullet camera providing Forensic WDR and Lightfinder 2.0 technology. Features a 4/3" type image sensor, built-in varifocal 12–48 mm, 4 x optical Canon zoom lens, 90°-21° HFOV, F1.7 with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4K at 30 fps /10MP resolution at 20 fps.</p> <p>Axis Zipstream technology for reduced bandwidth and storage needs.</p> <p>Includes analytics AXIS Guard Suite, Video motion detection, shock detection and active tampering alarm. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Audio mic/line in, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage.</p> <p>OptimizedIR, a power-efficient IR LED technology.</p> <p>Integrated bracket for easy mounting on wall and ceiling.</p> <p>Operation in -40°C to +60°C (-40 °F to 140 °F).</p> <p>Powered by PoE class 4 (IEEE 802.3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, Torx T20 allen key, IP66/67- rated cable glands and optional IDC punch connector.</p> <p>Power supply or midspan not included.</p>	\$	2,009.00	Each	5%	\$	1,908.55	Cameras	Security	Product
03107-001	03107-001	AXIS Q1800-LE	<p>LPR camera for 3rd party software. Robust, outdoor, NEMA 4X, IP66 and IK10-rated, 2 MP/1080p resolution license plate camera, purpose-tuned for sharp license plate images, day/night, fixed bullet camera. OptimizedIR, a power-efficient 850 nm IR LED technology.</p> <p>Varifocal 7-137 mm, 20x optical zoom lens, 38°–2.3° HFOV with remote zoom and focus.</p> <p>License plate capture range 20-100 meter at speeds up to 250 km/h (155 mph) with optional server based LPR software. Includes Traffic Camera Installation Assistance for easy setup</p> <p>Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2MP up to 90 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm, AXIS Edge Vault with FIPS certified TPM for added cyber security. Corridor format, barrel distortion correction, defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling.</p> <p>Operation in -40°C to +60°C (-40 °F to 140 °F).</p> <p>Powered by PoE class 4 (IEEE 802.3at), 10-28 V DC or 20-24 V AC. IP66- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires Axis Midspan 60 W, IEEE 802.3bt Type 3 Class 6</p> <p>Power supply or midspan not included.</p>	\$	1,639.00	Each	5%	\$	1,557.05	Cameras	Security	Product

02504-001	02504-001	AXIS Q1805-LE	Robust, outdoor, NEMA 4X, IP66, IP67 and IK10-rated, 2 MP/1080p resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR, a power-efficient 850 nm IR LED technology. Varifocal 4.3-137 mm, 32x optical zoom lens, 60°-2.3° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 2MP up to 90 fps, 25/30 fps with WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Corridor format, barrel distortion correction, defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802.3at), 10-28 V DC or 20-24 V AC. Includes a removable sunshield, IP66/67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires Axis Midspan 60 W, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	1,539.00	Each	5%	\$	1,462.05	Cameras	Security	Product
02506-001	02506-001	AXIS Q1806-LE	1/1.8" image sensor, robust, outdoor, NEMA 4X, IP66, IP67 and IK10-rated, 4 MP resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR and Lightfinder 2.0 and OptimizedIR, a power-efficient 850 nm IR LED technology. Varifocal 4.3-137 mm, 32x optical zoom lens, 60°-2.3° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264/H.265 with Zipstream and Motion JPEG. 4MP up to 90 fps, 25/30 fps with WDR. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Corridor format, barrel distortion correction, defogging, optical imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802.3at), 10-28 V DC or 20-24 V AC. Includes a removable sunshield, IP66/67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires Axis Midspan 60 W, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	1,749.00	Each	5%	\$	1,661.55	Cameras	Security	Product
02507-001	02507-001	AXIS Q1808-LE	4/3" image sensor, robust outdoor, NEMA 4X, IP66, IP67 and IK10-rated 10 MP/4K resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support Forensic WDR and Lightfinder 2.0 and OptimizedIR, a power-efficient 850 nm IR LED and White LED technology. Varifocal 12-48 mm, 4 x optical Canon zoom lens, 90°-21° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 with Zipstream and Motion JPEG. 4K up to 60 fps and 10MP at 30 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Corridor format, barrel distortion correction, defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802.3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, IP66, IP67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires Axis Midspan 60 W, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	2,169.00	Each	5%	\$	2,060.55	Cameras	Security	Product

02508-001	02508-001	AXIS Q1808-LE 150MM	4/3" image sensor, robust outdoor, NEMA 4X, IP66, IP67 and IK10-rated 10 MP/ 4K resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support Forensic WDR and Lightfinder 2.0 and OptimizedIR, a power-efficient 850 nm technology. Varifocal 50-150 mm, 3 x optical Canon zoom lens, 21°-7° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 with Zipstream and Motion JPEG, 4K up to 60 fps and 10MP at 30 fps. AXIS Object Analytics, Video motion detection, shock detection and active tampering alarm, AXIS Edge Vault with FIPS certified TPM for added cyber security, Corridor format, barrel distortion correction, defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802-3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, , IP66, IP67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires Axis Midspan 60 W, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	2,489.00	Each	5%	\$	2,364.55	Cameras	Security	Product
02870-001	02870-001	AXIS Q1809-LE	4/3" image sensor, robust outdoor, NEMA 4X, IP66, IP67 and IK10-rated 41 MP/ 8K resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support WDR, Lightfinder 2.0 and OptimizedIR a power-efficient 850 nm IR LED and White LED technology. Varifocal 12-24 mm, 2 x optical Canon zoom lens, 90°-44° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 with Zipstream and Motion JPEG, 8K up to 30 fps and 41MP at 15 fps. Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security, Defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +55°C (-40 °F to 131 °F). Powered by PoE class 4/6 (IEEE 802-3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, IP66, IP67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires 60 W midspan, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	6,359.00	Each	5%	\$	6,041.05	Cameras	Security	Product
03019-001	03019-001	AXIS Q1809-LE 150 mm	4/3" image sensor, robust outdoor, NEMA 4X, IP66, IP67 and IK10-rated 41 MP/ 8K resolution, day/night, fixed bullet camera with Deep Learning Processing Unit (DLPU). Support WDR, Lightfinder 2.0 and OptimizedIR, a power-efficient 850 nm technology. Varifocal 50-150 mm, 3 x optical Canon zoom lens, 21°-7° HFOV with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 with Zipstream and Motion JPEG, 8K up to 30 fps and 41MP at 15 fps. Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS 140-3 Level 3 for added cyber security, Defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port, microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +55°C (-40 °F to 131 °F). Powered by PoE class 4/6 (IEEE 802-3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, , IP66, IP67- rated cable glands and optional IDC punch connectors. 30W PoE out to power an additional device, requires 60 W midspan, IEEE 802.3bt Type 3 Class 6 Power supply or midspan not included.	\$	5,299.00	Each	5%	\$	5,034.05	Cameras	Security	Product

0913-001	0913-001	AXIS FA1105 SENSOR UNIT	AXIS FA1105 is a discreet indoor sensor unit with 111° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a small hole visible for the lens. AXIS FA1105 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
0914-001	0914-001	AXIS FA1125 SENSOR UNIT	AXIS FA1125 is an extremely discreet indoor, pin hole lens, Sensor Unit with a 91° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a pinhole visible for the lens. AXIS FA1125 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01026-001	01026-001	AXIS FA3105-L EYEBALL SENSOR UNIT	AXIS FA3105-L is a compact eyeball sensor unit with built in IR illumination (15 m / 49 ft range of reach) for use with AXIS FA Main Unit. It has 103° horizontal field of view and 1080p HDTV resolution with Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to the main unit.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01001-001	01001-001	AXIS FA4115 SENSOR UNIT	AXIS FA4115 is a compact varifocal dome sensor unit with 53° to 99° horizontal field of view for use with an AXIS FA Main Unit. AXIS FA4115 provides a 1080p resolution a Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8-m (26 ft.) cable for connection to a main unit.	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
02196-001	02196-001	AXIS FA51 MAIN UNIT	AXIS FA51 is a single-channel modular camera Main Unit. It is equipped with HDMI out for connection to a public view monitor or a surveillance monitor, I/O ports and a SD card slot. It features Axis Forensic WDR (wide dynamic range) for clarity when there are both dark and light areas in the scene and Axis Zipstream for lowered bandwidth and storage requirements, without compromising image quality. It is compatible with all Sensor Units in the FA Series including IR and thermal units. The AXIS Face Detector application for loss prevention comes pre-loaded.	\$ 339.00	Each	5%	\$ 322.05	Cameras	Security	Product
02196-021	02196-021	AXIS FA51 MAIN UNIT 10PCS	AXIS FA51 is a single-channel modular camera Main Unit in bulk 10-pack. It is equipped with HDMI out for connection to a public view monitor or a surveillance monitor, I/O ports and a SD card slot. It features Axis Forensic WDR (wide dynamic range) for clarity when there are both dark and light areas in the scene and Axis Zipstream for lowered bandwidth and storage requirements, without compromising image quality. It is compatible with all Sensor Units in the FA Series including IR and thermal units. The AXIS Face Detector application for loss prevention comes pre-loaded.	\$ 3,389.00	Each	5%	\$ 3,219.55	Cameras	Security	Product

02196-041	02196-041	AXIS FA51-B MAIN UNIT 10PCS	<p>AXIS FA51-B is a single-channel barebone modular camera Main Unit in bulk 10-pack. The PCBAs are individually packed in ESD bags inside the bulk box. They are UR-certified and designed for integration into machines, devices and enclosures. The product is equipped with HDMI out for connection to a public view monitor or a surveillance monitor, I/O ports and a SD card slot. It features Axis Forensic WDR (wide dynamic range) for clarity when there are both dark and light areas in the scene and Axis Zipstream for lowered bandwidth and storage requirements, without compromising image quality. It is compatible with all Sensor Units in the FA Series including IR and thermal units. The AXIS Face Detector application for less prevention comes pre-loaded.</p> <p>Important notice: This product must be integrated into a final product or solution and is not intended for stand-alone use. Consequently, this product must be properly integrated into a suitable casing before it is made available to the end user. The entity or person who integrates this product into a final product or solution is also responsible for ensuring that the final product fulfills safety, EMC and other regulatory standards required by law and that the final product is certified accordingly.</p>	\$	2,999.00	Each	5%	\$	2,849.05	Cameras	Security	Product
0878-004	0878-004	AXIS FA54 MAIN UNIT	<p>AXIS FA54 is a modular camera Main Unit and can stream full frame rate HDTV 1080p videos from four sensor units simultaneously using one IP address. It has an HDMI port for connection to a surveillance or public view monitor. Forensic WDR (wide dynamic range) that is optimized for low light and motion, Axis Zipstream, two microphone inputs and one audio out, I/O port and two micro SD card slots for local storage.</p>	\$	519.00	Each	5%	\$	493.05	Cameras	Security	Product
01787-001	01787-001	AXIS P8815-2 3D Ppl Counter BK	<p>AXIS P8815-2 3D People Counter is a custom-designed stereo camera designed for people counting. The people counter functionality is included; no need to purchase and install a separately licensed product. Main features include: Accurate and reliable 3D people counting. All-in-one solution with reliable hardware. Optimized for challenging conditions. Flexible counting zones. Easy integration in AXIS Store Reporter or 3rd party reporting system. This version comes with a black casing.</p>	\$	919.00	Each	5%	\$	873.05	Cameras	Security	Product
01786-001	01786-001	AXIS P8815-2 3D Ppl Counter WH	<p>AXIS P8815-2 3D People Counter is a custom-designed stereo camera designed for people counting. The people counter functionality is included; no need to purchase and install a separately licensed product. Main features include: Accurate and reliable 3D people counting. All-in-one solution with reliable hardware. Optimized for challenging conditions. Flexible counting zones. Easy integration in AXIS Store Reporter or 3rd party reporting system. This version comes with a white casing.</p>	\$	919.00	Each	5%	\$	873.05	Cameras	Security	Product
02639-001	02639-001	AXIS F2115-R Varifocal Sensor	<p>AXIS F2115-R is a 1080p Varifocal sensor part for the 2nd generation F-series. The focus as well as the focal length has to be manually adjusted on the lens. The Horizontal Field of View varies from 107° to 56°. The focal length varies from 3.2mm to 5.7mm.</p> <p>AXIS F2115-R is a rugged indoor sensor. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2115-R Varifocal sensor. An AXIS TU600X cable has to be purchased separately.</p> <p>There is no mounting accessory included with AXIS F2115-R Varifocal sensor. Mounting accessories can be purchased separately.</p> <p>AXIS F2115-R Varifocal sensor is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44)</p>	\$	329.00	Each	5%	\$	312.55	Cameras	Security	Product

02641-001	02641-001	AXIS F2135-RE Fisheye Sensor	<p>AXIS F2135-RE is a 1080p Fisheye sensor part of the 2nd generation F-series. It has 108° Horizontal Field of View and 1.98mm focal length.</p> <p>AXIS F2135-RE is a rugged outdoor sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2135-RE fisheye sensor. An AXIS TU600X cable has to be purchased separately.</p> <p>There is no mounting accessory included with AXIS F2135-RE fisheye sensor. Mounting accessories can be purchased separately.</p> <p>AXIS F2135-RE fisheye sensor is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44)</p>	\$	269.00	Each	5%	\$	255.55	Cameras	Security	Product
02640-001	02640-001	AXIS F2105-RE Standard Sensor	<p>AXIS F2105-RE is a 1080p Standard sensor part for the F-series. It has 108° Horizontal Field of View and 3.1mm focal length.</p> <p>AXIS F2105-RE is a rugged outdoor sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2105-RE standard sensor. An AXIS TU600X cable has to be purchased separately.</p> <p>There is no mounting accessory included in AXIS F2105-RE standard sensor. Mounting accessories can be purchased separately.</p> <p>AXIS F2105-RE is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44)</p>	\$	269.00	Each	5%	\$	255.55	Cameras	Security	Product
02640-021	02640-021	AXIS F2105-RE Standard Sensor 8P	<p>AXIS F2105-RE Standard Bulk 8P is a bulk pack of 8x 1080p Standard sensor part for the F-series. It has 108° Horizontal Field of View and 3.1mm focal length.</p> <p>AXIS F2105-RE is a rugged outdoor sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2105-RE standard bulk 8p. AXIS TU600X cables have to be purchased separately.</p> <p>There is no mounting bracket included with AXIS F2105-RE bulk 8 p. Mounting accessories can be purchased separately.</p> <p>AXIS F2105-RE standard sensor is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44)</p>	\$	2,149.00	Each	5%	\$	2,041.55	Cameras	Security	Product
02639-021	02639-021	AXIS F2115-R Varifocal Sensor 8P	<p>AXIS F2115-R Varifocal Bulk 8P is bulk pack of 8x 1080p Varifocal sensor part for the F-series. The focus as well as the focal length has to be manually adjusted on the lens. The Horizontal Field of View varies from 107° to 56°. The focal length varies from 3.2mm to 5.7mm.</p> <p>AXIS F2115-R is a rugged indoor sensor. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2115-R standard Bulk 8p. AXIS TU600X cables have to be purchased separately.</p> <p>There is no cable included with AXIS F2115-R standard Bulk 8P. Mounting accessories can be purchased separately.</p> <p>AXIS F2115-R is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44)</p>	\$	2,629.00	Each	5%	\$	2,497.55	Cameras	Security	Product

02641-021	02641-021	AXIS F2135-RE Fisheye Sensor 8P	<p>AXIS F2135-RE Fisheye Bulk 8P is a bulk pack of 8x 1080p Fisheye sensor part for the F-series. It has 185° Horizontal Field of View and 1.98mm focal length.</p> <p>AXIS F2135-RE is a rugged outdoor sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>There is no cable included with AXIS F2135-RE fisheye bulk 8p. AXIS TU600X cables have to be purchased separately.</p> <p>There is no mounting accessory included with AXIS F2135-RE. Mounting accessories can be purchased separately.</p> <p>AXIS F2135-R is NOT compatible with the 1st generation F-series main unit (F34, F41 or F44).</p>	\$	2,149.00	Each	5%	\$	2,041.55	Cameras	Security	Product
02363-001	02363-001	AXIS F7225-RE Pinhole Sensor	<p>AXIS F7225-RE is a 1080p Angled pinhole sensor part for the F-series. It has 92° Horizontal Field of View and 3.7mm focal length.</p> <p>AXIS F7225-RE is a rugged outdoor angled pinhole sensor. It is IP66 certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>AXIS F7225-RE does not come with a cable. An AXIS TU600X cable has to be purchased separately.</p> <p>AXIS F7225-RE comes with 1x AXIS F8202 Straight Mounting bracket</p>	\$	269.00	Each	5%	\$	255.55	Cameras	Security	Product
02363-021	02363-021	AXIS F7225-RE Pinhole Sensor 8P	<p>AXIS F7225-RE pinhole bulk 8p is bulk pack of 8x 1080p angled pinhole sensor part for the F-series. AXIS F7225-RE has 92° Horizontal Field of View and 3.7mm focal length.</p> <p>AXIS F7225-RE is a rugged outdoor sensor. It is both IP66 certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>AXIS F7225-RE standard bulk 8P does not come with any cables. AXIS TU600X cables have to be purchased separately.</p> <p>AXIS F7225-RE standard bulk 8P comes with 8x AXIS F8202 Straight Mounting brackets.</p>	\$	2,149.00	Each	5%	\$	2,041.55	Cameras	Security	Product
02364-001	02364-001	AXIS F4105-LRE Dome Sensor	<p>AXIS F4105-LRE is a 1080p mini-dome sensor with IR light part for the F-series. It has 110° Horizontal Field of View and 2.8mm focal length.</p> <p>AXIS F4105-LRE uses detachable M12 lenses. Several M12 lenses can be purchased separately offering different types of Horizontal Field of View and Focal Length.</p> <p>AXIS F4105-LRE is a rugged outdoor mini-dome sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>AXIS F4105-LRE does not come with a cable. An AXIS TU600X cable has to be purchased separately.</p> <p>AXIS F4105-LRE does not come with any mounting accessory. Mounting accessories can be purchased separately.</p>	\$	339.00	Each	5%	\$	322.05	Cameras	Security	Product
02364-021	02364-021	AXIS F4105-LRE Dome Sensor 8P	<p>AXIS F4105-LRE bulk 8p is bulk pack of 8x 1080p mini-dome sensors with IR part for the F-series. AXIS F4105-LRE-RE has 110° Horizontal Field of View and 2.8 mm focal length.</p> <p>AXIS F4105-LRE uses detachable M12 lenses. Several M12 lenses can be purchased separately offering different types of Horizontal Field of View and Focal Length.</p> <p>AXIS F4105-LRE is a rugged outdoor sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 60fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).</p> <p>AXIS F4105-LRE standard bulk 8P do not come with any cables. AXIS TU600X cables have to be purchased separately.</p> <p>AXIS F4105-LRE standard bulk 8P do not come with any mounting accessories. Mounting accessories can be purchased separately.</p>	\$	2,709.00	Each	5%	\$	2,573.55	Cameras	Security	Product

			<p>AXIS P1245 Mk II is a Modular Standard Camera with Deep Learning capabilities.</p> <p>It has on a small-sized main unit and AXIS FA1105 Sensor Unit. The camera provides HDTV 1080p resolution, 111° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264, H265 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance.</p>								
02857-001	02857-001	AXIS P1245 Mk II Modular Standard Camera	It comes with metal nuts for the installation.	\$ 409.00	Each	5%	\$ 388.55	Cameras	Security	Product	
			<p>AXIS P1265 Mk II is a Modular Pinhole Camera with Deep Learning capabilities.</p> <p>It has on a small-sized main unit and an AXIS FA1125 Pinhole Sensor Unit which are designed for extremely discreet indoor installations. The camera provides HDTV 1080p resolution, 91° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264, H265 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector with a detachable cable (8 m/26 ft.) for easy installation and maintenance.</p>								
02858-001	02858-001	AXIS P1265 Mk II Modular Pinhole Camera	It comes with metal nuts for the installation.	\$ 419.00	Each	5%	\$ 398.05	Cameras	Security	Product	
			<p>This is a bulk pack of 10x P1245 Mk II cameras.</p> <p>AXIS P1245 Mk II Camera with Deep Learning capabilities. It has on a small-sized main unit and AXIS FA1105 Sensor Unit. The camera provides HDTV 1080p resolution, 111° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264, H265 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance. It comes with metal nuts for the installation.</p>								
02857-021	02857-021	AXIS P1245 Mk II Modular Standard Camera 10 pcs		\$ 4,089.00	Each	5%	\$ 3,884.55	Cameras	Security	Product	
			<p>This is a bulk pack of 10x P1265 Mk II pinhole cameras.</p> <p>AXIS P1265 Mk II is a modular pinhole camera with Deep Learning capabilities. It has on a small-sized main unit and an AXIS FA1125 Pinhole Sensor Unit which are designed for extremely discreet indoor installations. The camera provides HDTV 1080p resolution, 91° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264, H265 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector with a detachable cable (8 m/26 ft.) for easy installation and maintenance. It comes with metal nuts for the installation.</p>								
02858-021	02858-021	AXIS P1265 Mk II Modular Pinhole Camera 10 pcs		\$ 4,189.00	Each	5%	\$ 3,979.55	Cameras	Security	Product	
			<p>AXIS P1275 Mk II is Modular Varifocal Dome Camera with Deep Learning capabilities.</p> <p>It has a small-sized main unit and an AXIS FA4115 Dome Sensor Unit with a varifocal lens that enables easy mounting on walls or ceilings. It can be manually directed with pan, tilt and rotate movements. The camera provides HDTV 1080p resolution, 53-99° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264, H265 and Motion JPEG. Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card. The main unit is powered with PoE. The sensor unit has a built in connector and a detachable cable (8 m/26 ft.) for easy installation and maintenance.</p>								
02859-001	02859-001	AXIS P1275 Mk II Modular Varifocal Dome Camera		\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product	

			<p>Camera. Speed and license plate pairing camera by utilizing fusion of visual- and radar sensor information in one device and on edge. Powerful device for wrong way applications and directional alerts by radar technology.</p> <p>1/1.8" image sensor, outdoor, NEMA 4X, IP66, IP67 and impact-resistant, 4 MP. Day/night radar-video fusion camera with Deep Learning Processing Unit (DLPU). Image optimization for license plate capture profile, traffic capture profile and Lightfinder 2.0. Optimized IR, a purpose built and powerful 850nm IR-illuminator kit. Includes an varifocal 9-50 mm F1.5 i-CS lens with remote zoom and focus. Integrated radar unit. 60.0 GHz-61.5 GHz and 95 degree horizontal field of detection. In addition to radar-video fusion, radar functionality such as built-in analytics including classification of vehicles, is available and enables filtering on distance, customized detection zones, and multiple line crossing</p> <p>Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30 fps with WDR. Radar motion detection. AXIS Speed Monitor, shock detection and active tampering alarm. Axis Edge Vault with FIPS certified TPM for added cyber security. Barrel distortion correction, defogging, electronic image stabilization, electronic radar stabilization and</p>	\$	4,129.00	Each	5%	\$	3,922.55	Cameras	Security	Product
02968-001	02968-001	AXIS Q1686-DLE										
			<p>AXIS F2137-RE is a 5Mp Fisheye sensor. It has 185° Horizontal Field of View and 1.98mm focal length.</p> <p>AXIS F2137-RE is a rugged outdoor sensor unit. It is both IP66 and IP6K9K certified. AXIS F2137-RE is compatible with all AXIS F91 main units.</p> <p>All the accessories available for AXIS F2135-RE are also compatible with AXIS F2137-RE.</p> <p>No cable is included with AXIS F2137-RE fisheye sensor. AXIS TU600X cables shall be purchased separately.</p> <p>No mounting accessory is included with AXIS F2137-RE fisheye sensor. Mounting accessories shall be purchased separately.</p>	\$	319.00	Each	5%	\$	303.05	Cameras	Security	Product
02869-001	02869-001	AXIS F2137-RE Fisheye Sensor										
			<p>AXIS F2137-RE Fisheye sensor 8P is bulk pack of 8x 5Mp Fisheye sensor.</p> <p>AXIS F2137-RE has 185° Horizontal Field of View and 1.98mm focal length.</p> <p>AXIS F2137-RE is a rugged outdoor sensor unit. It is both IP66 and IP6K9K certified. AXIS F2137-RE is compatible with all AXIS F91 main units.</p> <p>All the accessories available for AXIS F2135-RE are also compatible with AXIS F2137-RE.</p> <p>No cable is included with AXIS F2137-RE fisheye sensor. AXIS TU600X cables shall be purchased separately.</p> <p>No mounting accessory is included with AXIS F2137-RE fisheye sensor. Mounting accessories shall be purchased separately.</p>	\$	2,549.00	Each	5%	\$	2,421.55	Cameras	Security	Product
02869-021	02869-021	AXIS F2137-RE Fisheye Sensor 8P										
			<p>AXIS F2107-RE is a 5Mp Standard sensor. It has 110° Horizontal Field of View and 2.8mm focal length.</p> <p>AXIS F2107-RE is a rugged outdoor sensor unit. It is both IP66 and IP6K9K certified. AXIS F2107-RE is compatible with all AXIS F91 main units.</p> <p>All the accessories available for AXIS F2105-RE are also compatible with AXIS F2107-RE.</p> <p>No cable is included with AXIS F2107-RE fisheye sensor. AXIS TU600X cables shall be purchased separately.</p> <p>No mounting accessory is included with AXIS F2107-RE fisheye sensor. Mounting accessories shall be purchased separately.</p>	\$	319.00	Each	5%	\$	303.05	Cameras	Security	Product
02868-001	02868-001	AXIS F2107-RE Standard Sensor										

02868-021	02868-021	AXIS F2107-RE Standard Sensor 8P	<p>AXIS F2107-RE Standard sensor 8P is a bulk pack of 8x 5Mp Standard sensor.</p> <p>AXIS F2107-RE has a 110° Horizontal Field of View and 2.8mm focal length.</p> <p>AXIS F2107-RE is a rugged outdoor sensor unit. It is both IP66 and IP6K9K certified.</p> <p>AXIS F2107-RE is compatible with all AXIS F91 main units.</p> <p>All the accessories available for AXIS F2105-RE are also compatible with AXIS F2107-RE.</p> <p>No cable is included with AXIS F2107-RE fisheye sensor. AXIS TU600X cables shall be purchased separately.</p> <p>No mounting accessory is included with AXIS F2107-RE fisheye sensor. Mounting accessories shall be purchased separately.</p>	\$	2,549.00	Each	5%	\$	2,421.55	Cameras	Security	Product
03108-001	03108-001	AXIS Q1800-LE-3 L.P.Verifier Kit	<p>www.axis.com.</p> <p>AXIS License Plate Verifier preinstalled, Robust, outdoor, NEMA 4X, IP66 and IK10-rated, 2 MP/1080p resolution license plate camera, purpose-tuned for sharp license plate images, daylight, fixed bullet camera.</p> <p>OptimizedIR, a power-efficient 850 nm IR LED technology.</p> <p>Varifocal 7-137 mm, 20x optical zoom lens, 38°-2.3° HFOV with remote zoom and focus.</p> <p>License plate capture range 20-100 meter at speeds up to 200 km/h (124 mph) with built-in AXIS License Plate Verifier application.</p> <p>Includes Traffic Camera Installation Assistance for easy setup</p> <p>Multiple, individually configurable H.264/H.265 with 2xpsstream and Motion JPEG. 2MP up to 90 fps. AXIS Object Analytics. Video motion detection, shock detection and active tampering alarm. AXIS Edge Vault with FIPS certified TPM for added cyber security. Corridor format, barrel distortion correction, defogging, electronic imaging stabilization and scene profiles. Audio in and supervised I/O port. microSD memory card slot for local storage. MQTT Support. Integrated bracket for easy mounting on wall and ceiling.</p> <p>Operation in -40°C to +60°C (-40°F to 140°F). Powered by PoE class 4 (IEEE 802.3at), 10.26 V DC or 20-24 V AC. IP66- rated cable glands and optional IDC punch connectors. 30W PoE.</p>	\$	2,169.00	Each	5%	\$	2,060.55	Cameras	Security	Product
02998-001	02998-001	AXIS F9111-R Mk II Main Unit	<p>AXIS F9111-R Mk II is a 1 channel main unit part of the F-series. 1x F21, F72 or F41 sensor unit can be connected to it. It also has 2 Audio IN, 4x configuration I/O, 1x RS 485, 1x 10-48V DC and 1x USB A. It has an Ethernet port and PoE Class 4. Max 25.5W.</p> <p>AXIS TU6009 Connector 6-pin (for the I/O port), AXIS Connector A 2-pin 2.5 Straight (for the serial port) and AXIS TU6001 Connector 3-in (for the DC port) have to be purchased separately.</p>	\$	619.00	Each	5%	\$	588.05	Cameras	Security	Product
02998-021	02998-021	AXIS F9111-R Mk II Main Unit 8P	<p>AXIS F9111-R Mk II Main Unit 8P is a bulk pack of 8x AXIS F9111-R Mk II main unit part of the F-series. 1x F21, F72 or F41 sensor unit can be connected to it. It also has 2 Audio IN, 4x configuration I/O, 1x RS 485, 1x 10-48V DC and 1x USB A. It has an Ethernet port and PoE Class 4. Max 25.5W.</p> <p>AXIS TU6009 Connector 6-pin (for the I/O port), AXIS Connector A 2-pin 2.5 Straight (for the serial port) and AXIS TU6001 Connector 3-in (for the DC port) have to be purchased separately.</p>	\$	4,949.00	Each	5%	\$	4,701.55	Cameras	Security	Product
02999-001	02999-001	AXIS F9114-R Mk II Main Unit	<p>AXIS F9114-R Mk II is a 4-channel main unit part of the F-series. 4x F21, F72 or F41 sensor units can be connected to it. It also has 2 Audio IN, 4x configuration I/O, 1x RS 485, 1x 10-48V DC and 1x USB A. It has an Ethernet port and PoE Class 4. Max 25.5W.</p> <p>AXIS TU6009 Connector 6-pin (for the I/O port), AXIS Connector A 2-pin 2.5 Straight (for the serial port) and AXIS TU6001 Connector 3-in (for the DC port) have to be purchased separately.</p>	\$	719.00	Each	5%	\$	683.05	Cameras	Security	Product

02999-021	02999-021	AXIS F9114-R Mk II Main Unit 8P	<p>AXIS F9114-R Mk II Main unit 8P is a bulk pack of 8x AXIS F9114-R Mk II main unit. AXIS F9114-R Mk II is a 4-channel main unit part of the F-series. 4x F21, F72 or F41 sensor units can be connected to it. It also has 2 Audio IN, 4x configuration I/O, 1x RS 485, 1x 10-48V DC and 1x USB A. It has an Ethernet port and PoE Class 4. Max 25.5W.</p> <p>AXIS TU6009 Connector 6-pin (for the I/O port), AXIS Connector A 2-pin 2.5 Straight (for the serial port) and AXIS TU6001 Connector 3-in (for the DC port) have to be purchased separately.</p>	\$ 5,749.00	Each	5%	\$ 5,461.55	Cameras	Security	Product
03000-001	03000-001	AXIS F9104-B Mk II Main Unit	<p>AXIS F9104-B Mk II is a 4-channel main unit part of the F-series. 4x F21, F72 or F41 sensor units can be connected to it. It has also 1x 10-48V DC port and 1x USB A port. It has an Ethernet port. AXIS F9104-B is PoE Class 4. Max 25.5W.</p> <p>When powered over DC, AXIS TU6001 Connector 3-in (for the DC port) is required. It shall be purchased separately.</p>	\$ 569.00	Each	5%	\$ 540.55	Cameras	Security	Product
03001-001	03001-001	AXIS F9114-B Mk II Main Unit	<p>AXIS F9114-B Mk II is a 4-channel barebone main unit part of the F-series. 4x F21, F72 or F41 sensor units can be connected to it. It also has 2 Audio IN, 4x configuration I/O, 1x RS 485, 1x 10-48V DC and 1x USB A. It has an Ethernet port and PoE Class 4. Max 25.5W.</p> <p>AXIS TU6009 Connector 6-pin (for the I/O port), AXIS Connector A 2-pin 2.5 Straight (for the serial port) and AXIS TU6001 Connector 3-in (for the DC port) have to be purchased separately.</p>	\$ 699.00	Each	5%	\$ 664.05	Cameras	Security	Product
03055-001	03055-001	AXIS F4108 Dome Sensor	<p>AXIS F4108 Dome Sensor is an ultra compact Dome sensor unit delivering a 8Mp resolution. This is a non-rugged and indoor sensor unit.</p> <p>AXIS F4108 Dome Sensor is compatible with all AXIS F91 and F91 Mk II main units.</p> <p>AXIS F4108 Dome Sensor is compatible with all AXIS TU600X cables.</p> <p>Accessories are also available for separate purchase. All compatible accessories are shown on the AXIS F4108 Dome Sensor product page on axis.com</p>	\$ 249.00	Each	5%	\$ 236.55	Cameras	Security	Product
03055-021	03055-021	AXIS F4108 Dome Sensor 8P	<p>AXIS F4108 Dome Sensor 8P is a bulk pack of 8x AXIS F4108 Dome Sensor units. AXIS F4108 is an ultra compact Dome sensor delivering a 8Mp resolution. This is non-rugged and indoor sensor unit.</p> <p>AXIS F4108 Dome Sensor is compatible with all AXIS F91 and F91 Mk II main units.</p> <p>AXIS F4108 Dome Sensor is compatible with all AXIS TU600X cables.</p> <p>Accessories are also available for separate purchase. All compatible accessories are shown on the AXIS F4108 Dome Sensor product page on axis.com.</p>	\$ 1,989.00	Each	5%	\$ 1,889.55	Cameras	Security	Product
03056-021	03056-021	AXIS F2108 Standard Sensor 8P	<p>AXIS F2108 Standard Sensor 8P is a bulk pack of 8x AXIS F2108 Standard Sensor units. AXIS F2108 is an ultra compact Standard sensor delivering a 8Mp resolution. This is a non-rugged and indoor sensor unit.</p> <p>AXIS F2108 Standard Sensor is compatible with all AXIS F91 and F91 Mk II main units.</p> <p>AXIS F2108 Standard Sensor is compatible with all AXIS TU600X cables.</p> <p>Mounting accessories are also available for separate purchase. All compatible accessories are shown on the AXIS F2108 Standard Sensor product page on axis.com</p>	\$ 1,989.00	Each	5%	\$ 1,889.55	Cameras	Security	Product
03056-001	03056-001	AXIS F2108 Standard Sensor	<p>AXIS F2108 Standard Sensor is an ultra compact Standard sensor delivering a 8Mp resolution. This is a non-rugged and indoor sensor unit.</p> <p>AXIS F2108 Standard Sensor is compatible with all AXIS F91 and F91 Mk II main units.</p> <p>AXIS F2108 Standard Sensor is compatible with all AXIS TU600X cables.</p> <p>Mounting accessories are also available for separate purchase. All compatible accessories are shown on the AXIS F2108 Standard Sensor product page on axis.com</p>	\$ 249.00	Each	5%	\$ 236.55	Cameras	Security	Product

0808-001	0808-001	AXIS M3047-P	Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.	\$	499.00	Each	5%	\$	474.05	Cameras	Security	Product
02373-001	02373-001	AXIS M3085-V	AXIS M3085-V is an ultra-compact, indoor fixed mini dome with Deep Learning Processing Unit (DLPU), Dust - and IK08 vandal-resistant casing, fixed lens, horizontal/vertical field of view 102°/55°. D/N functionality with automatically removable IR-cut filter. Lightfinder. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 2MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Audio and I/O with optional accessories. MicroSD memory card slot for local storage. Axis Object Analytics, video motion detection and active tampering alarm. Axis Edge Vault for increased cybersecurity Powered by IEEE 802.3af/802.3at Type 1 Class 2	\$	319.00	Each	5%	\$	303.05	Cameras	Security	Product
02374-001	02374-001	AXIS M3086-V	AXIS M3086-V is an ultra-compact, indoor fixed mini dome with Deep Learning Processing Unit (DLPU), Dust - and IK08 vandal-resistant casing, fixed lens, horizontal/vertical field of view 130°/93°. D/N functionality with automatically removable IR-cut filter. Lightfinder. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. MicroSD memory card slot for local storage. Audio and I/O with optional accessories. Axis Object Analytics, video motion detection and active tampering alarm. Axis Edge Vault for increased cybersecurity Powered by IEEE 802.3af/802.3at Type 1 Class 2	\$	389.00	Each	5%	\$	369.55	Cameras	Security	Product
02832-001	02832-001	AXIS M3086-V Mic	AXIS M3086-V is an ultra-compact, indoor fixed mini dome with advanced video and audio analytics. Built-in microphone for audio analytics and streaming. Dust - and IK08 vandal-resistant casing, fixed lens, horizontal/vertical field of view 130°/93°. D/N functionality with automatically removable IR-cut filter. Lightfinder. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. MicroSD memory card slot for local storage. Two-way audio and I/O with optional accessories. Axis Object Analytics, Axis Audio Analytics, video motion detection and active tampering alarm. Axis Edge Vault for increased cybersecurity Powered by IEEE 802.3af/802.3at Type 1 Class 2.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
02375-001	02375-001	AXIS M3088-V	AXIS M3088-V is an ultra-compact, indoor fixed mini dome with Deep Learning Processing Unit (DLPU), Dust - and IK08 vandal-resistant casing, fixed lens, horizontal/vertical field of view 109°/56°. D/N functionality with automatically removable IR-cut filter. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 8MP at 15 fps with WDR. Zipstream for reduced bandwidth and storage. MicroSD memory card slot for local storage. Audio and I/O with optional accessories. Axis Object Analytics, video motion detection and active tampering alarm. Axis Edge Vault for increased cybersecurity. Powered by IEEE 802.3af/802.3at Type 1 Class 2	\$	479.00	Each	5%	\$	455.05	Cameras	Security	Product

02018-001	02018-001	AXIS M3077-PLVE	With its 6 MP sensor, AXIS M3077-PLVE offers excellent image quality and a complete 180° or 360° overview, indoors or out, around the clock. It features two built-in microphones allowing for audio surveillance and detection. This compact mini dome offers dewarped views such as panorama, quad, corner, and corridor views directly from the camera. It includes Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging light or near darkness. And, Axis OptimizedIR for surveillance in pitch darkness. Furthermore, enhanced security functionality prevents unauthorized access and safeguards your system.	\$	789.00	Each	5%	\$	749.55	Cameras	Security	Product
02916-001	02916-001	AXIS M3125-LVE White	AXIS M3125-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 110° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 2MP at up to 30 fps with WDR and Lightfinder. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. White color.	\$	419.00	Each	5%	\$	398.05	Cameras	Security	Product
02917-001	02917-001	AXIS M3125-LVE Black	AXIS M3125-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 110° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 2MP at up to 30 fps with WDR and Lightfinder. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. Black color.	\$	419.00	Each	5%	\$	398.05	Cameras	Security	Product
02918-001	02918-001	AXIS M3126-LVE White	AXIS M3126-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 130° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4MP at up to 30 fps with WDR and Lightfinder. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. White color.	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product
02919-001	02919-001	AXIS M3126-LVE Black	AXIS M3126-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 130° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4MP at up to 30 fps with WDR and Lightfinder. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. Black color.	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product

02920-001	02920-001	AXIS M3128-LVE White	AXIS M3128-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 110° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 8MP at up to 15 fps with WDR. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. White color.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
02921-001	02921-001	AXIS M3128-LVE Black	AXIS M3128-LVE is a compact, turret style outdoor-ready dome camera. IP66 and IK08 impact-resistant design with built-in IR illumination. Fixed lens, 110° horizontal field of view. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 8MP at up to 15 fps with WDR. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced AI-based analytics. Axis Object Analytics, video motion detection and active tampering alarm. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault with FIPS 140-3 level 3 for increased cyber security. Black color.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
02371-001	02371-001	AXIS M3215-LVE	Fixed dome camera with Deep Learning Processing Unit (DPLU), Forensic WDR, Lightfinder and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Fixed lens, 101°/55° horizontal/vertical field of view. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. Max 2MP at 30 fps with WDR up to 30fps. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Includes mounting bracket and weather shield.	\$	619.00	Each	5%	\$	588.05	Cameras	Security	Product
02372-001	02372-001	AXIS M3216-LVE	Fixed dome camera with Deep Learning Processing Unit (DPLU), Forensic WDR, Lightfinder and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Fixed lens, 102°/73° horizontal/vertical field of view. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. Max 4MP at 30 fps with WDR up to 30fps. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Includes mounting bracket and weather shield.	\$	729.00	Each	5%	\$	692.55	Cameras	Security	Product
02676-001	02676-001	AXIS M4215-V	Compact, varifocal, DIN mini dome with dust- and vandal-resistant casing for easy indoor mounting. 3.6-6.6 mm with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 2MP for wide 16:9 view with up to 30 fps. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault for increased Cyber Security	\$	469.00	Each	5%	\$	445.55	Cameras	Security	Product

02677-001	02677-001	AXIS M4215-LV	Compact, varifocal, D/N mini dome with built-in IR illumination and dust- and vandal-resistant casing for easy indoor mounting. 3.6-6.6 mm with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 2MP for wide 16:9 view with up to 30 fps. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault for increased Cyber Security	\$	509.00	Each	5%	\$	483.55	Cameras	Security	Product
02112-001	02112-001	AXIS M4216-V	Compact, varifocal, D/N mini dome with dust- and vandal-resistant casing for easy indoor mounting. 3-6 mm lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4MP in 4:3, 3MP in 16:9, max 30 fps with WDR. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output (micro). MicroSD memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security	\$	509.00	Each	5%	\$	483.55	Cameras	Security	Product
02113-001	02113-001	AXIS M4216-LV	Compact, varifocal, D/N mini dome with built-in IR illumination and dust- and vandal-resistant casing for easy indoor mounting. 3-6 mm lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 4MP in 4:3, 3MP in 16:9, max 30 fps with WDR. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output (micro). MicroSD memory card slot for optional local video storage. AXIS Edge Vault for increased Cyber Security	\$	549.00	Each	5%	\$	521.55	Cameras	Security	Product
02678-001	02678-001	AXIS M4218-V	Compact, varifocal, D/N mini dome with dust- and vandal-resistant casing for easy indoor mounting. 3.6-6.6 mm with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 8MP for wide 16:9 view with up to 15 fps. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault for increased Cyber Security	\$	549.00	Each	5%	\$	521.55	Cameras	Security	Product
02679-001	02679-001	AXIS M4218-LV	Compact, varifocal, D/N mini dome with built-in IR illumination and dust- and vandal-resistant casing for easy indoor mounting. 3.6-6.6 mm with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; 8MP for wide 16:9 view with up to 15 fps. Zipstream for reduced bandwidth and storage. Includes a Deep Learning Processing Unit (DPLU) for advanced analytics. Axis Object Analytics, video motion detection and active tampering alarm. HDMI output. Audio and I/O with compatible Axis portcast accessories. MicroSD memory card slot for local video storage. AXIS Edge Vault for increased Cyber Security	\$	589.00	Each	5%	\$	559.55	Cameras	Security	Product
02814-001	02814-001	AXIS M4225-LVE	Compact, varifocal 2 MP dome with AI analytics. Great image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Sleek, IP66/IK10 polycarbonate casing and included weather shield. Varifocal 3.2-7.2 mm lens. Multiple, individually configurable streams, H.264/H.265 with zipstream in up to 2MP @ 30fps. Acoustic sensors for audio analytics. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product

02815-001	02815-001	AXIS M4227-LVE	Compact, varifocal 5 MP dome with AI analytics. Great image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR Sleek, IP66/IK10 polycarbonate casing and included weather shield. Varifocal 3.2-7.2 mm lens Multiple, individually configurable streams, H.264/H.265 with zipstream in up to 5MP @ 30fps. Acoustic sensors for audio analytics. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	789.00	Each	5%	\$	749.55	Cameras	Security	Product
02816-001	02816-001	AXIS M4228-LVE	Compact, varifocal 8 MP dome with AI analytics. Great image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR Sleek, IP66/IK10 polycarbonate casing and included weather shield. Varifocal 3.2-7.2 mm lens Multiple, individually configurable streams, H.264/H.265 with zipstream in up to 8MP @ 30fps. Acoustic sensors for audio analytics. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	899.00	Each	5%	\$	854.05	Cameras	Security	Product
02100-001	02100-001	AXIS M4308-PLV	AXIS M4308-PLV is a discreet, outdoor-ready mini dome designed to blend seamlessly into any environment. With 12 MP sensor and stereographic lens it offers outstanding images and complete 360° panoramic overview. Thanks to Sharpdome 360, this panoramic camera delivers greater sharpness at the edges of the image. AXIS Object Analytics is included and a deep learning processing unit (DLPU) enables unique opportunities to take advantage of analytics based on deep learning on the edge. It includes Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging light or near darkness. Plus, Axis OptimizedIR for surveillance in pitch darkness. Four built-in microphones and Voice Enhancer offers audio capture with great noise suppression.	\$	1,059.00	Each	5%	\$	1,006.05	Cameras	Security	Product
02510-001	02510-001	AXIS M4317-PLVE	AXIS M4317-PLVE is a discreet, IK10 and IP66 outdoor-ready mini dome designed with 6 MP sensor and stereographic lens, that can deliver multiple 360° or 180° panoramic views at up to 30 fps with no blind spots. Thanks to Sharpdome 360, this panoramic camera delivers greater sharpness at the edges of the image. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge, including AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. The camera can stream multiple, individually configurable H.264, H.265 and Motion JPEG streams, with support for digital PTZ. AXIS M4317-PLVE comes with built-in configurable IR, making it perfect for low light situations. Signed firmware and secure boot ensure firmware authenticity. Power over Ethernet.	\$	769.00	Each	5%	\$	730.55	Cameras	Security	Product
02511-001	02511-001	AXIS M4318-PLVE	AXIS M4318-PLVE is a discreet, IK10 and IP66 outdoor-ready mini dome designed with 12 MP sensor and stereographic lens, that can deliver 360° or 180° panoramic views at up to 30 fps with no blind spots. Thanks to Sharpdome 360, this panoramic camera delivers greater sharpness at the edges of the image. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge, including AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. The camera can stream multiple, individually configurable H.264, H.265 and Motion JPEG streams, with support for digital PTZ. AXIS M4318-PLVE comes with built-in configurable IR, making it perfect for low light situations. Signed firmware and secure boot ensure firmware authenticity. Power over Ethernet.	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product

02636-004	02636-004	AXIS M4327-P	AXIS M4327-P is an ultra-compact, indoor fixed mini dome with 6 MP sensor and stereographic lens, that can deliver multiple 360° or 180° panoramic views at up to 30 fps with no blind spots. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. including AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. The camera can stream multiple, individually configurable H.264, H.265 and Motion JPEG streams, with support for digital PTZ. AXIS M4327-P is delivered factory-focused and features digital roll functionality for easy installation. Signed firmware and secure boot ensure firmware authenticity. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet.	\$	559.00	Each	5%	\$	531.05	Cameras	Security	Product
02637-004	02637-004	AXIS M4328-P	AXIS M4328-P is an ultra-compact, indoor fixed mini dome with 12 MP sensor and stereographic lens, that can deliver 360° or 180° panoramic views at up to 30 fps with no blind spots. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. including AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. The camera can stream multiple, individually configurable H.264, H.265 and Motion JPEG streams, with support for digital PTZ. AXIS M4328-P is delivered factory-focused and features digital roll functionality for easy installation. Signed firmware and secure boot ensure firmware authenticity. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet.	\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product
02326-001	02326-001	AXIS P3265-V	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0, Discreet, dust- and IK10 vandal-resistant indoor casing. Varifocal 3.4-8.9 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. HDTV 1080p stream up to 60 fps, 30fps with WDR. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 2. Includes mounting bracket.	\$	589.00	Each	5%	\$	559.55	Cameras	Security	Product
03335-004	03335-004	AXIS TA1202 Power Enclosure	A complete, ready-to-install access control enclosure designed for fast, reliable setup. It includes a powerful 150W power supply, battery backup, and fits perfectly with the AXIS A1710-B Door Controller. Housed in a secure, tamper-protected steel case, it's UL-listed and ideal for large-scale, professional installations. Available in two variants to meet regional power requirements: a 120 VAC (US version) and a 208-230 VAC (EU version).	\$	1,099.00	Each	5%	\$	1,044.05	Cameras	Security	Product
02327-001	02327-001	AXIS P3265-LV	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant indoor casing. Varifocal 3.4-8.9 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. HDTV 1080p stream up to 60 fps, 30fps with WDR. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Includes mounting bracket.	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product

03149-001	03149-001	AXIS P3275-LV	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP54/IK10 polycarbonate indoor casing Varifocal 3.4-9.8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2MP @ 60fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product
02980-001	02980-001	AXIS P3285-LV	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP54/IK10 polycarbonate indoor casing Varifocal 3.4-9.8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2 MP @ 60 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product
02328-001	02328-001	AXIS P3265-LVE	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Varifocal 3.4-8.9 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams. H.264/H.265 with Zipstream and Motion JPEG. HDTV 1080p stream up to 60 fps, 30fps with WDR. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Extended temperature range. Includes mounting bracket and weather shield.	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product
03150-001	03150-001	AXIS P3275-LVE 10 mm	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 3.4-9.8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2MP @ 60fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product

02981-001	02981-001	AXIS P3285-LVE 10 mm	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 3.4-9.8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2 MP @ 60 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product
02333-001	02333-001	AXIS P3265-LVE 22 mm	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Varifocal 9-22 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. HDTV 1080p stream up to 60 fps, 30fps with WDR. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Extended temperature range. Includes mounting bracket and weather shield.	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product
03151-001	03151-001	AXIS P3275-LVE 29 mm	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 10.9-28.2 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2MP @ 60fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product
02982-001	02982-001	AXIS P3285-LVE 29 mm	High-performance 2 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 10.9-28.2 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 2 MP @ 60 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product

03152-001	03152-001	AXIS P3277-LV	High-performance 5 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP54/IK10 polycarbonate indoor casing Varifocal 3.0-8.5 mm, P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 5MP @ 30fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product
02983-001	02983-001	AXIS P3287-LV	High-performance 5 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP54/IK10 polycarbonate indoor casing Varifocal 3.0-8.5 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 5 MP @ 30 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product
02330-001	02330-001	AXIS P3267-LVE	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Varifocal 3-8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 5MP stream in 4:3 up to 30fps. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MCTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Extended temperature range. Includes mounting bracket and weather shield.	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
03153-001	03153-001	AXIS P3277-LVE	High-performance 5 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 3.0-8.5 mm, P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 5MP @ 30 fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product

02984-001	02984-001	AXIS P3287-LVE	<p>High-performance 5 MP dome camera with AI analytics.</p> <p>Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR.</p> <p>Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield.</p> <p>Varifocal 3.0–8.5 mm P-Iris lens with remote zoom and focus.</p> <p>Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 5 MP @ 30 fps.</p> <p>Acoustic sensors for audio analytics.</p> <p>Supervised digital input and output.</p> <p>Case-open sensor</p> <p>Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage.</p> <p>Advanced AI analytics for object classification, counting, masking and more.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3.</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
02732-001	02732-001	AXIS P3267-LVE Mic	<p>High-performance fixed dome camera with advanced video and audio analytics. Forensic WDR, Lightfinder 2.0 and Optimized IR.</p> <p>Discreet, dust- and IK10 vandal-resistant outdoor casing. Built-in microphone for audio analytics and streaming.</p> <p>Varifocal 3-8 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 5MP stream in 4:3 up to 30fps. AXIS Object Analytics, AXIS Audio Analytics, Video motion detection and tampering alarm.</p> <p>Two-way audio. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3.</p> <p>Extended temperature range. Includes mounting bracket and weather shield.</p>	\$	1,029.00	Each	5%	\$	977.55	Cameras	Security	Product
03339-004	03339-004	AXIS TA1203 Power Enclosure	<p>A complete, ready-to-install access control enclosure designed for fast, reliable setup. It includes a powerful 250W power supply, battery backup, and fits perfectly with the AXIS A1810-B Door Controller. Housed in a secure, tamper-protected steel case, it's UL-listed and ideal for large-scale, professional installations. Available in two variants to meet regional power requirements: a 120 VAC (US version) and a 208–230 VAC (EU version)</p>	\$	1,499.00	Each	5%	\$	1,424.05	Cameras	Security	Product
02331-001	02331-001	AXIS P3268-LV	<p>High-performance fixed dome camera with Deep Learning Processing Unit (DLPU).</p> <p>Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant indoor casing.</p> <p>Varifocal 4.3–8.6 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8MP 4K stream in 16:9 up to 30fps. AXIS Object Analytics, Video motion detection and tampering alarm.</p> <p>Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3. Includes mounting bracket.</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
03154-001	03154-001	AXIS P3278-LV	<p>High-performance 8 MP dome camera with AI analytics.</p> <p>Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR.</p> <p>Robust, vandal-secure IP54/IK10 polycarbonate indoor casing</p> <p>Varifocal 4.4–14.6 mm, P-Iris lens with remote zoom and focus.</p> <p>Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8 MP @ 30 fps.</p> <p>Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output.</p> <p>Case-open sensor.</p> <p>Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage.</p> <p>Advanced AI analytics for object classification, counting, masking and more.</p> <p>Powered by IEEE 802.3af/802.3at Type 1 Class 3.</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product

02985-001	02985-001	AXIS P3288-LV	High-performance 8 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP54/IK10 polycarbonate indoor casing Varifocal 4.4–14.6 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8 MP @ 30 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
02332-001	02332-001	AXIS P3268-LVE	High-performance fixed dome camera with Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Discreet, dust- and IK10 vandal-resistant outdoor casing. Varifocal 3-8 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8MP 4K stream in 16:9 up to 30fps. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/802.3at Type 1 Class 3. Extended temperature range. Includes mounting bracket and weather shield.	\$	1,099.00	Each	5%	\$	1,044.05	Cameras	Security	Product
03155-001	03155-001	AXIS P3278-LVE	High-performance 8 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 4.4–14.6 mm, P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8 MP @ 30 fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Case-open sensor. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	1,099.00	Each	5%	\$	1,044.05	Cameras	Security	Product
02986-001	02986-001	AXIS P3288-LVE	High-performance 8 MP dome camera with AI analytics. Excellent image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR. Robust, vandal-secure IP66/IK10 polycarbonate outdoor casing with included weathershield. Varifocal 4.4–14.6 mm P-iris lens with remote zoom and focus. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8 MP @ 30 fps. Acoustic sensors for audio analytics. Supervised digital input and output. Case-open sensor Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3af/802.3at Type 1 Class 3.	\$	1,099.00	Each	5%	\$	1,044.05	Cameras	Security	Product

02415-001	02415-001	AXIS P4705-PLVE Panoramic Camera	AXIS P4705-PLVE offers two channels with 2MP per channel, at a frame rate of up to 60 fps. With its unique design, this multidirectional camera offers cost-effective installation and flexible positioning of both varifocal camera heads. Each head can be controlled individually, so you can capture scenes in two directions in wide angle or zoomed-in views, with up to 2.5x zoom. It features Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging or poor light. The camera comes with a Deep Learning Processing Unit and can run analytics on both channels simultaneously. Furthermore, Zipstream with support for H.264 and H.265 significantly lowers bandwidth and storage requirements.	\$	1,029.00	Each	5%	\$	977.55	Cameras	Security	Product
02416-001	02416-001	AXIS P4707-PLVE Panoramic Camera	AXIS P4707-PLVE offers two channels with 5MP per channel, at a frame rate of 30 fps. With its unique design, this multidirectional camera offers cost-effective installation and flexible positioning of both varifocal camera heads. Each head can be controlled individually, so you can capture scenes in two directions in wide angle or zoomed-in views, with up to 2.5x zoom. It features Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging or poor light. The camera comes with a Deep Learning Processing Unit and can run analytics on both channels simultaneously. Furthermore, Zipstream with support for H.264 and H.265 significantly lowers bandwidth and storage requirements.	\$	1,159.00	Each	5%	\$	1,101.05	Cameras	Security	Product
02944-001	02944-001	AXIS P4708-PLVE Panoramic Camera	AXIS P4708-PLVE offers two channels with 8MP (4K) per channel, at a frame rate of 25/30 fps. With its unique design, this multidirectional camera offers cost-effective installation and flexible positioning of both varifocal camera heads. Each head can be controlled individually, so you can capture scenes in two directions in wide angle or zoomed-in views, with up to 2.5x zoom. It features Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging or poor light. The AI powered camera comes with a Deep Learning Processing Unit and can run multiple analytics on both channels simultaneously. Furthermore, Zipstream with support for H.264 and H.265 significantly lowers bandwidth and storage requirements.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
02633-001	02633-001	AXIS P3735-PLE	AXIS P3735-PLE Panoramic Camera offers 4x2 MP sensors and is perfect for 360° and 270° coverage. You'll be able to count on both high-quality overviews and detailed coverage thanks to the brilliant design of this cost-effective solution. With 360° IR illumination, the product provides excellent image quality around the clock, even in challenging lighting. With ARTPEC-8 and its deep learning processing unit, the product supports analytics and metadata on all sensors.	\$	1,599.00	Each	5%	\$	1,519.05	Cameras	Security	Product
02634-001	02634-001	AXIS P3737-PLE	AXIS P3737-PLE Panoramic Camera offers 4x5 MP sensors and is perfect for 360° and 270° surveillance. You'll be able to count on both high-quality overviews and detailed coverage thanks to the brilliant design of this cost-effective solution. With 360° IR illumination, the product provides excellent image quality around the clock, even in challenging lighting. With ARTPEC-8 and its deep learning processing unit, the product supports analytics and metadata on all sensors.	\$	1,799.00	Each	5%	\$	1,709.05	Cameras	Security	Product
02635-001	02635-001	AXIS P3738-PLE	AXIS P3738-PLE Panoramic Camera offers 4x4K (4x8 MP) sensors and is perfect for 360° and 270° surveillance. You'll be able to count on both high-quality overviews and detailed coverage thanks to the brilliant design of this cost-effective solution. With 360° IR illumination, the product provides excellent image quality around the clock, even in challenging lighting. With ARTPEC-8 and its deep learning processing unit, the product supports analytics and metadata on all sensors.	\$	1,999.00	Each	5%	\$	1,899.05	Cameras	Security	Product

02897-001	02897-001	AXIS P3747-PLVE	AXIS P3747-PLVE with remote Pan-Tilt-Roll and Zoom installation motors enables flexible installations, reducing time and maintenance costs. The product is ideal for 360 and 270 surveillance with 4 individual sensors in one product, requiring only one cable to be drawn and one IP Address. With 4*5MP (20MP) resolution (4:3), the camera has excellent image quality, in day-time and low light situations, comes with Axis lightfinder and Forensic WDR and include 360 degrees IR coverage. The camera has AI capabilities up to 4 sensors.	\$	2,219.00	Each	5%	\$	2,108.05	Cameras	Security	Product
02898-001	02898-001	AXIS P3748-PLVE	AXIS P3748-PLVE with remote Pan-Tilt-Roll and Zoom installation motors enables extremely flexible installations, reducing time and maintenance costs. The product is ideal for 360 and 270 surveillance with 4 individual sensors in one product, requiring only one cable to be drawn and one IP Address. With 4*3MP (32MP) resolution (16:9), the camera has excellent image quality, in day-time and low light situations, comes with Axis lightfinder and Forensic WDR and include 360 degrees IR coverage. The camera has AI capabilities up to 4 sensors.	\$	2,439.00	Each	5%	\$	2,317.05	Cameras	Security	Product
02060-001	02060-001	AXIS P3818-PVE	AXIS P3818-PVE delivers a 180° panoramic overview of extensive areas with ultra-high resolution images and incredible details up to 30 fps. With 13 MP resolution and seamless stitching of all three images, it offers 180° horizontal and 90° vertical coverage with no blind spots. Including a variety of mounting options, it's also possible to mount two cameras back-to-back for a complete 360° overview using AXIS T94V01C Dual Camera Mount. Featuring edge-to-edge technology, it's easy to add support for audio. Additionally, built-in cybersecurity features prevent unauthorized access and safeguard your system.	\$	2,059.00	Each	5%	\$	1,956.05	Cameras	Security	Product
02450-001	02450-001	AXIS P3827-PVE	AXIS P3827-PVE delivers a 180° panoramic overview of extensive areas with high resolution images and incredible details up to 30 fps. With 7 MP resolution and seamless stitching of all four images, it offers 180° horizontal and 90° vertical coverage with no blind spots. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. With AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. Including horizon straightening, this product will give an excellent viewing experience, enabling to set the horizon in the image. Additionally, built-in cybersecurity features prevent unauthorized access and safeguard your system. Power over Ethernet.	\$	1,599.00	Each	5%	\$	1,519.05	Cameras	Security	Product
01920-001	01920-001	AXIS P3925-R RJ45 2.8mm	AXIS P3925-R RJ45 2.8mm is a Full HDTV 1080p fixed dome onboard camera with male RJ45 network connector for rolling stock and vehicles. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
01920-021	01920-021	AXIS P3925-R RJ45 2.8mm 10P	AXIS P3925-R RJ45 2.8mm 10P is a bulk pack 10x AXIS P3925-R. Full HDTV 1080p fixed dome onboard camera with male RJ45 network connector for rolling stock and vehicles. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage.	\$	5,529.00	Each	5%	\$	5,252.55	Cameras	Security	Product

01933-001	01933-001	AXIS P3925-R M12 2.8mm	AXIS P3925-R M12 2.8mm is full HDTV 1080p fixed dome onboard camera for rolling stock and vehicles with female M12 connector. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
01933-021	01933-021	AXIS P3925-R M12 2.8mm 10P	AXIS P3925-R M12 2.8mm 10P is a bulk pack 10x AXIS P3925-R. Full HDTV 1080p fixed dome onboard camera with female M12 connector for rolling stock and vehicles. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage.	\$	5,529.00	Each	5%	\$	5,252.55	Cameras	Security	Product
02090-001	02090-001	AXIS P3925-LRE RJ45 6mm	AXIS P3925-LRE RJ45 6mm is a compact streamlined exterior onboard camera for rolling stock and vehicles with male RJ45 network connector. The HDTV 1080p camera is equipped with two 850 nm IR LEDs, removable IR-cut filter for day/night functionality and a 6 mm F1.9 lens in a rugged IP6K9K and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology, Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$	1,059.00	Each	5%	\$	1,006.05	Cameras	Security	Product
02091-001	02091-001	AXIS P3925-LRE M12 6mm	AXIS P3925-LRE M12 6mm is a compact streamlined exterior onboard camera for rolling stock and vehicles with female M12 connector. The HDTV 1080p camera is equipped with two 850 nm IR LEDs, removable IR-cut filter for day/night functionality and a 6 mm F1.9 lens in a rugged IP6K9K and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology, Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$	1,059.00	Each	5%	\$	1,006.05	Cameras	Security	Product
01919-001	01919-001	AXIS P3935-LR RJ45 2.8mm	AXIS P3935-LR RJ45 2.8mm is a Full HDTV 1080p fixed dome onboard camera for rolling stock and vehicles with male RJ45 network connector. Invisible 940-nm IR LEDs, I/O for alarm/event handling, built in microphone and external microphone input or line input. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs, microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product

01919-021	01919-021	AXIS P3935-LR RJ45 2.8mm 10P	AXIS P3935-LR RJ45 2.8mm 10P is a bulk pack of 10x AXIS P3935-LR. Full HDTV 1080p fixed dome onboard camera for rolling stock and vehicles with male RJ45 network connector. Invisible 940-nm IR LEDs, I/O for alarm/event handling, built in microphone and external microphone input or line input. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs. microSD/microSDHC/microSDXC memory card slot for optional local video storage.	\$ 6,029.00	Each	5%	\$ 5,727.55	Cameras	Security	Product
01932-001	01932-001	AXIS P3935-LR M12 2.8mm	AXIS P3935-LR M12 2.8mm is a Full HDTV 1080p fixed dome onboard camera for rolling stock and vehicles with female M12 connector. Invisible 940-nm IR LEDs, I/O for alarm/event handling, built in microphone and external microphone input or line input. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs. microSD/microSDHC/microSDXC memory card slot for optional local video storage. Includes lens tool, L-key, and drill template.	\$ 629.00	Each	5%	\$ 597.55	Cameras	Security	Product
01932-021	01932-021	AXIS P3935-LR M12 2.8m 10P	AXIS P3935-LR M12 2.8m 10P is a bulk pack of 10x AXIS P3935-LR. Full HDTV 1080p fixed dome onboard camera for rolling stock and vehicles with female M12 connector. Invisible 940-nm IR LEDs, I/O for alarm/event handling, built in microphone and external microphone input or line input. Equipped with 2.8mm, F1.6 lens in ruggedized IP66/IP67 and IK10 rated metal casing. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Forensic WDR, Lightfinder technology and removable IR-cut filter for day/night functionality. Axis Zipstream technology for reduced bandwidth and storage needs. microSD/microSDHC/microSDXC memory card slot for optional local video storage.	\$ 6,029.00	Each	5%	\$ 5,727.55	Cameras	Security	Product
01553-001	01553-001	AXIS P9106-V BRUSHED STEEL	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Elegant brushed steel design with no visible screws. Dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. Color: Brushed stainless steel.	\$ 739.00	Each	5%	\$ 702.05	Cameras	Security	Product
01620-001	01620-001	AXIS P9106-V WHITE	3MP compact and vandal-resistant (IK10) corner-mounted camera with 1.8mm lens for wide field of view without blind spots. Ligature-resistant design with dust- and waterproof (IP66) casing. WDR, Zipstream, SD card slot and support for portcast technology. Video motion detection and active tampering alarm. PoE Class 1. White in color.	\$ 689.00	Each	5%	\$ 654.55	Cameras	Security	Product
02054-001	02054-001	AXIS Q3536-LVE 9MM DOME CAMERA	Advanced fixed dome camera with Deep Learning Processing Unit (DLPU), Support for Forensic WDR, Lightfinder 2.0 and Optimized IR. IR shielded dome for reduced reflections. Robust, dust- and IK10+ vandal-resistant outdoor-ready metal casing. Varifocal 4-9 mm P-Iris lens with remote zoom and focus. Electronic Image Stabilization. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30fps with WDR. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy. Includes mounting bracket and weather shield.	\$ 1,269.00	Each	5%	\$ 1,205.55	Cameras	Security	Product

02971-001	02971-001	AXIS Q3546-LVE 10 mm	Advanced 4 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP69K/IK10 aluminum casing and included weather shield. Varifocal 4-10mm P-iris lens with F1.1 aperture. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 4MP @ 120fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
02224-001	02224-001	AXIS Q3536-LVE 29MM DOME CAMERA	Advanced fixed dome camera with Deep Learning Processing Unit (DLPU), Support for Forensic WDR, Lightfinder 2.0 and Optimized IR. IR shielded dome for reduced reflections. Robust, dust- and IK10+ vandal-resistant outdoor-ready metal casing. Varifocal 11-29 mm P-iris lens with remote zoom and focus. Electronic Image Stabilization. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30fps with WDR. AXIS Object Analytics. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy. Includes mounting bracket and weather shield.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
02972-001	02972-001	AXIS Q3546-LVE 51 mm	Advanced 4 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP69K/IK10 aluminum casing and included weather shield. Varifocal 14-51mm P-iris lens. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 4MP @ 120fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
03204-001	03204-001	AXIS Q3556-LVE 10mm	Advanced 4 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP69K/IK10 aluminum casing and included weather shield. Varifocal 4-10mm P-iris lens with F1.1 aperture. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 4MP @ 120fps. Acoustic sensors for audio analytics. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product

03205-001	03205-001	AXIS Q3556-LVE 51 mm	Advanced 4 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP6K9K/IK10 aluminum casing and included weather shield. Varifocal 14-51mm P-Iris lens. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 4MP @ 120fps. Acoustic sensors for audio analytics. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
02225-001	02225-001	AXIS Q3538-LVE DOME CAMERA	Advanced fixed dome camera with Deep Learning Processing Unit (DLPU). Support for Forensic WDR, Lightfinder 2.0 and Optimized IR. IR shielded dome for reduced reflections. Robust, dust- and IK10+ vandal-resistant outdoor-ready metal casing. Varifocal 6-13 mm P-Iris lens with remote zoom and focus. Electronic Image Stabilization. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 60 fps, 30fps with WDR. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy. Includes mounting bracket and weather shield.	\$	1,589.00	Each	5%	\$	1,509.55	Cameras	Security	Product
02973-001	02973-001	AXIS Q3548-LVE	Advanced 8 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP6K9K/IK10 aluminum casing and included weather shield. Varifocal 6-13mm P-Iris lens. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8MP @ 60fps. Audio support from 3.5mm audio input, portcast and Edge-to-edge. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,589.00	Each	5%	\$	1,509.55	Cameras	Security	Product
03206-001	03206-001	AXIS Q3558-LVE	Advanced 8 MP dome camera with AI analytics. Outstanding image quality thanks to Forensic WDR, Lightfinder 2.0 and Optimized IR with IR shielded dome. Robust, IP66/IP6K9K/IK10 aluminum casing and included weather shield. Varifocal 6-13mm P-Iris lens. Multiple, individually configurable streams, AV1/H.264/H.265 with zipstream in up to 8MP @ 60fps. Acoustic sensors for audio analytics. Supervised digital input and output. Electronic Image Stabilization. Case-open sensor. Shock detector. Level assistant. Axis Edge Vault with FIPS 140-3 level 3 certified. Support for SD card storage. Advanced AI analytics for object classification, counting, audio detection, masking and more. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.	\$	1,589.00	Each	5%	\$	1,509.55	Cameras	Security	Product

02463-001	02463-001	AXIS Q3538-SLVE DOME CAMERA	<p>Advanced fixed dome camera in a DNV marine certified, electropolished stainless steel (SS 316L) outdoor casing, offering high corrosion resistance and IK10+ (50 joules) vandal resistance, with Deep Learning Processing Unit (DLPU). Support for Forensic WDR, Lightfinder 2.0 and OptimizedIR. IR shielded dome for reduced reflections.</p> <p>Varifocal 6-13 mm P-Iris lens with remote zoom and focus. Electronic Image Stabilization.</p> <p>Multiple, individually configurable streams. H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 60 fps, 30fps with WDR.</p> <p>AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F), powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.</p> <p>Includes mounting bracket for wall/ceiling or junction boxes.</p>	\$	1,899.00	Each	5%	\$	1,804.05	Cameras	Security	Product
02616-004	02616-004	AXIS Q3626-VE	<p>Advanced dome camera with remote adjustment by Pan, Tilt, Roll and Zoom (PTRZ). Includes a Deep Learning Processing Unit (DLPU) for advanced edge analytics. Support for Forensic WDR, Lightfinder 2.0. Robust, dust- and IK10 vandal-resistant outdoor-ready metal casing.</p> <p>Varifocal 4-9 mm P-Iris lens with remote pan, tilt, roll, zoom and focus. Electronic Image Stabilization.</p> <p>Multiple, individually configurable streams. H.264/H.265 with Zipstream and Motion JPEG. 4MP stream up to 60 fps, 30fps with WDR.</p> <p>AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.</p> <p>Includes mounting bracket and weather shield.</p>	\$	1,479.00	Each	5%	\$	1,405.05	Cameras	Security	Product
02617-004	02617-004	AXIS Q3628-VE	<p>Advanced dome camera with remote adjustment by Pan, Tilt, Roll and Zoom (PTRZ). Includes a Deep Learning Processing Unit (DLPU) for advanced edge analytics. Support for Forensic WDR, Lightfinder 2.0. Robust, dust- and IK10 vandal-resistant outdoor-ready metal casing.</p> <p>Varifocal 6-13 mm P-Iris lens with remote pan, tilt, roll, zoom and focus. Electronic Image Stabilization.</p> <p>Multiple, individually configurable streams. H.264/H.265 with Zipstream and Motion JPEG. 8MP stream up to 60 fps, 30fps with WDR.</p> <p>AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Sensors for intrusion and shock. MQTT support. AXIS Edge Vault with FIPS certified TPM for added cyber security. MicroSD memory card slot for local storage. Powered by IEEE 802.3at Type 2 Class 4 (PoE+) or 10-28V DC power with redundancy.</p> <p>Includes mounting bracket and weather shield.</p>	\$	1,799.00	Each	5%	\$	1,709.05	Cameras	Security	Product

01819-001	01819-001	AXIS Q3819-PVE	AXIS Q3819-PVE delivers a 180° panoramic overview of extensive areas. With 14 MP resolution and seamless stitching of all four images, it offers 180° horizontal and 38° vertical coverage. It's possible to mount two cameras back-to-back for a complete 360° overview using AXIS T94V01C Dual Camera Mount. It features AXIS Object Analytics for nuanced and remarkably granular object classification. Furthermore, it includes built-in motors allowing for remote pan/tilt/roll functionality and it offers smart pairing with Axis network speakers using edge-to-edge technology. Furthermore, Axis Edge Vault protects your Axis device ID and simplifies authorization of Axis devices on your network.	\$	2,149.00	Each	5%	\$	2,041.55	Cameras	Security	Product
02657-001	02657-001	AXIS Q3839-PVE	AXIS Q3839-PVE delivers a 180° panoramic overview of extensive areas. With 29 MP resolution and seamless stitching of all four images, it offers 180° horizontal and 90° vertical coverage at 25/30 FPS. The camera is perfect for complete situational awareness without any blind spots. The product's powerful AI solution is made possible by a dual ARTPEC-8 chipset and gives a comprehensive analytics experience over the whole 180° field of view. AXIS Q3839-PVE comes with pan/tilt/roll installation motors for ease of installation and offers the Horizon Straightening feature for natural 180° views.	\$	2,439.00	Each	5%	\$	2,317.05	Cameras	Security	Product
02658-001	02658-001	AXIS Q4809-PVE	AXIS Q4809-PVE delivers a 180° panoramic overview of extensive areas. With 26 MP resolution and seamless stitching of all four images, it offers 180° horizontal and 45° vertical coverage at 25/30 FPS. The camera is ideal for situations where detail is important, offering very high pixel density. The product's powerful AI solution is made possible by a dual ARTPEC-8 chipset and gives a comprehensive analytics experience over the whole 180° field of view. AXIS Q3839-PVE comes with pan/tilt/roll installation motors for ease of installation and offers the Horizon Straightening feature for natural 180° views.	\$	2,439.00	Each	5%	\$	2,317.05	Cameras	Security	Product
01766-001	01766-001	AXIS Q9216-SLV STEEL	Robust stainless steel corner-mount camera replacing AXIS Q8414 (Trinity). Key features: • Anti-ligature, stainless steel, IK10+, IP66, • 4MP, >90° VFOV, >120° HFOV, • 940nm LEDs for invisible IR • H.264 • H.265 with Zipstream, • Built-in microphone, • I/O and optional line-in/out, • Option to further prevent screw-tampering	\$	1,299.00	Each	5%	\$	1,234.05	Cameras	Security	Product
01767-001	01767-001	AXIS Q9216-SLV WHITE	Robust stainless steel corner-mount camera replacing AXIS Q8414 (Trinity). Key features: • Anti-ligature, stainless steel, IK10+, IP66, • 4MP, >90° VFOV, >120° HFOV, • 940nm LEDs for invisible IR • H.264 • H.265 with Zipstream, • Built-in microphone, • I/O and optional line-in/out, • Option to further prevent screw-tampering	\$	1,299.00	Each	5%	\$	1,234.05	Cameras	Security	Product
0709-001	0709-001	AXIS Q8414-LVS METAL	AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5–6 mm, 105°–49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
0710-001	0710-001	AXIS Q8414-LVS WHITE	AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5–6 mm, 105°–49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product

02234-001	02234-001	AXIS P3245-LVE-3 L. P. Verifier Kit	<p>Please check the supported countries Visit www.axis.com for supported products and application download.</p> <p>Discreet outdoor, HDTV / 1080p, day/night, dust- and IK10 vandal-resistant fixed dome camera with built-in AXIS License Plate Verifier application. Detect and verify vehicles in single lanes with speed up to 30 km/h (19 mph) in 2 to 7 meter distance (7 to 23 feet) to allow vehicle entry/exit into a controlled area. I/O port for direct control, built-in block and allow lists of up to 1000 license plates. License plate reading time less than 1 second.</p> <p>OptimizedIR, Forensic WDR, Lightfinder, shock detection, IK10, IP66/67. Operation temperature -40°C to +50°C (-40°F to 122°F). Includes mounting bracket for wall/ceiling or junction boxes. License plate verification day and night. Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	\$	1,369.00	Each	5%	\$	1,300.55	Cameras	Security	Product
02812-001	02812-001	AXIS P3265-LVE-3 L.P. Verifier Kit	<p>Please check the supported countries Visit www.axis.com for supported products and application download.</p> <p>Discreet outdoor, HDTV / 1080p, day/night, dust- and IK10 vandal-resistant fixed dome camera with built-in AXIS License Plate Verifier application. Detect and verify vehicles in single lanes with speed up to 30 km/h (19 mph) in 2 to 7 meter distance (7 to 23 feet) to allow vehicle entry/exit into a controlled area. I/O port for direct control, built-in block and allow lists of up to 1000 license plates. License plate reading time less than 1 second.</p> <p>OptimizedIR, Forensic WDR, Lightfinder, shock detection, IK10, IP66/67. Operation temperature -40°C to +50°C (-40°F to 122°F). Includes mounting bracket for wall/ceiling or junction boxes. License plate verification day and night. Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	\$	1,369.00	Each	5%	\$	1,300.55	Cameras	Security	Product
02457-001	02457-001	AXIS M3057-PLR Mk II DOME CAMERA	<p>AXIS M3057-PLR MkII is a 6Mp resolution fisheye rollingstock compliant camera offering excellent image quality and a complete 180° or 360° overview. It is intended to be used inside trains or buses. It comes with a M12 connector pigtail. This dome also offers dewarped views such as panorama, quad, corner, and corridor views directly from the camera. It includes Axis Lightfinder and Axis Forensic WDR for true colors and great details in challenging light or near darkness. The IR allows for surveillance in pitch darkness. Furthermore, enhanced security functionality prevents unauthorized access and safeguards your system.</p>	\$	1,059.00	Each	5%	\$	1,006.05	Cameras	Security	Product
02670-001	02670-001	AXIS P3905-R MK III RJ45 3.6mm	<p>AXIS P3905-R Mk III RJ45 3.6mm is a 1080p fixed dome onboard camera with a male RJ45 network connector on the pigtail. Equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool.</p> <p>AXIS P3905-R Mk III is rollingstock compliant.</p>	\$	429.00	Each	5%	\$	407.55	Cameras	Security	Product
02671-001	02671-001	AXIS P3905-R MK III M12 3.6mm	<p>AXIS P3905-R Mk III M12 3.6mm is a 1080p fixed dome onboard camera with a M12 network connector on the pigtail. Equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool.</p> <p>AXIS P3905-R Mk III is rollingstock compliant.</p>	\$	429.00	Each	5%	\$	407.55	Cameras	Security	Product
02670-021	02670-021	AXIS P3905-R MK III RJ45 3.6mm 10P	<p>AXIS P3905-R Mk III RJ45 3.6mm 10P is a bulk pack of 10x AXIS P3905-R Mk III cameras. It is a 1080p fixed dome onboard cameras with a male RJ45 network connector on the pigtail. AXIS P3905-R Mk III is equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool.</p> <p>AXIS P3905-R Mk III is rollingstock compliant.</p>	\$	4,289.00	Each	5%	\$	4,074.55	Cameras	Security	Product
02671-021	02671-021	AXIS P3905-R MK III M12 3.6mm 10P	<p>AXIS P3905-R Mk III M12 3.6mm 10P is a bulk pack of 10x AXIS P3905-R Mk III cameras. It is a 1080p fixed dome onboard cameras with a M12 network connector on the pigtail. AXIS P3905-R Mk III is equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool.</p> <p>AXIS P3905-R Mk III is rollingstock compliant.</p>	\$	4,289.00	Each	5%	\$	4,074.55	Cameras	Security	Product

02501-001	02501-001	AXIS M3905-R RJ45 3.6mm	AXIS M3905-R is a 1080p fixed dome onboard camera with a male RJ45 network connector on the pigtail. Equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R is not rollingstock compliant.	\$ 349.00	Each	5%	\$ 331.55	Cameras	Security	Product
02502-001	02502-001	AXIS M3905-R M12 3.6mm	AXIS M3905-R M12 is a 1080p fixed dome onboard camera with a M12 network connector on the pigtail. Equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R M12 is not rollingstock compliant.	\$ 349.00	Each	5%	\$ 331.55	Cameras	Security	Product
02501-021	02501-021	AXIS M3905-R RJ45 3.6mm 10P	AXIS M3905-R 10P is a bulk pack of 10x AXIS M3905-R cameras. It is a 1080p fixed dome onboard cameras with a male RJ45 network connector on the pigtail. AXIS M3905-R is equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R is not rollingstock compliant.	\$ 3,489.00	Each	5%	\$ 3,314.55	Cameras	Security	Product
02502-021	02502-021	AXIS M3905-R M12 3.6mm 10P	AXIS M3905-R M12 10P is a bulk pack of 10x AXIS M3905-R cameras. It is a 1080p fixed dome onboard cameras with a M12 network connector on the pigtail. AXIS M3905-R is equipped with 3.6mm, F2.0 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R M12 is not rollingstock compliant.	\$ 3,489.00	Each	5%	\$ 3,314.55	Cameras	Security	Product
02833-001	02833-001	AXIS M4317-PLR	AXIS M4317-PLR is Onboard panoramic camera for buses. AXIS M4317-PLR is a discreet, IK10 and IP66 ready dome designed with 6 MP resolution and a stereographic lens. It can deliver multiple 360° or 180° panoramic views at up to 30 fps with no blind spots. Thanks to Sharpdome 360, this panoramic camera delivers greater sharpness at the edges of the image. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. AXIS M4317-PLVE comes with build-in configurable IR, making it perfect for low light situations. Signed firmware and secure boot ensure firmware authenticity. AXIS M4317-PLR as a built-in RJ45 connector.	\$ 769.00	Each	5%	\$ 730.55	Cameras	Security	Product
02834-001	02834-001	AXIS M4318-PLR	AXIS M4318-PLR is a discreet, IK10 and IP66 ready dome designed with 12 MP resolution and a stereographic lens. It can deliver multiple 360° or 180° panoramic views at up to 30 fps with no blind spots. Thanks to Sharpdome 360, this panoramic camera delivers greater sharpness at the edges of the image. Built on ARTPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. AXIS M4318-PLVE comes with build-in configurable IR, making it perfect for low light situations. Signed firmware and secure boot ensure firmware authenticity. AXIS M4318-PLR as a built-in RJ45 connector.	\$ 949.00	Each	5%	\$ 901.55	Cameras	Security	Product
02710-001	02710-001	AXIS P3268-SLVE	Advanced fixed dome camera in a DNV marine certified, NSF/ANSI Standard 169 Special Purpose Food Equipment and Devices electropolished stainless steel (SS 316L) outdoor casing, offering high corrosion resistance and IK11/ IP 66/67/68/ Nema 4X. With Deep Learning Processing Unit (DLPU). Forensic WDR, Lightfinder 2.0 and Optimized IR. Varifocal 3-8 mm F1.8 lens with remote zoom and focus. Multiple, individually configurable streams, H.264/H.265 with Zipstream and Motion JPEG. 8MP 4K stream in 16:9 up to 30fps. AXIS Object Analytics, Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. MQTT support. Axis Edge Vault for added cyber security. Built in case open switch. MicroSD memory card slot for local storage. Powered by IEEE 802.3af/302.3at Type 1 Class 3. Extended temperature range. Includes mounting bracket.	\$ 1,429.00	Each	5%	\$ 1,357.55	Cameras	Security	Product

02487-001	02487-001	AXIS Q9307-LV	This all-in-one device combines sharp video, audio, actionable analytics, and indication LEDs. Camera part is from P3267-LV, 4 mics from M4308, and similar speaker as C1410. With four built-in microphones and a built-in speaker, it supports two-way communication. It comes with coughing fit and stressed voice analytics adding an extra audible dimension to active incident management. AXIS Live Privacy Shield lets you remotely monitor activities while safeguarding privacy. And the indication LEDs clearly show when the camera is recording or when audio is being used. This vandal-resistant, IK08-rated camera withstands daily wipe-downs with chemical detergents. Plus, with just one device to install, it offers cost-efficient one-drop installation.	\$	1,499.00	Each	5%	\$	1,424.05	Cameras	Security	Product
02927-001	02927-001	AXIS F4105-SLRE Dome Sensor	AXIS F4105-SLRE is 1080p mini-dome sensor with a Stainless Steel casing (SS 316L). It is NFS/ANSI standard 169 certified for food and beverage processing industry along with catering. AXIS F4105-SLRE has built-in IR lights. It has a default 110° Horizontal Field of View and 2.8mm focal length. AXIS F4105-SLRE uses detachable M12 lenses. Several M12 lenses can be purchased separately offering different types of Horizontal Field of View and Focal Length. AXIS F4105-SLRE is a rugged outdoor mini-dome sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 30fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product
02864-001	02864-001	AXIS P9117-PV	AXIS P9117-PV indoor corner mounted camera with 6 MP sensor and stereographic lens, that can deliver multiple 360° or 180° panoramic views at up to 30 fps with no blind spots. Built on ARTEPEC-8, it offers powerful artificial intelligence and deep learning analytics on the edge. Including AXIS Object Analytics, it can accurately detect and classify moving objects for more effective monitoring. The camera can stream multiple, individually configurable H.264, H.265 and Motion JPEG streams, with support for digital PTZ. The product as well has a built mic supporting audio analytics out of the box. Has an elevator door state detector ACAP pre-installed. Vandal-resistant (IK10) and IP66-rated dust protection. Product comes in white while steel variant cover purchased in a 4 pack separately.	\$	789.00	Each	5%	\$	749.55	Cameras	Security	Product
02927-021	02927-021	AXIS F4105-SLRE Dome Sensor 8P	AXIS F4105-SLRE is a bulk pack of 8x F4105-R SLRE Stainless Steel Dome Sensors. It is 1080p mini-dome sensor with a Stainless Steel casing (SS 316L). It is NFS/ANSI standard 169 certified for food and beverage processing industry along with catering. AXIS F4105-SLRE has built-in IR lights. It has a default 110° Horizontal Field of View and 2.8mm focal length. AXIS F4105-SLRE uses detachable M12 lenses. Several M12 lenses can be purchased separately offering different types of Horizontal Field of View and Focal Length. AXIS F4105-SLRE is a rugged outdoor mini-dome sensor. It is both IP66 and IP6K9K certified. It can deliver up a 1080p resolution at 30fps (all AXIS F91 main units) or 720p at 180fps (AXIS F9111 main unit only).	\$	4,229.00	Each	5%	\$	4,017.55	Cameras	Security	Product
03119-001	03119-001	AXIS M3905-R M12 2.8 mm	AXIS M3905-R is a 1080p fixed dome on-board camera with a M12 network connector on the pigtail. Equipped with 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R is not rollingstock compliant.	\$	349.00	Each	5%	\$	331.55	Cameras	Security	Product
03118-001	03118-001	AXIS M3905-R RJ45 2.8 mm	AXIS M3905-R is a 1080p fixed dome on-board camera with a RJ45 network connector on the pigtail. Equipped with 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R is not rollingstock compliant.	\$	349.00	Each	5%	\$	331.55	Cameras	Security	Product

03119-021	03119-021	AXIS M3905-R M12 2.8mm 10P	AXIS M3905-R M12 2.8mm 10P is a bulk pack of 10x AXIS M3905-R cameras. AXIS M3905-R M12 2.8mm camera is a 1080p fixed dome onboard camera with a M12 network connector on the pigtail. AXIS M3905-R M12 2.8mm camera is equipped with 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R M12 2.8mm camera is not rollingstock compliant.	\$ 3,489.00	Each	5%	\$ 3,314.55	Cameras	Security	Product
03118-021	03118-021	AXIS M3905-R RJ45 2.8 mm 10P	AXIS M3905-R RJ45 2.8mm 10P is a bulk pack of 10x AXIS M3905-R cameras. AXIS M3905-R RJ45 2.8mm camera is a 1080p fixed dome onboard camera with a RJ45 network connector on the pigtail. AXIS M3905-R RJ45 2.8mm camera is equipped with 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS M3905-R RJ45 2.8mm camera is not rollingstock compliant.	\$ 3,489.00	Each	5%	\$ 3,314.55	Cameras	Security	Product
03117-001	03117-001	AXIS P3905-R Mk III M12 2.8 mm	AXIS P3905-R Mk III is a 1080p fixed dome onboard camera with a M12 network connector on the pigtail. Equipped with 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS P3905-R Mk III is rollingstock compliant.	\$ 429.00	Each	5%	\$ 407.55	Cameras	Security	Product
03117-021	03117-021	AXIS P3905-R Mk III M12 2.8 mm 10P	AXIS P3905-R Mk III M12 10P is a bulk pack of 10x AXIS P3905-R Mk III cameras. It is a 1080p fixed dome onboard camera with a M12 network connector on the pigtail. AXIS P3905-R Mk III is equipped with a 2.8mm, F1.2 lens in a rugged IP66/67 casing. It comes with a lens tool. AXIS P3905-R Mk III M12 2.8mm is rollingstock compliant.	\$ 4,289.00	Each	5%	\$ 4,074.55	Cameras	Security	Product
02188-004	02188-004	AXIS M5000-G US	15MP indoor panoramic camera with PTZ and 10x optical zoom. Panoramic part; 3x5MP sensors for 360degrees surveillance PTZ part: HDTV 1080 (1920x1080) automatic day/night and autofocus. WDR- Forensic Capture Build in Z-wave gateway for home automation sensors. Text overlay from Z-wave sensors. H.264/265 with Zipstream, MJPEG Two-way audio. Deterrence LED. 30W PoE 802.3at or 24V. IP52, White body as standard. Surface mount or Axis PTZ standard mount. Midspan not included.	\$ 1,269.00	Each	5%	\$ 1,205.55	Cameras	Security	Product
02345-001	02345-001	AXIS M5074	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus. HDTV 720p (1280x720) 30fps in H.264/H.265 with Zipstream and Motion JPEG. IP51 protection against dust and water. Featuring a built-in microphone, includes built-in analytics such as scream detection. Only PoE, midspan not included. Surface ceiling mounting brackets included.	\$ 579.00	Each	5%	\$ 550.05	Cameras	Security	Product
02347-004	02347-004	AXIS M5075-G	Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocus. HDTV 1080p (1920x1080) 30fps in H.264/H.265 with Zipstream and Motion JPEG. IP51 protection against dust and water. Wireless I/O connectivity with Z-Wave Plus® gateway for home automation devices. Text overlay from Z-wave sensors. Featuring a built-in microphone, includes built-in analytics such as scream detection. Only PoE, midspan not included. Surface ceiling mounting brackets included.	\$ 689.00	Each	5%	\$ 654.55	Cameras	Security	Product
02769-001	02769-001	AXIS M5526-E 60 Hz	Discreet PTZ with 4MP resolution (2688x1512), 10x optical zoom, automatic day/night and autofocus. Continuous 360° pan. WDR, Forensic Capture, IP66, PoE and 24V. 60fps in H.264, H.265 and Motion JPEG, Zipstream, Axis deep learning analytics, Scene profiles, two-way audio, 4 I/O. Surface mount or Axis PTZ standard mount. Midspan not included.	\$ 1,099.00	Each	5%	\$ 1,044.05	Cameras	Security	Product
02769-021	02769-021	AXIS M5526-E 60 Hz 4 pcs	Industrial four pack of AXIS M5526-E 60Hz. Not including bayonet adapter	\$ 4,389.00	Each	5%	\$ 4,169.55	Cameras	Security	Product
01759-001	01759-001	AXIS P5654-E 60HZ	PTZ camera with 77° field of view, continues 360° pan for both indoor and outdoor with 21x optical zoom. HDTV 720p @ 60fps (1280x720) in H.264/265, Motion JPEG, Axis Zipstream, Lightfinder 2 and Focus Recall, WDR, Day & Night, IP66, IK10 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.	\$ 1,799.00	Each	5%	\$ 1,709.05	Cameras	Security	Product

02915-001	02915-001	AXIS P5654-E Mk II 60 Hz	PTZ camera with 77° field of view, continuous 360° pan for both indoor and outdoor with 21x optical zoom. HDTV 1080 and 720p @ 60fps in H.264/265, Motion JPEG, Axis Zipstream. Lightfinder 2 and Focus Recall, WDR, Day & Night, IP66, IK10 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.	\$ 1,799.00	Each	5%	\$ 1,709.05	Cameras	Security	Product
01682-004	01682-004	AXIS P5655-E 60HZ	Product version for the American market. PTZ camera with continuous 360° pan for both indoor and outdoor with 32x optical zoom. Lightfinder 2, Autofocus and Focus Recall. HDTV 1080p @ 30/60fps (1920x1080) in Motion JPEG, H.264, H.265, and Axis Zipstream. Two-way audio, 4xI/O, 24V and PoE, Day & Night, IP66, IK10 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.	\$ 1,999.00	Each	5%	\$ 1,899.05	Cameras	Security	Product
02414-001	02414-001	AXIS P5676-LE 60 Hz	PTZ camera with QHD 2560x1440 @60fps (4MP), 30x optical zoom with autofocus, IP66, IK10 and NEMA 4X. Zipstream with H.264/H.265. Auto day/night, IR illumination 200M (600ft). Continuous 360° rotation. Shock detection, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Build in analytics, Fence Guard, Loitering Guard, Audio detection, Advanced Gatekeeper, Autotracker 2. Clear transparent dome cover. No mounting bracket or midspan included (several different accessories available).	\$ 2,329.00	Each	5%	\$ 2,212.55	Cameras	Security	Product
01981-001	01981-001	AXIS Q6010-E 60HZ	Outdoor-ready 360° situational awareness camera, comprising of 4x5MP sensors @ 20fps in H.264/H.265 Zipstream and Motion JPEG. Movable sensors with exchangeable lenses. Autofocus, D/N, Autopilot for tracking. Designed to be integrated with AXIS Q605x-E and AXIS Q607x-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q60-E.	\$ 1,899.00	Each	5%	\$ 1,804.05	Cameras	Security	Product
02957-001	02957-001	AXIS Q6020-E 60 Hz	Outdoor-ready 360° situational awareness camera, comprising of 4 high light-sensitive 1/2" 5MP sensors @ 30fps in H.264/H.265 Zipstream and Motion JPEG. Movable sensors with exchangeable lenses 3.9mm to 25mm. Dual Artpec-8 with DLPU. Autofocus, D/N, Autopilot for tracking. Designed to be integrated with AXIS Q607x-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q60-E.	\$ 2,329.00	Each	5%	\$ 2,212.55	Cameras	Security	Product
01711-001	01711-001	AXIS Q6100-E 60HZ	Outdoor-ready 360° situational awareness camera, comprising of 4x5MP sensors @ 20fps in H.264/H.265 Zipstream and Motion JPEG. Movable sensors with exchangeable lenses. Autofocus, D/N, Directional Audio Detection. Designed to be integrated with any AXIS Q61-series camera for large area coverage and simultaneous zoom-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q61	\$ 1,899.00	Each	5%	\$ 1,804.05	Cameras	Security	Product
01968-004	01968-004	AXIS Q6074 60HZ	Top performance PTZ camera with HDTV 720p @60fps 30x optical zoom for indoor use. IP52 rated, Zipstream with H.264/H.265. Auto day/night functionality. Continuous 360° rotation and 180° tilt with E-flip. Two-way audio, I/O and external power with multi-connector cable (not included). Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear and smoked transparent dome cover and High PoE midspan are included. Mounting kits for hard and drop ceilings	\$ 2,499.00	Each	5%	\$ 2,374.05	Cameras	Security	Product

01974-004	01974-004	AXIS Q6074-E 60HZ	Top performance PTZ camera with HDTV 720p @60fps, 30x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$	2,969.00	Each	5%	\$	2,820.55	Cameras	Security	Product
01750-004	01750-004	AXIS Q6075 60HZ	Top performance PTZ camera with HDTV 1080p @60fps 40x optical zoom for indoor use. IP52 rated. Zipstream with H.264/ H.265. Auto day/night functionality. Continuous 360° rotation and 180° tilt with E-flip. Two-way audio, I/O and external power with multi-connector cable (not included). Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear and smoked transparent dome cover and High PoE midspan are included. Mounting kits for hard and drop ceilings	\$	2,899.00	Each	5%	\$	2,754.05	Cameras	Security	Product
01752-004	01752-004	AXIS Q6075-E 60HZ	Top performance PTZ camera with HDTV 1080p @60fps, 40x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$	3,499.00	Each	5%	\$	3,324.05	Cameras	Security	Product
01752-301	01752-301	AXIS Q6075-E 60 Hz NM	Top performance PTZ camera with HDTV 1080p @60fps, 40x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover. No Midspan or mounting bracket included (several different accessories available).	\$	3,299.00	Each	5%	\$	3,134.05	Cameras	Security	Product
02148-004	02148-004	AXIS Q6078-E 60HZ	Top performance UHD 4K PTZ camera, 20x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$	3,659.00	Each	5%	\$	3,476.05	Cameras	Security	Product

02148-301	02148-301	AXIS Q6078-E 60 Hz NM	Top performance UHD 4K PTZ camera, 20x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-Flip. Shock detection, Autofracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover. No Midspan or mounting bracket included (several different accessories available).	\$	3,439.00	Each	5%	\$	3,267.05	Cameras	Security	Product
01959-004	01959-004	AXIS Q6135-LE 60HZ	PTZ camera with continuous 360° pan and build in IR illumination (660nm) with 32x optical zoom, Autofocus and Focus Recall. HDTV 1080p @ 60fps (1920x1080) in Motion JPEG, H.264, H.265, and Axis Zipstream. Day & Night, IP66, NEMA 4X and NEMA TS2 classification. Full-size SD-card slot. Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper and analytics. Repaintable surface. Midspan with fiber slot and RJ45 input included.	\$	2,849.00	Each	5%	\$	2,706.55	Cameras	Security	Product
01959-301	01959-301	AXIS Q6135-LE 60 Hz NM	PTZ camera with continuous 360° pan and build in IR illumination (200M) with 32x optical zoom, Autofocus and Focus Recall. HDTV 1080p @ 50fps (1920x1080) in Motion JPEG, H.264, H.265, and Axis Zipstream. Day & Night, IP66, NEMA 4X and NEMA TS2 classification. Full-size SD-card slot. Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper and analytics. Repaintable surface. Midspan NOT included.	\$	2,649.00	Each	5%	\$	2,516.55	Cameras	Security	Product
02317-004	02317-004	AXIS Q6225-LE 60Hz	PTZ for the toughest conditions. MIL specified, build in IR illumination 400M (1300), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521, NEMA TS2 for temperature up to 74C (165F), Arctic temperature control. Camera part: 1/2" sensor with HDTV 1080p, 30x optical zoom, 60fps, H264/H.265 with Zipstream and Motion JPEG, WDR, improved EIS. Perfect image quality in all directions without distortion, window wiper. Autofracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. 90W Midspan included. Color: Urban grey. No mounting bracket included (several different accessories available).	\$	3,949.00	Each	5%	\$	3,751.55	Cameras	Security	Product
02317-301	02317-301	AXIS Q6225-LE 60 Hz NM	TZ for the toughest conditions. MIL specified, build in IR illumination 400M (1300), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521, NEMA TS2 for temperature up to 74C (165F), Arctic temperature control. Camera part: 1/2" sensor with HDTV 1080p, 30x optical zoom, 60fps, H264/H.265 with Zipstream and Motion JPEG, WDR, improved EIS. Perfect image quality in all directions without distortion, window wiper. Autofracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. 90W. Color: Urban grey. No Midspan or mounting bracket included (several different accessories available).	\$	3,749.00	Each	5%	\$	3,561.55	Cameras	Security	Product
02943-001	02943-001	AXIS Q6300-E 60 Hz	Outdoor-ready 360° situational awareness camera, comprising of 4 high light-sensitive 1/2" 5MP sensors @ 30fps in H.264/H.265 Zipstream and Motion JPEG. Movable sensors with interchangeable lenses 3.9mm to 25mm. Dual Artpoc-8 with DLPJ. Directional Audio Detection, Autofocus, D/N, Autopilot for tracking. Designed to be integrated with AXIS Q63-E and 56-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q63-E. For P56-series AXIS TP6902-E Adapter Bracket are needed.	\$	2,329.00	Each	5%	\$	2,212.55	Cameras	Security	Product

01925-004	01925-004	AXIS Q6315-LE 60 Hz	High-end PTZ camera with HDTV 1080p @60fps, 1/2" RGB sensor, 31x optical Quick zoom 1sec from width to tele and Laser Focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated NEMA TS2 for temperature up to 74C (165F). Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C. Auto day/night functionality, IR illumination up to 300M (980Feet), Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$	3,439.00	Each	5%	\$	3,267.05	Cameras	Security	Product
01925-301	01925-301	AXIS Q6315-LE 60 Hz NM	High-end PTZ camera with HDTV 1080p @60fps, 1/2" RGB sensor, 31x optical Quick zoom 1sec from width to tele and Laser Focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated NEMA TS2 for temperature up to 74C (165F). Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C. Auto day/night functionality, IR illumination up to 300M (980Feet), Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. Clear transparent dome cover. No mounting Midspan or bracket included (several different accessories available).	\$	3,229.00	Each	5%	\$	3,067.55	Cameras	Security	Product
02447-004	02447-004	AXIS Q6318-LE 60 Hz	High-end PTZ camera with UHD 4K @30fps (8MP), 1/2" RGB sensor, 31x optical Quick zoom 1sec from width to tele and Laser Focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated NEMA TS2 for temperature up to 74C (165F). Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C. Auto day/night functionality, IR illumination up to 200M (656Ft), Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).	\$	3,659.00	Each	5%	\$	3,476.05	Cameras	Security	Product
02447-301	02447-301	AXIS Q6318-LE 60 Hz NM	High-end PTZ camera with UHD 4K @30fps (8MP), 1/2" RGB sensor, 31x optical Quick zoom 1sec from width to tele and Laser Focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated NEMA TS2 for temperature up to 74C (165F). Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C. Auto day/night functionality, IR illumination up to 200M (656Ft), Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Highlight compensation. Build in analytics. Clear transparent dome cover. No Midspan or mounting bracket included (several different accessories available).	\$	3,439.00	Each	5%	\$	3,267.05	Cameras	Security	Product
02976-004	02976-004	AXIS Q6355-LE	Features very light-sensitive 1/2" sensor, 31x optical zoom, IR illumination up to 300M/984ft Laser Focus and quick-zoom. HDTV 1080 @50/60fps automatic selection, WDR, ARTPEC-9 with Deep learning processing unit enables detection and classification of objects. Auto tracking 2.Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon masking, IP66-, IK10-, and NEMA 4x, NEMA TS2 rated for temperatures up to 74C/165F°. Axis Zipstream with support for AV1, H.264, and H.265 significantly lowers bandwidth. Axis Edge Vault. Midspan with audio and I/O included. Smoked dome available as accessory.	\$	3,439.00	Each	5%	\$	3,267.05	Cameras	Security	Product

02976-301	02976-301	AXIS Q6355-LE NM	Features very light-sensitive 1/4" sensor, 31x optical zoom, IR illumination up to 300M/984ft Laser Focus and quick-zoom, HDTV 1080 @50/60fps automatic selection, WDR, ARTPEC-9 with Deep learning processing unit enables detection and classification of objects. Auto tracking 2.Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon masking, IP66-, IK10-, and NEMA 4x, NEMA TS2 rated for temperatures up to 74C/165F. Axis Zipstream with support for AV1, H.264, and H.265 significantly lowers bandwidth. Smoked dome available as accessory. Midspan not included.	\$ 3,229.00	Each	5%	\$ 3,067.55	Cameras	Security	Product
02977-301	02977-301	AXIS Q6358-LE NM	High-end PTZ camera with 4K UHD @50/60fps, High sensitive 1/2" RGB sensor, 31x optical Quick zoom and Laser focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated, NEMA TS2 for temperature up to 74C (165F). Zipstream with new compression AV1 and H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C/F. Auto day/night functionality, IR illumination up to 250M (820Feet). Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Build in AI with DLPU including AOA. Clear transparent dome cover. No Midspan or mounting bracket included (several different accessories available).	\$ 3,499.00	Each	5%	\$ 3,324.05	Cameras	Security	Product
02977-004	02977-004	AXIS Q6358-LE	High-end PTZ camera with 4K UHD @50/60fps, High sensitive 1/2" RGB sensor, 31x optical Quick zoom and Laser focus. Outdoor-ready, IP66, IK10 and NEMA 4x-rated, NEMA TS2 for temperature up to 74C (165F). Zipstream with new compression AV1 and H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C/F. Auto day/night functionality, IR illumination up to 250M (820Feet). Continuous 360° rotation. Shock detection, Autotracking 2, Tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with chameleon and mosaic masking. Build in AI with DLPU including AOA. Clear transparent dome cover and High PoE midspan with fiber slot, two-way audio and I/O. No mounting bracket included (several different accessories available).	\$ 3,699.00	Each	5%	\$ 3,514.05	Cameras	Security	Product
01966-004	01966-004	AXIS V5925 60 Hz	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity. Studio quality in stereo. Power supply and wall mount bracket are included.	\$ 2,279.00	Each	5%	\$ 2,165.05	Cameras	Security	Product
02023-004	02023-004	AXIS V5938 60 Hz	Generic PTZ camera with 20x zoom, autofocus and UHD 4K resolution at 60fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS, HDMI, 3G-SDI, XLR-3 for studio connectivity. Studio audio quality in stereo. Power supply, wall mount bracket and s/w for streaming are included.	\$ 3,499.00	Each	5%	\$ 3,324.05	Cameras	Security	Product
03051-001	03051-001	AXIS Q8752-E Mk II Zoom 30 fps	High accuracy outdoor PTZ positioning Bispectral camera based on AXIS ARTPEC7 platform. Thermal sensor features a 640x480 resolution, 8.3 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 32x optical zoom, focus recall and is extremely light sensitive. EIS (Electronic Image Stabilization) on both channels ensures focused and stable video. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.265 and local storage. Included cybersecurity features are TPM-module, Axis secure boot and comes with signed FW. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 56 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 25,999.00	Each	5%	\$ 24,699.05	Cameras	Security	Product

03053-001	03053-001	AXIS Q8752-E Mk II 35 mm 30 fps	<p>High accuracy outdoor PTZ positioning Bispectral camera based on AXIS ARTPEC7 platform. Thermal sensor features a 640x480 resolution, 8.3 fps and 35 mm fixed thermal lens. Visual sensor have HDTV 1080p video resolution, 32x optical zoom, focus recall and is extremely light sensitive. EIS (Electronic Image Stabilization) on both channels ensures focused and stable video. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.265 and local storage. Included cybersecurity features are TPM-module, Axis secure boot and comes with signed FW. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 56 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	14,999.00	Each	5%	\$	14,249.05	Cameras	Security	Product
01838-001	01838-001	AXIS Q8752-E 35 MM 30 FPS	<p>High accuracy outdoor PTZ positioning Bispectral camera based on AXIS ARTPEC7 platform. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 32x optical zoom, focus recall and is extremely light sensitive. EIS (Electronic Image Stabilization) on both channels ensures focused and stable video. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.265 and local storage. Included cybersecurity features are TPM-module, Axis secure boot and comes with signed FW. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	14,839.00	Each	5%	\$	14,097.05	Cameras	Security	Product
01841-001	01841-001	AXIS Q8752-E ZOOM 30 FPS	<p>High accuracy outdoor PTZ positioning Bispectral camera based on AXIS ARTPEC7 platform. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 32x optical zoom, focus recall and is extremely light sensitive. EIS (Electronic Image Stabilization) on both channels ensures focused and stable video. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.265 and local storage. Included cybersecurity features are TPM-module, Axis secure boot and comes with signed FW. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	25,439.00	Each	5%	\$	24,167.05	Cameras	Security	Product

01119-001	01119-001	AXIS Q8641-E 35MM 30 FPS 24V	High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$	6,679.00	Each	5%	\$	6,345.05	Cameras	Security	Product
01121-001	01121-001	AXIS Q8642-E 60MM 30 FPS 24V	High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 30 fps and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$	10,919.00	Each	5%	\$	10,373.05	Cameras	Security	Product
0824-001	0824-001	AXIS Q8741-E 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$	10,599.00	Each	5%	\$	10,069.05	Cameras	Security	Product
01013-001	01013-001	AXIS Q8741-LE 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$	12,289.00	Each	5%	\$	11,674.55	Cameras	Security	Product

0830-001	0830-001	AXIS Q8742-E ZOOM 30 FPS 24V	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 23,319.00	Each	5%	\$ 22,153.05	Cameras	Security	Product
0828-001	0828-001	AXIS Q8742-E 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 13,779.00	Each	5%	\$ 13,090.05	Cameras	Security	Product
01017-001	01017-001	AXIS Q8742-LE 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 15,469.00	Each	5%	\$ 14,695.55	Cameras	Security	Product

01019-001	01019-001	AXIS Q8742-LE ZOOM 30 FPS 24V	<p>High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	24,999.00	Each	5%	\$	23,749.05	Cameras	Security	Product
0786-001	0786-001	AXIS Q1941-E 7MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	2,969.00	Each	5%	\$	2,820.55	Cameras	Security	Product
02150-001	02150-001	AXIS Q1951-E 7mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <40 mik @25C, F1.0 This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
0787-001	0787-001	AXIS Q1941-E 13MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	2,969.00	Each	5%	\$	2,820.55	Cameras	Security	Product

02152-001	02152-001	AXIS Q1951-E 13mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <40 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
0877-001	0877-001	AXIS Q1941-E 19MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) Nr 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	2,969.00	Each	5%	\$	2,820.55	Cameras	Security	Product
02154-001	02154-001	AXIS Q1951-E 19mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <40 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
0788-001	0788-001	AXIS Q1941-E 35MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) Nr 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	4,029.00	Each	5%	\$	3,827.55	Cameras	Security	Product

			<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 35 mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <40 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>									
02156-001	02156-001	AXIS Q1951-E 35mm 30 fps		\$	4,339.00	Each	5%	\$	4,122.05	Cameras	Security	Product
			<p>Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>									
0789-001	0789-001	AXIS Q1941-E 60MM 30 FPS		\$	6,149.00	Each	5%	\$	5,841.55	Cameras	Security	Product
			<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>									
0973-001	0973-001	AXIS Q1941-E PT MOUNT 7MM 30 FPS		\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
			<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>									
0974-001	0974-001	AXIS Q1941-E PT MOUNT 13MM 30 FPS		\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product

0979-001	0979-001	AXIS Q1941-E PT MOUNT 19MM 30 FPS	<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	3,179.00	Each	5%	\$	3,020.05	Cameras	Security	Product
0975-001	0975-001	AXIS Q1941-E PT MOUNT 35MM 30 FPS	<p>*Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.*</p>	\$	4,339.00	Each	5%	\$	4,122.05	Cameras	Security	Product
0977-001	0977-001	AXIS Q1941-E PT MOUNT 60MM 30 FPS	<p>Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	6,149.00	Each	5%	\$	5,841.55	Cameras	Security	Product
0916-001	0916-001	AXIS Q1942-E 10MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	5,299.00	Each	5%	\$	5,034.05	Cameras	Security	Product

02158-001	02158-001	AXIS Q1952-E 10mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10 mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <30 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	5,719.00	Each	5%	\$	5,433.05	Cameras	Security	Product
0918-001	0918-001	AXIS Q1942-E 19MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	5,299.00	Each	5%	\$	5,034.05	Cameras	Security	Product
02160-001	02160-001	AXIS Q1952-E 19mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 31° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <30 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	5,719.00	Each	5%	\$	5,433.05	Cameras	Security	Product
02162-001	02162-001	AXIS Q1952-E 35mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4). This product is free from PVC, BFR and CFR. NETD <30 mK @25C, F1.0</p> <p>This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	6,889.00	Each	5%	\$	6,544.55	Cameras	Security	Product

0922-001	0922-001	AXIS Q1942-E 60MM 30 FPS	<p>Outdoor thermal network camera for wall and ceiling mount. 640x480 resolution, 30 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	8,579.00	Each	5%	\$	8,150.05	Cameras	Security	Product
0981-001	0981-001	AXIS Q1942-E PT MOUNT 10MM 30 FPS	<p>Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	5,719.00	Each	5%	\$	5,433.05	Cameras	Security	Product
0983-001	0983-001	AXIS Q1942-E PT MOUNT 19MM 30 FPS	<p>Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	5,719.00	Each	5%	\$	5,433.05	Cameras	Security	Product
0985-001	0985-001	AXIS Q1942-E PT MOUNT 35MM 30 FPS	<p>Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) № 428/2009 and Export Control Classification Number (ECCN) 6A003.b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	6,889.00	Each	5%	\$	6,544.55	Cameras	Security	Product

0987-001	0987-001	AXIS Q1942-E PT MOUNT 60MM 30 FPS	<p>Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed.</p> <p>This product is controlled for export under EU Regulation (EC) No 428/2009 and Export Control Classification Number (ECCN) 6A003b.4.b applies. Licensing requirements may affect the lead time for delivery and/or general order status. If in doubt, please contact customs-se@axis.com for guidance on the license application procedure.</p>	\$	8,579.00	Each	5%	\$	8,150.05	Cameras	Security	Product
02945-001	02945-001	AXIS Q1971-E 7 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution QVGA (384x288 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	2,999.00	Each	5%	\$	2,849.05	Cameras	Security	Product
02947-001	02947-001	AXIS Q1971-E 13 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution QVGA (384x288 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,099.00	Each	5%	\$	2,944.05	Cameras	Security	Product
02949-001	02949-001	AXIS Q1971-E 19 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution QVGA (384x288 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,199.00	Each	5%	\$	3,039.05	Cameras	Security	Product

02951-001	02951-001	AXIS Q1971-E 25 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipsream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution QVGA (384x288 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	3,799.00	Each	5%	\$	3,609.05	Cameras	Security	Product
02953-001	02953-001	AXIS Q1971-E 35 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipsream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution QVGA (384x288 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	4,399.00	Each	5%	\$	4,179.05	Cameras	Security	Product
03027-001	03027-001	AXIS Q1972-E 10 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Zipsream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution VGA (640x480 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	5,799.00	Each	5%	\$	5,509.05	Cameras	Security	Product

03029-001	03029-001	AXIS Q1972-E 19 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Ziptream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution VGA (640x480 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	5,799.00	Each	5%	\$	5,509.05	Cameras	Security	Product
03031-001	03031-001	AXIS Q1972-E 25 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Ziptream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution VGA (640x480 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	6,299.00	Each	5%	\$	5,984.05	Cameras	Security	Product
03033-001	03033-001	AXIS Q1972-E 35 mm 30 fps	<p>Outdoor thermal network camera for wall and ceiling mount. The camera is based on ARTPEC 8 and it supports Electronic Image Stabilization, Ziptream, ONVIF, H.264, H.265, audio in, two supervised I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender with AI-based functionality and other third-party applications. IK10, IP66, IP67, NEMA 4X rated, UL listed and compliant to a number of MIL-standards (among those is MIL-STD-810H / 521.4).</p> <p>This product is free from PVC, BFR and CFR. NETD <20 mK @25C, F1.0 Image sensor resolution VGA (640x480 pixels)</p> <p>The thermal image sensor of this product is manufactured within the European Union and is subject to EU export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	\$	6,899.00	Each	5%	\$	6,554.05	Cameras	Security	Product
02600-001	02600-001	AXIS Q2111-E 60 mm 30 fps	<p>Q2111-E is an ARTPEC 8 based thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a 60mm lens for long range surveillance. Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2111-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2111-TE supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	6,699.00	Each	5%	\$	6,364.05	Cameras	Security	Product

02604-001	02604-001	AXIS Q2112-E 10 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	6,299.00	Each	5%	\$	5,984.05	Cameras	Security	Product
02606-001	02606-001	AXIS Q2112-E 19 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	6,299.00	Each	5%	\$	5,984.05	Cameras	Security	Product
02608-001	02608-001	AXIS Q2112-E 25 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	6,799.00	Each	5%	\$	6,459.05	Cameras	Security	Product
02610-001	02610-001	AXIS Q2112-E 35 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	6,799.00	Each	5%	\$	6,459.05	Cameras	Security	Product
02612-001	02612-001	AXIS Q2112-E 60 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	8,599.00	Each	5%	\$	8,169.05	Cameras	Security	Product

02614-001	02614-001	AXIS Q2112-E 100 mm 30 fps	<p>Q2112-E is an ARTPEC 8 based VGA resolution thermal camera with exceptionally high thermal sensitivity (low NETD-value). It comes with a variety of lens options for long range surveillance. Please note that lenses are not user changeable so order the correct version!</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2112-E can be PT-mounted (PT head sold separately). When PT-mounted, Q2112-E supports guard tour, giving you to monitor very large and complex scenes.</p> <p>No mounting accessory is included so an arm or a PT-unit must be ordered separately.</p>	\$	10,999.00	Each	5%	\$	10,449.05	Cameras	Security	Product
02174-001	02174-001	AXIS Q1961-TE 7mm 30 fps	<p>Q1961-TE is an ARTPEC 8 based thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F). It supports up to 10 configurable polygonal detection areas allowing you to monitor for specific temperature levels and change rates. With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire.</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free and light weight. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p>	\$	4,299.00	Each	5%	\$	4,084.05	Cameras	Security	Product
02176-001	02176-001	AXIS Q1961-TE 13mm 30 fps	<p>Q1961-TE is an ARTPEC 8 based thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F). It supports up to 10 configurable polygonal detection areas allowing you to monitor for specific temperature levels and change rates. With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire.</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free and light weight. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p>	\$	4,299.00	Each	5%	\$	4,084.05	Cameras	Security	Product
02650-001	02650-001	AXIS Q2101-TE 7 mm 30 fps	<p>Q2101-TE is an ARTPEC 8 based thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F).</p> <p>Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices.</p> <p>Q2101-TE can be PT-mounted (PT head sold separately). When PT-mounted, Q2101-TE supports the Axis unique feature of Thermometric guard tour, giving you the possibility to configure 10 polygonal detection areas per preset. With up to 256 presets you can monitor very large and complex scenes for specific temperature levels and temperature change rates.</p> <p>With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire. The Early Fire Detection ACAP comes with a smart filtering function eliminating many false alarms, commonly originating from work vehicles such as truck, excavators and cars.</p>	\$	4,999.00	Each	5%	\$	4,749.05	Cameras	Security	Product

02652-001	02652-001	AXIS Q2101-TE 13 mm 30 fps	<p>Q2101-TE is an ARTPEC 8 based thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F). Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices. Q2101-TE can be PT-mounted (PT head sold separately). When PT-mounted, Q2101-TE supports the Axis unique feature of Thermometric guard tour, giving you the possibility to configure 10 polygonal detection areas per preset. With up to 256 presets you can monitor very large and complex scenes for specific temperature levels and temperature change rates.</p> <p>With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire. The Early Fire Detection ACAP comes with a smart filtering function eliminating many false alarms, commonly originating from work vehicles such as truck, excavators and cars.</p>	\$	4,999.00	Each	5%	\$	4,749.05	Cameras	Security	Product
02669-001	02669-001	AXIS Q2101-TE 19 mm 30 fps	<p>Q2101-TE is an ARTPEC 8 based thermometric camera that lets you remotely monitor temperatures from -40 °C to 350 °C (-40 °F to 660 °F). Robust and impact-resistant (IK10 and IP66/67), it includes built-in cybersecurity features to help safeguard your system. The product is halogen free. Edge-to-edge functionality lets you connect network speakers and other Axis network devices. Q2101-TE can be PT-mounted (PT head sold separately). When PT-mounted, Q2101-TE supports the Axis unique feature of Thermometric guard tour, giving you the possibility to configure 10 polygonal detection areas per preset. With up to 256 presets you can monitor very large and complex scenes for specific temperature levels and temperature change rates.</p> <p>With early fire detection analytics (included), it's possible to set triggers and preventively act on early signs of fire. The Early Fire Detection ACAP comes with a smart filtering function eliminating many false alarms, commonly originating from work vehicles such as truck, excavators and cars.</p>	\$	4,999.00	Each	5%	\$	4,749.05	Cameras	Security	Product
1065C001	1065C001	CANON PLE. REC MOUNT KIT SR30-P-VB	Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80D mini-domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
9920B001	9920B001	CANON SURFACE MOUNT SPACER SS30-VB	Indoor surface mount wall/ceiling spacer for VB-S30D/S31D/S80D mini-domes.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
1736C001	1736C001	CANON PENDANT CAP PC30VE-VB	Indoor Pendant mounting Cap for VB-S30VE/S800VE mini-domes	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
1735C001	1735C001	CANON CONDUIT BOX CB30VE-VB	Conduit Box for VB-S30VE/S800VE mini-domes	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
1389C001	1389C001	CANON NETWORK CAMERA VB-S910F	Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology, 7 in-built video & audio intelligent analytic functions and linked events. Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White.	\$	499.00	Each	5%	\$	474.05	Cameras	Security	Product
5717C001	5717C001	CANON NETWORK CAMERA VB-S32D	Indoor compact PTZ minidome network camera with 3.5x optical zoom, auto focus and digital night mode. Multiple H.264, H.265 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. Built-in video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDXC Card slot for Edge storage. Available in White.	\$	849.00	Each	5%	\$	806.55	Cameras	Security	Product

1064C001	1064C001	CANON NETWORK CAMERA VB-M50B	Indoor PTZ network camera with 348° rotation and large-aperture lens ideal for low light applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDXC Card slot for Edge storage. Only available in Black.	\$	1,999.00	Each	5%	\$	1,899.05	Cameras	Security	Product
5715C001	5715C001	CANON NETWORK CAMERA VB-H47W	WHITE VERSION Indoor PTZ network camera with 340° rotation, 20x optical zoom, auto focus, and day/night switching. Multiple H.264, H.265 and Motion JPEG streams; max Full HD 1080p resolution at 60fps. Smart Shade Control - dynamic contrast. Built-in video & audio intelligent analytic functions. Powered by PoE and 12V DC. Power supply not included. Two way audio, Input/Output ports and SD/SDHC/SDXC Memory Card slot for Edge storage. Available in Titanium white and Black.	\$	2,939.00	Each	5%	\$	2,792.05	Cameras	Security	Product
5715C002	5715C002	CANON NETWORK CAMERA VB-H47B	BLACK VERSION Indoor PTZ network camera with 340° rotation, 20x optical zoom, auto focus, and day/night switching. Multiple H.264, H.265 and Motion JPEG streams; max Full HD 1080p resolution at 60fps. Smart Shade Control - dynamic contrast. Built-in video & audio intelligent analytic functions. Powered by PoE and 12V DC. Power supply not included. Two way audio, Input/Output ports and SD/SDHC/SDXC Memory Card slot for Edge storage. Available in Titanium white and Black.	\$	2,939.00	Each	5%	\$	2,792.05	Cameras	Security	Product
5716C001	5716C001	CANON NETWORK CAMERA VB-M46W	WHITE VERSION Indoor PTZ network camera with 340° rotation, 20x optical zoom, auto focus, and day/night switching. Multiple H.264, H.265 and Motion JPEG streams; max 1.3MP 720p resolution at 60fps. Smart Shade Control - dynamic contrast. Built-in video & audio intelligent analytic functions. Powered by PoE and 12V DC. Power supply not included. Two way audio, Input/Output ports and SD/SDHC/SDXC Memory Card slot for Edge storage. Available in Titanium white and Black.	\$	2,109.00	Each	5%	\$	2,003.55	Cameras	Security	Product
5716C002	5716C002	CANON NETWORK CAMERA VB-M46B	BLACK VERSION Indoor PTZ network camera with 340° rotation, 20x optical zoom, auto focus, and day/night switching. Multiple H.264, H.265 and Motion JPEG streams; max 1.3MP 720p resolution at 60fps. Smart Shade Control - dynamic contrast. Built-in video & audio intelligent analytic functions. Powered by PoE and 12V DC. Power supply not included. Two way audio, Input/Output ports and SD/SDHC/SDXC Memory Card slot for Edge storage. Available in Titanium white and Black.	\$	2,109.00	Each	5%	\$	2,003.55	Cameras	Security	Product
0319-004	0319-004	AXIS P7701	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	\$	569.00	Each	5%	\$	540.55	Cameras	Security	Product
0319-051	0319-051	AXIS P7701 VIDEO DEC BB BULK 20PCS	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$	11,379.00	Each	5%	\$	10,810.05	Cameras	Security	Product
0319-041	0319-041	AXIS P7701 VIDEO DECODER BARE BONE	Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	\$	569.00	Each	5%	\$	540.55	Cameras	Security	Product
02282-001	02282-001	AXIS D1110 VIDEO DECODER 4K	4K Video Decoder with 8 streams in multiview, local playback of media, DC or PoE powered, with audio through audio in or HDMI plus many more features	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product

01679-001	01679-001	AXIS M7104 VIDEO ENCODER	Four channel video encoder supporting PAL/NTSC cameras. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Frame rate 25/30 fps in all resolutions. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Serial port for RS422/485 communication. Power over Ethernet or 12-20V DC input. MicroSD/MicroSDHC memory card slot for optional local video storage.	\$ 349.00	Each	5%	\$ 331.55	Cameras	Security	Product
0542-004	0542-004	AXIS P7216 VIDEO ENCODER	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 1,399.00	Each	5%	\$ 1,329.05	Cameras	Security	Product
01680-001	01680-001	AXIS P7304 VIDEO ENCODER	Four channel video encoder supporting PAL/NTSC and HD analog cameras. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Frame rate 25/30 fps in all resolutions up to 1080p. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm and audio detection. I/O for alarm/event handling, serial port for RS422/485 communication. Power over Ethernet or 12-20V DC input. MicroSD/MicroSDHC memory card slot for optional local video storage. Two-way audio with analog or digital microphone.	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
02036-004	02036-004	AXIS M7116	Sixteen-channel video encoder support PAL/NTSC cameras. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. Frame rate 25/30 fps in all resolutions. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. 4 serial ports for RS422/485 communication. Power over Ethernet or 12-20V DC input. MicroSD/MicroSDHC memory card slot for optional local video storage. PTZ cameras control over the serial ports.	\$ 1,149.00	Each	5%	\$ 1,091.55	Cameras	Security	Product
02037-004	02037-004	AXIS P7316 Video Encoder	16-channel video encoder. Max 4K resolution at 15ip on 4x channels. The video encoder has 4x ARTPEC-7 chips and 4x IP addresses. H.264, H.265 and Motion JPEG on all channels. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4x micro SD card slots for edge storage. PTZ support. Signed firmware and secure boot to enhance cybersecurity. It includes a power supply.	\$ 1,499.00	Each	5%	\$ 1,424.05	Cameras	Security	Product
0267-004	0267-004	AXIS 291 1U VIDEO SERV RACK	1U 19" rack unit with three expansion slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
02764-004	02764-004	AXIS S3008 Mk II 2 TB	AXIS S3008 Mk II 2 TB Recorder is a compact recorder with 8 PoE ports and a gigabit uplink. With its powerful PoE switch, eight PoE class 3 devices can be connected to the recorder and the recordings are done on the internal hard drive. It is compatible with AXIS Companion, AXIS Camera Station, their mobile app, and a wide range of Axis devices. To increase reliability and security, the product supports disk encryption, contains a 2 TB surveillance class hard drive and includes 5-year limited hardware warranty. This product is not a System Controller for Body Worn Solutions.	\$ 719.00	Each	5%	\$ 683.05	Cameras	Security	Product
02765-004	02765-004	AXIS S3008 Mk II 4 TB	AXIS S3008 Mk II 4 TB Recorder is a compact recorder with 8 PoE ports and a gigabit uplink. With its powerful PoE switch, eight PoE class 3 devices can be connected to the recorder and the recordings are done on the internal hard drive. It is compatible with AXIS Companion, AXIS Camera Station, their mobile app, and a wide range of Axis devices. To increase reliability and security, the product supports disk encryption, contains a 4 TB surveillance class hard drive and includes 5-year limited hardware warranty. This product is not a System Controller for Body Worn Solutions.	\$ 929.00	Each	5%	\$ 882.55	Cameras	Security	Product

02766-004	02766-004	AXIS S3008 Mk II 8 TB	AXIS S3008 Mk II 8 TB Recorder is a compact recorder with 8 PoE ports and a gigabit uplink. With its powerful PoE switch, eight PoE class 3 devices can be connected to the recorder and the recordings are done on the internal hard drive. It is compatible with AXIS Companion, AXIS Camera Station, their mobile app, and a wide range of Axis devices. To increase reliability and security, the product supports disk encryption, contains a 8 TB surveillance class hard drive and includes 5-year limited hardware warranty. This product is not a System Controller for Body Worn Solutions.	\$	1,249.00	Each	5%	\$	1,186.55	Cameras	Security	Product
02527-004	02527-004	AXIS S3016 8 TB	AXIS S3016 8 TB Recorder is a 1U rack recorder with an integrated PoE switch and high power budget for up to 16 devices and a maximum of PoE class 4 per port. It provides reliable recording thanks to the four surveillance grade hard drives and different RAID levels. This high-performance recorder offers a gigabit switch for connecting network devices and a 2.5 gigabit uplink for video recordings in ultra-high definition and includes a 5-year warranty. The recorder can be used in single-site, multi-site systems and for expanding storage and network in existing systems. It is compatible with both AXIS Companion as well as AXIS Camera Station video management software and mobile app. AXIS S3016 can be installed in server racks with a post-to-post distance between 376mm (14.8in) and 499mm (19.6in). For deeper server racks, AXIS TS3901 Rail Extensions can be used when the post-to-post distance is between 499mm (19.6in) and 689mm (27.1in).	\$	2,499.00	Each	5%	\$	2,374.05	Cameras	Security	Product
02351-004	02351-004	AXIS S3016 16 TB	AXIS S3016 16 TB Recorder is a 1U rack recorder with an integrated PoE switch and high power budget for up to 16 devices and a maximum of PoE class 4 per port. It provides reliable recording thanks to the four surveillance grade hard drives and different RAID levels. This high-performance recorder offers a gigabit switch for connecting network devices and a 2.5 gigabit uplink for video recordings in ultra-high definition and includes a 5-year warranty. The recorder can be used in single-site, multi-site systems and for expanding storage and network in existing systems. It is compatible with both AXIS Companion as well as AXIS Camera Station video management software and mobile app. AXIS S3016 can be installed in server racks with a post-to-post distance between 376mm (14.8in) and 499mm (19.6in). For deeper server racks, AXIS TS3901 Rail Extensions can be used when the post-to-post distance is between 499mm (19.6in) and 689mm (27.1in).	\$	2,999.00	Each	5%	\$	2,849.05	Cameras	Security	Product
02352-004	02352-004	AXIS S3016 32 TB	AXIS S3016 32 TB Recorder is a 1U rack recorder with an integrated PoE switch and high power budget for up to 16 devices and a maximum of PoE class 4 per port. It provides reliable recording thanks to the four surveillance grade hard drives and different RAID levels. This high-performance recorder offers a gigabit switch for connecting network devices and a 2.5 gigabit uplink for video recordings in ultra-high definition and includes a 5-year warranty. The recorder can be used in single-site, multi-site systems and for expanding storage and network in existing systems. It is compatible with both AXIS Companion as well as AXIS Camera Station video management software and mobile app. AXIS S3016 can be installed in server racks with a post-to-post distance between 376mm (14.8in) and 499mm (19.6in). For deeper server racks, AXIS TS3901 Rail Extensions can be used when the post-to-post distance is between 499mm (19.6in) and 689mm (27.1in).	\$	4,199.00	Each	5%	\$	3,989.05	Cameras	Security	Product

02046-004	02046-004	AXIS S3008 4 TB	AXIS S3008 4 TB Recorder is a compact recorder with 8 PoE ports and a gigabit uplink. Up to 8 devices can be connected to the recorder and recording is done on the internal hard drive. It is compatible with AXIS Companion VMS, AXIS Camera Station and a wide range of Axis devices. To increase reliability and security, the product supports disk encryption, contains a 4 TB surveillance class hard drive and includes 5-year limited hardware warranty. Calculate your PoE requirements with AXIS Site Designer. This product is not a System Controller for Body Worn Solutions.	\$ 849.00	Each	5%	\$ 806.55	Cameras	Security	Product
02135-004	02135-004	AXIS S3008 8 TB	AXIS S3008 8 TB Recorder is a compact recorder with 8 PoE ports and a gigabit uplink. Up to 8 devices can be connected to the recorder and recording is done on the internal hard drive. It is compatible with AXIS Companion VMS, AXIS Camera Station and a wide range of Axis devices. To increase reliability and security, the product supports disk encryption, contains a 8 TB surveillance class hard drive and includes 5-year limited hardware warranty. Calculate your PoE requirements with AXIS Site Designer. This product is not a System Controller for Body Worn Solutions.	\$ 1,149.00	Each	5%	\$ 1,091.55	Cameras	Security	Product
02403-004	02403-004	AXIS S2108	AXIS Camera Station S2108 Appliance is an affordable, all-in-one appliance including a VMS client/server, storage, and an integrated PoE switch - all validated to meet the demands for reliable, basic surveillance up to 1080p. It is preloaded with AXIS Camera Station VMS and all other necessary software such as Windows 10 IoT Enterprise and AXIS Recorder Toolbox. It includes a Trusted Platform module (TPM 2.0), 2 TB storage, Core licenses for 8 devices and 5-year limited hardware warranty.	\$ 1,999.00	Each	5%	\$ 1,899.05	Cameras	Security	Product
02807-004	02807-004	AXIS S2208 Mk II 4 TB	AXIS Camera Station S2208 Mk II 4 TB Appliance is ideal in coffee shops and offices, this all-in-one standalone appliance is silent and won't disturb local operations. It includes 8 AXIS Camera Station Pro licenses, a PoE switch with up to eight channels, and 4 TB storage. It also offers flexible storage options and supports powerful AI applications such as Smart Search 2. The system can easily be expanded using AXIS S30 Recorder Series for additional channels, PoE and storage. It's preloaded with software and tools to help you set up and maintain your system. For instance, AXIS Recorder Toolbox includes an intuitive setup wizard. Furthermore, it offers high-security features and standards such as FIPS 140-2 Level 2 certified TPM, Secure Boot, Signed firmware, SBOM and much more. The product includes 5-year limited hardware warranty.	\$ 2,999.00	Each	5%	\$ 2,849.05	Cameras	Security	Product
02808-004	02808-004	AXIS S2212 Mk II 6 TB	AXIS Camera Station S2212 Mk II 6 TB Appliance is ideal in coffee shops and offices, this all-in-one standalone appliance is silent and won't disturb local operations. It includes 12 AXIS Camera Station Pro licenses, a PoE switch with up to 12 channels, and 6 TB storage. It also offers flexible storage options and supports powerful AI applications such as Smart Search 2. The system can easily be expanded using AXIS S30 Recorder Series for additional channels, PoE and storage. It's preloaded with software and tools to help you set up and maintain your system. For instance, AXIS Recorder Toolbox includes an intuitive setup wizard. Furthermore, it offers high-security features and standards such as FIPS 140-2 Level 2 certified TPM, Secure Boot, Signed firmware, SBOM and much more. The product includes 5-year limited hardware warranty.	\$ 3,799.00	Each	5%	\$ 3,609.05	Cameras	Security	Product

02809-004	02809-004	AXIS S2216 Mk II 8 TB	AXIS Camera Station S2216 Mk II 8 TB Appliance is ideal for manufacturing sites and commercial buildings, this all-in-one rack appliance is perfect for installation in a server rack. It includes 16 AXIS Camera Station Pro licenses, a PoE switch with up to 16 channels, and 8 TB storage. It also offers flexible storage options and supports powerful AI applications such as Smart Search 2. The system can easily be expanded using AXIS S30 Recorder Series for additional channels, PoE and storage. It's preloaded with software and tools to help you set up and maintain your system. For instance, AXIS Recorder Toolbox includes an intuitive setup wizard. Furthermore, it offers high-security features and standards such as FIPS 140-2 Level 2 certified TPM, Secure Boot, Signed firmware, SBOM and much more. The product includes 5-year limited hardware warranty.	\$ 4,599.00	Each	5%	\$ 4,369.05	Cameras	Security	Product
02810-004	02810-004	AXIS S2224 Mk II 12 TB	AXIS Camera Station S2224 Mk II 12 TB Appliance is ideal for manufacturing sites and commercial buildings, this all-in-one rack appliance is perfect for installation in a server rack. It includes 24 AXIS Camera Station Pro licenses, a PoE switch with up to 24 channels, and 12 TB storage. It also offers flexible storage options and supports powerful AI applications such as Smart Search 2. The system can easily be expanded using AXIS S30 Recorder Series for additional channels, PoE and storage. It's preloaded with software and tools to help you set up and maintain your system. For instance, AXIS Recorder Toolbox includes an intuitive setup wizard. Furthermore, it offers high-security features and standards such as FIPS 140-2 Level 2 certified TPM, Secure Boot, Signed firmware, SBOM and much more. The product includes 5-year limited hardware warranty.	\$ 5,399.00	Each	5%	\$ 5,129.05	Cameras	Security	Product
01580-004	01580-004	AXIS S2208	AXIS Camera Station S2208 Appliance is an eight channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 4 TB storage, Core licenses for 8 devices, 5-year limited hardware warranty on the appliance and hard drive. Supports up to 4k ultra HD.	\$ 2,499.00	Each	5%	\$ 2,374.05	Cameras	Security	Product
01581-004	01581-004	AXIS S2212	AXIS Camera Station S2212 Appliance is a twelve channel compact desktop Client/Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 6 TB storage, Core licenses for 12 devices, 5-year limited hardware warranty on the appliance and hard drive. Supports up to 4k ultra HD.	\$ 3,199.00	Each	5%	\$ 3,039.05	Cameras	Security	Product
01582-004	01582-004	AXIS S2216	AXIS Camera Station S2216 Appliance is a sixteen channel Client/Server for rack-mounting including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 8 TB storage, Core licenses for 16 devices, 5-year limited hardware warranty on the appliance and hard drives. Supports up to 4k ultra HD.	\$ 4,099.00	Each	5%	\$ 3,894.05	Cameras	Security	Product
01583-004	01583-004	AXIS S2224	AXIS Camera Station S2224 Appliance is a twenty four channel Client/Server for rack-mounting including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10 IoT. Includes 12 TB storage, Core licenses for 24 devices, 5-year limited hardware warranty on the appliance and hard drives. Supports up to 4k ultra HD.	\$ 4,799.00	Each	5%	\$ 4,559.05	Cameras	Security	Product

02694-004	02694-004	AXIS S1216 TOWER 8 TB	AXIS Camera Station S1216 Tower is an out-of-the-box ready workstation tested and validated with Axis products for reliable surveillance up to 4K video streams. Preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 channels plus all necessary system software. Includes 5-year limited hardware warranty, on-site hardware replacement service and keep your hard drive.	\$	3,799.00	Each	5%	\$	3,609.05	Cameras	Security	Product
02895-001	02895-001	AXIS S1216 RACK 8 TB	AXIS Camera Station S1216 Rack 8 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1216 Rack 8 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 16 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With an enterprise-grade hard drive, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1216 Rack 8 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	4,299.00	Each	5%	\$	4,084.05	Cameras	Security	Product
02537-001	02537-001	AXIS S1232 RACK 16 TB	AXIS Camera Station S1232 Rack 16 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1232 Rack 16 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 32 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1232 Rack 16 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	7,299.00	Each	5%	\$	6,934.05	Cameras	Security	Product
02538-001	02538-001	AXIS S1232 RACK 32 TB	AXIS Camera Station S1232 Rack 32 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1232 Rack 32 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 32 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1232 Rack 32 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	8,599.00	Each	5%	\$	8,169.05	Cameras	Security	Product

02536-004	02536-004	AXIS S1232 TOWER 32 TB	<p>AXIS Camera Station S1232 Tower 32 TB is an out-of-the-box ready recording server and client validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1232 Tower 32 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 32 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1232 Tower 32 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.</p>	\$	8,899.00	Each	5%	\$	8,454.05	Cameras	Security	Product
02539-001	02539-001	AXIS S1264 RACK 24 TB	<p>AXIS Camera Station S1264 Rack 24 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1264 Rack 24 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 64 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1264 Rack 24 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.</p>	\$	11,799.00	Each	5%	\$	11,209.05	Cameras	Security	Product
02540-001	02540-001	AXIS S1264 RACK 64 TB	<p>AXIS Camera Station S1264 Rack 64 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1264 Rack 64 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 64 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1264 Rack 64 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.</p>	\$	14,999.00	Each	5%	\$	14,249.05	Cameras	Security	Product

02541-001	02541-001	AXIS S1264 RACK 144 TB	AXIS Camera Station S1264 Rack 144 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1264 Rack 144 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 64 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1264 Rack 144 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	20,999.00	Each	5%	\$	19,949.05	Cameras	Security	Product
02542-001	02542-001	AXIS S1296 RACK 96 TB	AXIS Camera Station S1296 Rack 96 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1296 Rack 96 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 96 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1296 Rack 96 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	21,599.00	Each	5%	\$	20,519.05	Cameras	Security	Product
02543-001	02543-001	AXIS S1296 RACK 192 TB	AXIS Camera Station S1296 Rack 192 TB is an out-of-the-box ready recording server validated for reliable ultra high-definition recording. For quick and easy installation, AXIS S1296 Rack 192 TB is preconfigured and preloaded with AXIS Camera Station video management software including licenses for 96 devices plus all necessary software. The AXIS Recorder Toolbox and its installation wizard will ensure every customer installation is quick and trouble-free. The system configuration can easily be imported from AXIS Site Designer, and AXIS Camera Station lets users take full advantage of Axis wide range of video surveillance devices. With redundant enterprise-grade hard drives and power supplies, operating system stored on solid-state drive (SSD) and built-in operating system recovery, AXIS S1296 Rack 192 TB provides high-performance and reliability for your system. Furthermore, the FIPS 140-2 compliant TPM guarantees a high security level by encryption of the data at rest. Includes 5-year limited hardware warranty, on-site hardware replacement and keep your hard drive services.	\$	28,899.00	Each	5%	\$	27,454.05	Cameras	Security	Product
02693-004	02693-004	AXIS S9301	AXIS Camera Station S9301 Workstation is a complement to Axis recorders to enable quick set-up of a workstation meeting the demands for a reliable surveillance. The workstation is preloaded with an AXIS Camera Station client and preconfigured to minimize installation time. AXIS S9301 has validated hardware and software components for optimal surveillance experience and includes 5-year limited hardware warranty.	\$	1,689.00	Each	5%	\$	1,604.55	Cameras	Security	Product

02692-004	02692-004	AXIS S9302	AXIS Camera Station S9302 Workstation is a complement to Axis recorders to enable quick set-up of a workstation meeting the demands for a reliable Ultra HD surveillance. The workstation is preloaded with an AXIS Camera Station client and preconfigured to minimize installation time. AXIS S9302 has validated hardware and software components for optimal surveillance experience and includes 5-year limited hardware warranty.	\$ 2,859.00	Each	5%	\$ 2,716.05	Cameras	Security	Product
01985-004	01985-004	AXIS S9101 Mk II	AXIS Camera Station S9101 Mk II Desktop Terminal is a complement to Axis recorders to enable quick set-up of a surveillance workstation. The terminal is preloaded with an AXIS Camera Station client and preconfigured to minimize installation time. AXIS S9101 Mk II has validated hardware and software components for optimal surveillance experience and includes 5-year limited hardware warranty.	\$ 1,399.00	Each	5%	\$ 1,329.05	Cameras	Security	Product
03237-001	03237-001	AXIS S1224 RACK 12 TB	AXIS Camera Station S1224 Rack Recording Server features powerful components, offering high performance and support for powerful applications and features. This secure, scalable recording server includes AXIS Camera Station Pro licenses and an empty hard drive bay. It uses a Trusted Platform Module (FIPS 140-2 level 2 certified) to encrypt both the operating system drive and stored video, comes preloaded with pre-configured software and 12 TB of storage. Plus, all supported products are available in one price list for a one-stop-shop experience. Furthermore, it offers services such as Keep Your Hard Drive, Next Business Day Onsite Support, and a 5-year warranty.	\$ 5,799.00	Each	5%	\$ 5,509.05	Cameras	Security	Product
03334-001	03334-001	AXIS S1228 RACK AI 12 TB	AXIS Camera Station S1228 AI Optimized Server is ideal for busy and complex scenes. This state-of-the-art recording server is optimized for AI-based analytics applications and offers accelerated search capabilities using free text search within Smart search. AXIS S1228 Rack AI can handle up-to 10 times more moving objects per minute compared with standard products, thanks to a top-class GPU and CPU delivering state-of-the-art object classification. This secure device uses a Trusted Platform Module (TPM) that is FIPS 140-2 level 2 certified. Produced in a TAA-designated country, it also complies with NDAA FY19 and FY2023 and comes with a Software Bill of Materials (SBOM). Furthermore, this high performance analytics server comes with 28 AXIS Camera Station Pro licenses, and all necessary software pre-installed.	\$ 10,999.00	Each	5%	\$ 10,449.05	Cameras	Security	Product
02130-001	02130-001	Axis Professional Services Token	Payment for Axis Professional Services. Only valid when applied to a signed Statement of Work (SOW) with an assigned Professional Services ID (PSID). Note: Order must contain PSID to be valid. Axis Professional Services tokens are non-cancellable, non-changeable, and non-returnable.	\$ 1,000.00	Each	5%	\$ 950.00	Cameras	Security	Product
02643-001	02643-001	AXIS DEVICE MANAGER EXTEND	Delivered as eLicense key, One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable. AXIS Device Manager Extend (ADM Extend) offers a unified, user-friendly interface that helps you proactively manage your customers' Axis devices and sites from anywhere. Featuring an intuitive dashboard and remote site access, you can manage thousands of Axis devices and it allows you to perform firmware updates and other tasks at scale. Additionally, it's an invaluable tool for troubleshooting and proactive planning, helping you save time and money. ADM Extend delivers product warranty, end-of-life, and hardening compliance information. For instance, you'll receive recommendations for firmware upgrades to help mitigate your customers device vulnerabilities. ADM Extend is based on annual subscription The renewal date is time-based (12 months) One license per device Activation through a license key redeemed in AXIS License Manager. Free 90-day trial period	\$ 9.00	Each	5%	\$ 8.55	Cameras	Security	Product

0333-608	0333-608	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
0333-609	0333-609	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 3,169.00	Each	5%	\$ 3,010.55	Cameras	Security	Product
01147-011	01147-011	AXIS PEOPLE COUNTER E-LICENSE	AXIS People Counter is a cost-efficient and scalable video analytics application for people counting. This business-improving application, installed on a network camera, enables accurate monitoring and analysis of customer flows. It is ideal for e.g. quick evaluation of marketing efforts, improving staff and store planning, or evaluating conversion rate if combined with point-of-sale data. In addition to people counting, this version can also estimate occupancy levels and detect and notify if more than one person enters within a set time interval or if people move in the wrong direction. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
01574-001	01574-001	AXIS LICENSE PLATE VERIFIER 1P E-LICENSE	Please check the supported countries (https://www.axis.com/products/axis-license-plate-verifier/where-to-buy) before ordering. Single unit e-license for AXIS License Plate Verifier. AXIS License Plate Verifier is an AXIS Camera Application Platform software that can be used in selected Axis cameras. It supports license plate recognition for slow-speed traffic and vehicle access control. This edge-based analytics allows for smart license plate reading at speeds of up to 70 km/h (45 mph). Visit www.axis.com for supported products and application download. Delivered as eLicense key. One license key per unit. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 569.00	Each	5%	\$ 540.55	Cameras	Security	Product
9552B003	9552B003	CANON H.264 ADDITIONAL USER LICENSE	ONLY REQUIRED FOR CANON NETWORK CAMERAS (excluding VB-H47W, VB-H47B, VB-M46W, VB-M46B & VB-S32D). License to view the video encoded to H.264. Each network camera contains one license for the 1st PC, additional user license is required for the 2nd PC onwards.	\$ 5.00	Each	5%	\$ 4.75	Cameras	Security	Product
9552B004	9552B004	CANON H.264/H.265 ADDITIONAL USER LICENSE	ONLY REQUIRED FOR CANON NETWORK CAMERAS VB-H47W, VB-H47B, VB-M46W, VB-M46B & VB-S32D. License to view the video encoded to H.264/H.265. Each network camera contains one license for the 1st PC, additional user license is required for the 2nd PC onwards.	\$ 5.00	Each	5%	\$ 4.75	Cameras	Security	Product
0879-010	0879-010	ACS CORE DEVICE E-LICENSE	One (1) AXIS Camera Station version 5.0 and up. Core Device license. Applicable for AXIS devices. AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification. Delivered as eLicense key. One license key per order. Note: eLicenses are non-cancellable, non-changeable and non-returnable.	\$ 89.00	Each	5%	\$ 84.55	Cameras	Security	Product

0879-020	0879-020	ACS UNIVERSAL DEVICE E-LICENSE	<p>One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up.</p> <p>AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.</p> <p>Delivered as eLicense key, One license key per order. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
0879-040	0879-040	ACS 4 TO UNIVERSAL UPG E-LICENSE	<p>One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3,4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.</p> <p>Delivered as eLicense key, One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product
0879-030	0879-030	ACS CORE TO UNIVERSAL UPG E-LICENSE	<p>This license is primarily used for replacing AXIS devices with ONVIF devices. One (1) Upgrade license and one AXIS Camera Station version 5 Core Device license upgrades to one (1) Universal Device license.</p> <p>Delivered as eLicense key, One license key per order. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product
02990-001	02990-001	ACS PRO CORE DEVICE 1y Lic	<p>AXIS Camera Station Pro v6 Core Device subscription license. Applicable for One(1) Axis device during One(1) year.</p> <p>AXIS Camera Station Pro is a monitoring and recording system optimized to take full advantage of Axis leading network cameras, video encoders, access control and other devices. It combines easy setup with an intuitive user interface for efficient operation and quick investigation.</p> <p>This license is NOT intended for use with AXIS S12, S11, S21 or S22 Series NVRs which have licenses included. To add more licenses to an AXIS S-Series NVR, please see NVR licenses.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	29.00	Each	5%	\$	27.55	Cameras	Security	Product
02991-001	02991-001	ACS PRO CORE DEVICE 5y Lic	<p>AXIS Camera Station Pro v6 Core Device subscription license. Applicable for One(1) Axis device during Five(5) years.</p> <p>AXIS Camera Station Pro is a monitoring and recording system optimized to take full advantage of Axis leading network cameras, video encoders, access control and other devices. It combines easy setup with an intuitive user interface for efficient operation and quick investigation.</p> <p>This license is NOT intended for use with AXIS S12, S11, S21 or S22 Series NVRs which have licenses included. To add more licenses to an AXIS S-Series NVR, please see NVR licenses.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product

02992-001	02992-001	ACS PRO UNIVERSAL DEVICE 1y Lic	<p>AXIS Camera Station Pro v6 Universal Device subscription license. Applicable for One(1) device of any supported type during One(1) year.</p> <p>AXIS Camera Station Pro is a monitoring and recording system optimized to take full advantage of Axis leading network cameras, video encoders, access control and other devices. It combines easy setup with an intuitive user interface for efficient operation and quick investigation.</p> <p>This license is NOT intended for use with AXIS S12, S11, S21 or S22 Series NVRs which have licenses included. To add more licenses to an AXIS S-Series NVR, please see NVR licenses.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	49.00	Each	5%	\$	46.55	Cameras	Security	Product
02993-001	02993-001	ACS PRO UNIVERSAL DEVICE 5y Lic	<p>AXIS Camera Station Pro v6 Universal Device subscription license. Applicable for One(1) device of any supported type during Five(5) years.</p> <p>AXIS Camera Station Pro is a monitoring and recording system optimized to take full advantage of Axis leading network cameras, video encoders, access control and other devices. It combines easy setup with an intuitive user interface for efficient operation and quick investigation.</p> <p>This license is NOT intended for use with AXIS S12, S11, S21 or S22 Series NVRs which have licenses included. To add more licenses to an AXIS S-Series NVR, please see NVR licenses.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02994-001	02994-001	ACS PRO CORE DEVICE NVR Lic	<p>AXIS Camera Station Pro v6 Core Device NVR tied to hardware, lifetime expansion license. To be used in combination with AXIS S12, S11, S21 or S22 Series recorders as expansion licenses when more licenses than the preloaded are needed. Applicable for One(1) Axis device. The license will be tied to the NVR hardware for the lifetime of the NVR hardware.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product
02995-001	02995-001	ACS PRO UNIVERSAL DEVICE NVR Lic	<p>AXIS Camera Station Pro v6 Universal Device NVR tied to hardware, lifetime expansion license. To be used in combination with AXIS S11, S12, S21 or S22 Series recorders as expansion licenses when more licenses than the preloaded are needed. Applicable for One(1) device of any supported type. The license will be tied to the NVR hardware for the lifetime of the NVR hardware.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02996-001	02996-001	ACS PRO Core to Universal NVR Lic	<p>ACS PRO Core to Universal NVR Lic. This license is used for converting an existing ACS PRO CORE DEVICE NVR Lic into an ACS PRO UNIVERSAL DEVICE NVR Lic. The resulting license is tied to the same hardware for the lifetime of the NVR hardware.</p> <p>Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	89.00	Each	5%	\$	84.55	Cameras	Security	Product

5801-511	5801-511	AXIS Q36-VE CLEAR DOME	Standard clear dome with anti-scratch hard coating. Compatible with AXIS P36 and Q36 Series.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5507-311	5507-311	AXIS Q37 CLEAR DOME A	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5506-641	5506-641	AXIS Q6000-E CLEAR DOME	Clear dome for AXIS Q6000-E	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
5700-811	5700-811	AXIS Q603X HD DOME KIT	HD optimized dome kit for AXIS Q603X as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
5700-751	5700-751	AXIS Q60-S CLEAR DOME A	Original clear dome in a special nylon blend with superior stress and chemical resistance. Compatible with AXIS Q604x-S and Q6055-S, Q6075-S, Q6075-SIE cameras. Single pack.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
5801-471	5801-471	AXIS A8105-E CLEAR DOME 5PCS	AXIS A8105-E Clear Dome is sold as spare parts to the AXIS A8105-E Network Video Door Station and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	\$ 37.00	Each	5%	\$ 35.15	Cameras	Security	Product
01764-001	01764-001	AXIS TA8801 CLEAR DOME COVER 5P	AXIS TA8801 Clear Dome Cover is sold as spare parts to the AXIS A8207-VE Network Video Door Station and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01799-001	01799-001	AXIS TP3801 WHITE CASING 4P	Original white casing for selected AXIS P32 indoor cameras. 4pcs bulk pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
01625-001	01625-001	AXIS TP3802 CLEAR DOME 4P	Standard clear dome with anti-scratch hard coating. Compatible with selected AXIS P32 indoor cameras. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01629-001	01629-001	AXIS TP3802-E CLEAR DOME 4P	Standard clear dome with anti-scratch hard coating. Compatible with selected AXIS M32 and P32 outdoor cameras. 4pcs bulk pack.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02197-001	02197-001	AXIS TP3803-E CLEAR DOME	This is a spare part clear dome for AXIS P3715-PLVE.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02011-001	02011-001	AXIS TP3807 DOME COVER WHITE 4P	4 pack white dome cover for AXIS P3935-LR. Replaces the standard white dome cover.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02490-001	02490-001	AXIS TP3823-E WEATHERSHIELD 2P	Outdoor spare part weathershield for AXIS P3265-LVE, P3267-LVE, P3268-LVE. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Anti-loss screws included. Bulk 2 pack.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02491-001	02491-001	AXIS TP3820 CASING WHITE 4P	Original spare part white casing for AXIS P3265-LV, P3265-V indoor cameras. 4pcs bulk pack.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02495-001	02495-001	AXIS TP3820-E CASING WHITE 4P	Original spare part white casing for AXIS P3265-LVE 9 mm outdoor camera. Pre-assembled with anti-loss screws. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02497-001	02497-001	AXIS TP3821-E CASING WHITE 4P	Original white spare part casing for AXIS P3265-LVE 22 mm, P3267-LV, P3267-LVE, P3268-LV, P3268-LVE outdoor cameras. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02549-001	02549-001	AXIS TP3824-E DOME CLEAR 4P	Spare part clear dome with anti-scratch hard coating. Compatible with AXIS P3265-LVE 22 mm, P3267-LV, P3267-LVE, P3268-LV, P3268-LVE. 4pcs bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02210-001	02210-001	AXIS TP3812-E TOP CASING	Complete spare part top casing for AXIS P3925-LRE including aluminum top casing with tempered glass window with antireflective coating, heater, connector board, screws and re-painting window mask.	\$ 339.00	Each	5%	\$ 322.05	Cameras	Security	Product
02551-001	02551-001	AXIS TP3002-E MOUNTING BRACKET 4P	Spare part mounting bracket for AXIS P3267-LV, P3268-LV. Suitable for mounting cameras over junction boxes (4" octagon, single-gang, or double-gang), and other Axis mounting accessories. 4-piece bulk pack.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02552-001	02552-001	AXIS TP3003-E MOUNTING BRACKET 4P	Spare part mounting bracket for AXIS P3265-LVE 22 mm, P3267-LVE, P3268-LVE. Suitable for mounting cameras over junction boxes (4" octagon, single-gang, or double-gang), and other Axis mounting accessories. 4-piece bulk pack.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02392-001	02392-001	AXIS TP3815-E CLEAR DOME COVER	Clear dome spare part for AXIS P3717-PL, AXIS P3719-PL, AXIS P3727-PL. The dome and the casing are included.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
02273-001	02273-001	AXIS TQ3802-E COVER WEATHERSHIELD	Cover weathershield for P3818-PVE. Includes anti loss screws.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02275-001	02275-001	AXIS TQ3803-E COVER TOP	Cover top replacement for Q3819-PVE including anti loss screws and holder magnet.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02515-001	02515-001	AXIS TQ3001-E MOUNTING BRACKET 5P	Spare part mounting bracket in 5p for AXIS Q3536-LVE, AXIS Q3538-LVE.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
02513-001	02513-001	AXIS TQ3807-E DOME CLEAR 5P	Spare part clear dome for AXIS Q3536-LVE, AXIS Q3538-LVE in a 5p (anti-scratch hard coating).	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02514-001	02514-001	AXIS TQ3808-E WEATHERSHIELD 5P	Spare part weathershield in a 5p for AXIS Q3536-LVE, AXIS Q3538-LVE. Anti loss screws and gasket included.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product

02429-001	02429-001	AXIS TM5801 DOME COVER WHITE	Spare part white dome cover for AXIS M5000 & AXIS M5000-G. Includes dome and cover, 4 SCREW TX+ 8 DOME FLANGE, and 2 spring clips.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02579-001	02579-001	AXIS TM3818 CASING WHITE 4p	4 pack spare part white casing replacing original out of the box. Compatible with M3085-V, M3086-V, M3088-V.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02619-001	02619-001	AXIS TM3815-E DOME CLEAR 4P	Standard clear dome spare part replacing original out of the box with anti-scratch hard coating. Compatible with: AXIS M3215-LVE, AXIS M3216-LVE. 4pcs bulk pack.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02479-001	02479-001	AXIS TP3819-E DOME CLEAR	AXIS TP3819-E Dome Clear, is spare part clear dome for AXIS P4705-PLVE and P4707-PLVE.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02585-001	02585-001	AXIS TP3825-E WEATHERSHIELD WHITE	AXIS TP3825-E Weathershield White, is a spare part (white) weathershield for AXIS P4705-PLVE and P4707-PLVE.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02805-001	02805-001	AXIS TQ3809-E Dome Clear	Spare part standard clear dome with anti-scratch hard coating. Compatible with Q3626/8-VE.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02730-001	02730-001	AXIS TM3821 CASING WHITE 4P	Spare part original white casings for AXIS M42 series. Easy to repaint. 4-piece bulk pack.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02821-001	02821-001	AXIS TM3819 CASING WHITE 4P	Spare cover top casing white for AXIS M4327-P and AXIS M4328-P. Comes in 4 Pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02563-001	02563-001	AXIS T18903 Clear Dome 5P	AXIS T18903 Clear Dome is sold as spare parts to the AXIS I8118-E Network Video Intercom and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02831-001	02831-001	AXIS TP5802-E DOME CLEAR	Clear dome spare for AXIS P5676-LE. Hard-coated clear dome for harsh environments. It's weather-resistant and chemical-resistant.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02874-001	02874-001	AXIS TP3831-E Dome Cover Clear	Spare part clear dome for: AXIS P3735-PL-E, AXIS P3737-PL-E, AXIS P3738-PL-E. The dome and cover are included.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
02937-001	02937-001	AXIS TM3822 Casing White 4 pcs	4 pack spare part white casing replacing original out of the box. Compatible with AXIS M3086-V Mic.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03009-001	03009-001	AXIS TM5804-E DOME CLEAR	Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02975-001	02975-001	AXIS TQ9803 Dome Clear	AXIS 5526-E. Single pack. 4 anti-loss TX20 screws in pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02974-001	02974-001	AXIS TQ9802 Casing White	Spare part dome for Q9307-LV.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03013-001	03013-001	AXIS TP3834-E CASING WHITE 4 pcs	Spare part casing for Q9307-LV.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03014-001	03014-001	AXIS TP3835-E DOME CLEAR 4 pcs	Original white spare part casing for AXIS P3267-LVE Mic. 4pcs bulk pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03198-001	03198-001	AXIS TM3828-E Casing Black 4 pcs	Spare part clear dome with anti-scratch hard coating. Compatible with AXIS P3267-LVE Mic. 4pcs bulk pack.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03199-001	03199-001	AXIS TM3828-E Casing White 4 pcs	Spare part 4P Black casing for M312x-LVE series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02404-001	02404-001	TM5803 CLEAR DOME COVER	Spare part 4P white casing for M312x-LVE series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03235-001	03235-001	AXIS TP3842-E Dome Cover Clear	Spare part dome for: AXIS M5054, AXIS M5055, AXIS M5065, AXIS M5074, AXIS M5075, AXIS M5075-C.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02276-001	02276-001	AXIS TQ3804-E COVER TOP	Spare part clear dome for: AXIS P3747-PLVE, AXIS P3748-PLVE. The dome and cover are included.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
03297-001	03297-001	AXIS TQ3818-E Dome Clear 5 pcs	Cover top replacement for AXIS P3818-PVE, AXIS P3827-PVE including anti loss screws and holder magnet.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
03101-001	03101-001	AXIS TM3827-E Weathershield 2 pcs	Spare part clear dome in a 5p (anti-scratch hard coating), compatible with: AXIS Q3546-LVE	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5500-491	5500-491	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	AXIS Q3548-LVE, AXIS Q3556-LVE, AXIS Q3558-LVE.	\$ 59.00	Each	5%	\$ 56.05	Cameras	Security	Product
01439-001	01439-001	AXIS D20 MOUNT BRACKET KIT A	Spare part cover weathershield compatible with AXIS M4225-LVE, AXIS M4227-LVE, AXIS M4228-LVE. A pack of 2 covers.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5505-161	5505-161	AXIS Q604X RECESSED MOUNT	Allen-key for AXIS 209FD-R 10-pack	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
01198-001	01198-001	AXIS F82A06 ANGLED PINHOLE MT 5PCS	Original stainless steel mounting bracket for AXIS D2050-VE. Includes two pipe adaptors, anti-loss screws, two gray cable gaskets, three black cable gaskets, and an M20 cable gland.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
5800-121	5800-121	AXIS M501X MOUNTING KIT	Spare part indoor recessed mount for mounting AXIS Q60 indoor cameras in drop ceilings. Mounting bracket that allows AXIS FA1125 Sensor Unit to be mounted behind a thin metal/plastic/glass panel. 5 pcs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5800-351	5800-351	AXIS T98A MOUNTING BRACKET	Original ceiling mount kit for both hard- and drop ceilings for the AXIS M501X.	\$ 16.00	Each	5%	\$ 15.20	Cameras	Security	Product
01472-001	01472-001	AXIS STEEL STRAPS TX30 570MM 1PAIR	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
			1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 570mm (22.8"), Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 50-150mm (2"-6") when used with AXIS T91B47 Pole Mount.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product

01471-001	01471-001	AXIS STEEL STRAPS TX30 1450MM 1PAIR	1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-installation. Length 1450mm (57"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03"). Compatible with a wide range of Axis pole mounts. Pole diameter range 100-410mm (4"-16") when used with AXIS T91B47 Pole Mount.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5800-811	5800-811	STAINLESS STEEL STRAPS 1450MM 1 PAIR	Original stainless steel straps for AXIS T91A47 110-400 mm. The straps also fit the AXIS T91A87. Mounting tool (P/N 21776) is required.	\$ 34.00	Each	5%	\$ 32.30	Cameras	Security	Product
5901-281	5901-281	AXIS T94B02S MOUNTING BRACKET 5P	Spare part mounting brackets for AXIS M20 Series, 5-pack. Includes 5x mounting brackets with 5x Gasket C M20.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5505-171	5505-171	AXIS T94F01S MOUNTING BRACKET	Standard mount bracket for AXIS M3006-V, AXIS M3007-P/PV, AXIS M3024-LVE/3025-VE/3026-VE	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5505-561	5505-561	AXIS T94M01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS Q3505-VE, 4 pcs	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
5506-061	5506-061	AXIS T94S01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS P32-V Series, 4 pcs	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
01566-001	01566-001	AXIS T94T02S MOUNTING BRACKET	Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5801-911	5801-911	AXIS T94V01S MOUNTING BRACKET	Standard mounting bracket for AXIS Q36 Series Network Cameras	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01512-001	01512-001	AXIS 3/4" CONDUIT LOCKNUT A 4P	4-pack of 3/4" conduit locknut. Suitable for AXIS T91B53 Telescopic Ceiling Mount.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5506-671	5506-671	AXIS T94U02S MOUNTING BRACKET	Standard mounting bracket for AXIS Q3505-SVE made of stainless steel. Including gasket.	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product
01806-001	01806-001	AXIS TP3001 MOUNTING BRACKET 4P	Spare part mounting bracket for selected AXIS M32 and P32 cameras. Suitable for mounting cameras over junction boxes (4" octagon, single-gang, or double-gang), and other Axis mounting accessories. 4-piece bulk pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01801-001	01801-001	AXIS TP3001-E MOUNTING BRACKET 4P	Spare part mounting bracket for selected AXIS P32 outdoor cameras. Suitable for mounting cameras over junction boxes (4" octagon, single-gang, or double-gang), and other Axis mounting accessories. 4-piece bulk pack.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
02274-001	02274-001	AXIS TQ3902 MOUNT BRACKET	Mount bracket for Q3819-PVE. Includes conduit lid to cover conduit entry not used.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02588-001	02588-001	AXIS TM2801 WEATHER SHIELD KIT	Spare part weather shield for AXIS M2035-LE and M2036-LE. Includes cover and holder.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02852-001	02852-001	AXIS TM1001 Wall Mount 5 pcs	5 pack spare part wall mount for: AXIS M1055-L and AXIS M1075-L.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02829-001	02829-001	AXIS TQ3002-E Mounting Bracket	Spare part standard mounting bracket for AXIS Q3626/6-VE Network Cameras.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01621-001	01621-001	AXIS P91 CLEAR DOME A 2P	Standard clear dome with anti-scratch hard coating. Rubber gaskets included. Compatible with AXIS P9106-V, 2-piece bulk pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01622-001	01622-001	AXIS P91 SKIN COVER A BRUSHED STEEL	Spare part skin cover for AXIS P9106-V. Brushed stainless steel finish. Easy to repaint. Magnetically attached. Suitable for both AXIS P9106-V White and Brushed Steel models.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
01182-001	01182-001	RJ12 PLUG SHIELDED 10 PCS	Shielded RJ12 connectors for use with AXIS modular cameras. 10-pack.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5500-704	5500-704	ACC MAINS ADAPTOR PS-P	Power supply PS-P for AXIS 215 PTZ	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01509-001	01509-001	AXIS MAINS ADAPTER 12V DC 40W	Standard power supply for AXIS FA54, IEC-C13 mains cable is not included.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01508-001	01508-001	AXIS MAINS ADAPTER 48V DC 90W	Standard power supply for AXIS S3008 and AXIS Companion Recorder. IEC-C13 mains cable is not included. This adapter is not compatible with AXIS S3008 Mk II or AXIS W800.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5800-201	5800-201	MAINS CABLE IEC-C13	Mains cable for AXIS One-Port Midspan, AXIS T8123/24, AXIS 291, AXIS Q7900, AXIS Video Server Rack, AXIS PoE Midspan 8-Port/16-Port, Power Supply AXIS T8412.	\$ 16.00	Each	5%	\$ 15.20	Cameras	Security	Product
5506-451	5506-451	AXIS PATCH CABLE A 200MM 6PCS	Set of patch cables for AXIS T8085 PSS7 RACK MOUNT 500W 1U to connect AXIS T8646 POE+ OVER COAX BLADE	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
5800-961	5800-961	CABLE GLAND A M16 5PCS	M16 cable gland for cable diameter of 4.5 to 10mm. IP68, 5 pcs.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
5500-851	5500-851	CONN KIT AXIS P1311	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF.	\$ 10.00	Each	5%	\$ 9.50	Cameras	Security	Product
5700-161	5700-161	CONN KIT AXIS Q7404	Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one 2P 3.81MM. In total 13 connectors.	\$ 37.00	Each	5%	\$ 35.15	Cameras	Security	Product
02074-001	02074-001	AXIS TM3807 WHITE CASING 4P	AXIS M3115/16-LVE WHITE CASING 4P sold as a spare part and comes in pack of four. It enables easy on-site replacement in case the original case has been damaged.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
5801-921	5801-921	LENS M12 2.8MM F2.0 10PCS	Standard lens for AXIS F4005-E, AXIS F1005-E and AXIS P1214-E.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
5505-891	5505-891	AXIS T93F TOP COVER	Spare part top part of the housing including window.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5700-881	5700-881	LENS CS 2.8-8MM F1.2 DC-I MP	CS mounted Varifocal 2.8-8 mm DC-Iris megapixel lens. Original lens for AXIS M1114.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product

5800-671	5800-671	LENS CS VF 2.8-8MM F1.2 P-IRIS	Original CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1604/14 and AXIS P1355/57	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
5800-661	5800-661	LENS CS VF 2.8-8MM F1.2 DC-IR	Original CS mounted varifocal DC-Iris lens 2.8-8mm for AXIS Q1602/04 and AXIS P1354/55	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
5506-721	5506-721	AXIS LENS FUJINON CS 2.8-8MM P-IRIS	Standard CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1615.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
5801-491	5801-491	LENS CS 2.8-8.5MM P-IRIS	Standard CS mounted varifocal P-Iris lens 2.8-8.5mm for AXIS P1364	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5700-871	5700-871	LENS CS 2.9-8.2MM F1.4 DC SVGA	Varifocal 2.9-8.2mm CS mounted SVGA DC-Iris lens. Original lens for AXIS M1113	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5801-011	5801-011	LENS CS 4-10MM P-IRIS	Standard lens for AXIS Q1635-E.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
5506-731	5506-731	AXIS LENS TAMRON C 4-13MM DC-IRIS	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	\$ 419.00	Each	5%	\$ 398.05	Cameras	Security	Product
01469-001	01469-001	TAMRON 5MP LENS P-IRIS 8-50 MM F1.6	Varifocal 8-50 MM, 5 MP telephoto IR-corrected lens with P-Iris. Recommended for AXIS P1367 and AXIS P1367-E.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
01949-001	01949-001	LENS CS 2.8 - 10 MM F1.2 P-IRIS 2MP	2MP resolution Computer. Spare part for AXIS P1375 / -E	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02012-001	02012-001	LENS M12 2.8 MM F1.6 IR 10P	Standard lens for AXIS P3925-R and AXIS P3935-LR. 10 pack.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
02065-001	02065-001	LENS M12 2.9MM F2.0 1P	LENS M12 2.9MM F2.0 for Q6010-E and Q6100-E.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
02094-001	02094-001	LENS CS 3.9 - 10 MM F1.5 P-IRIS 8MP	Spare varifocal CS lens for AXIS P1378/-LE.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
5700-851	5700-851	SPR BRACKET KIT AXIS Q60XX/P55XX	Bracket kit for surface mounting a camera on a hard ceiling. Compatible with Q603X and P553X. Content: Bracket, screws with washers and wave springs.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5500-831	5500-831	SPR CONN KIT AXIS Q7401	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
5700-371	5700-371	SPR CONN PUSH PULL PLUG IDC-8 IP67	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
5700-331	5700-331	NETWORK CABLE WITH GASKET 5M	Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45 connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T922-E housings.	\$ 11.00	Each	5%	\$ 10.45	Cameras	Security	Product
5901-391	5901-391	AXIS T91G61/T91L61 SCREW KIT	Screw kit for installing AXIS P55-E Series with either AXIS T91L61 or AXIS T91G61 Wall Mounts. Single-pack includes 3x bayonet screws, 3x securing screws, 3x springs and an installation guide.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5506-851	5506-851	AXIS T96B05 FRONT KIT 5 PCS	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905-RE. 5 Pcs. Includes screws.	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product
5901-191	5901-191	AXIS T8005 POWER SUPPLY 5V 5W USB	Switching power supply, 5W with microUSB connector. Including interchangeable regional power plugs for world wide use.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5800-861	5800-861	SPR POWER SUPPLY 1U 300W BL. FRONT	Replacement power supply for AXIS Q7920 Video Encoder Chassis	\$ 349.00	Each	5%	\$ 331.55	Cameras	Security	Product
5506-971	5506-971	AXIS T93G TOP COVER	Spare part top part of the AXIS T93G housing including window.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01578-001	01578-001	AXIS T92G FRONT WINDOW KIT A	Replacement front window assembly for AXIS T92G Outdoor Housing and AXIS Q16-LE Fixed Box Cameras. Includes front window, adjacent IR windows, mounting screws and sealing gasket.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01579-001	01579-001	AXIS T92G WEATHERSHIELD KIT A	Original outdoor weathershield for AXIS T92G Outdoor Housing and AXIS Q16-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from IR LEDs and other light source. Mounting screws included.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
01954-001	01954-001	AXIS T92G20 CAMERA HOLDER	Spare Camera Holder for AXIS T92G20 Outdoor Housing and for AXIS Q1645/7-LE Network Cameras. The holder makes it possible to mount AXIS P13 Network Camera Series into AXIS T92G20 Outdoor Housing.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5700-951	5700-951	SUNSHIELD AXIS Q603X-E	Sunshield for AXIS Q603X-E.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02221-001	02221-001	AXIS Q6010-E Solo kit	Kit for making a stand-alone AXIS Q6010-E installation without PTZ camera inside. Includes a metal cover lid, IP66-rated RJ45 push-pull connector, and a connector plug. Use this kit together with an AXIS Q6010-E network camera (not included) and the AXIS T8133 Midspan 30 W 1-port (not included).	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
01600-001	01600-001	AXIS Q62 IMPACT PROTECTION BRACKET	Protection of front window on AXIS Q62-LE camera. Provides IK10 rating on product. Includes bracket and mounting screws.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
01602-001	01602-001	AXIS Q62 WIPER KIT A 4P	Bulk pack (4 pcs) of replacement wiper arms (rubber included) for AXIS Q62-LE. Made from long-life, UV-resistant silicone rubber.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
01603-001	01603-001	AXIS Q62 IR WINDOW KIT A	Original IR window assembly for AXIS Q62-LE. Includes a complete IR Window assembly with mounting screws and sealing gasket. Note: clear front window available separately.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product

5700-941	5700-941	SUNSHIELD KIT T92E	Sunshield for AXIS P134X-E, AXIS Q1755-E and AXIS Q192X-E. Includes mounting screws and Torx key.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
5506-761	5506-761	AXIS WEATHERSHIELD KIT D	Weathershield with screws for protecting the dome of an AXIS Q35-VE camera from rain, snow and sun.	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5506-751	5506-751	AXIS WEATHERSHIELD KIT E	Weathershield with screws for protecting the dome of an AXIS P32-VE camera from rain, snow and sun.	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
01628-001	01628-001	AXIS TP3805 WEATHERSHIELD 2P	Outdoor weathershield for selected AXIS M32 and P32 cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Anti-loss screws included. Bulk 2 pack.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
02337-001	02337-001	AXIS TP3904 CLAMP BRACKET MOUNT	Replacement clamp bracket mount for AXIS P3717-PLE, AXIS P3719-PLE and AXIS P3727-PLE. Pack of 10pcs.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5700-831	5700-831	FRONT GLASS KIT AXIS T92E20/21	Complete Front Kit for AXIS T92E20/21. Content: Front Cover, Front Glass, Gasket & Screws.	\$	21.00	Each	5%	\$	19.95	Cameras	Security	Product
5700-971	5700-971	ELECTRONIC KIT AXIS T92E20	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
5506-101	5506-101	AXIS T92E EXTENSION KIT	Extension front for AXIS T92E20 outdoor housing, allowing longer lenses than the standard housing. The kit includes aluminum front and extension part, window, gasket and screws.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01693-001	01693-001	AXIS P13 WEATHERSHIELD KIT A	Standard weather shield for selected AXIS P13 series. For protection from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use near IR LEDs.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01717-001	01717-001	AXIS P14 WEATHERSHIELD A	Standard weather shield for selected AXIS P14 series. For protection from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02292-001	02292-001	AXIS TP1801-E Front Window Kit	Standard front window kit for selected AXIS P145x-LE series. Abrasion and UV resistant for long service life. Includes cover ring, front window, and rubber gasket.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02412-001	02412-001	AXIS TP1802-E Front Window Kit 29mm	Spare part front window kit for AXIS P1455-LE 29 mm and AXIS P1455-LE-3. Abrasion and UV resistant for long service life. Includes cover ring, front window, and rubber gasket.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
01686-001	01686-001	AXIS Q17 FRONT WINDOW KIT A	Original front glass window assembly for AXIS Q1785/86-LE, IK08 rated. Provides the clarity required for maximum utilization of the camera's zoom capacity.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
01971-001	01971-001	AXIS Q17 FRONT WINDOW KIT C	Original front glass window assembly for AXIS Q1700-LE, IK08 rated. Provides the clarity required for maximum utilization of the camera's zoom capacity.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
01972-001	01972-001	AXIS Q1798-LE WEATHERSHIELD	Original outdoor weathershield for AXIS Q1700-LE camera. Color: Black	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5801-101	5801-101	AXIS Q1765-LE FRONT KIT	Spare part front window for AXIS Q1765-LE	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
5800-521	5800-521	AXIS T98A05 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
5800-531	5800-531	AXIS T98A06 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P130X-E, AXIS Q160X-E, AXIS Q170X-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
5800-541	5800-541	AXIS T98A07 CABINET DOOR	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
5800-551	5800-551	AXIS T98A08 CABINET DOOR	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
5800-381	5800-381	AXIS P135X CONN KIT	Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 2.50MM	\$	10.00	Each	5%	\$	9.50	Cameras	Security	Product
5800-371	5800-371	AXIS T81234-E MIDSPAN SPARE KIT	2pcs RJ-45 waterproof plugs and 1pcs grounding wire for outdoor midspan T81234-E	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5800-921	5800-921	PT IR ILLUMINATOR KIT B	Spare part illuminator kit for AXIS Q8665-LE. NOTE: it is not possible to upgrade a Q8665-E to become LE version	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
01440-001	01440-001	AXIS Q86 FRONT KIT A	Replacement front window assembly for AXIS Q8665-E/-LE. Window in clear tempered glass. Includes built-in heater, wiper mechanism, and heat sink.	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
01441-001	01441-001	AXIS Q86 WIPER KIT A 5P	Replacement wiper blades for selected AXIS Q86, Q87 and Q1656 outdoor cameras. Made from long-life, UV-resistant silicone rubber. 5pcs per pack.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product

5505-771	5505-771	AXIS Q86-E LIGHT SENSOR BOX 120 V	Light sensor box with integrated power supply for controlling IR illuminators and power AXIS Q8665-E input power 120V AC	\$	679.00	Each	5%	\$	645.05	Cameras	Security	Product
5801-191	5801-191	AXIS Q8665-LE BASE UNIT 24V AC	Spare part base unit for AXIS Q86-LE 24 V AC.	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product
5801-181	5801-181	AXIS Q8665-E BASE UNIT 120 V AC	Spare part base unit for AXIS Q86-E 120 V AC.	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product
5801-291	5801-291	AXIS Q8631-E/32-E HOUSING TOP	Spare part top housing with germanium window for AXIS Q8631-E/32-E	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
5801-281	5801-281	AXIS Q8665 HOUSING TOP	Spare part top housing with glass window for AXIS Q8665-E/LE	\$	419.00	Each	5%	\$	398.05	Cameras	Security	Product
5801-311	5801-311	AXIS Q8631/32/65 SUNSHIELD	Spare parte sunshield for AXIS Q8631-E/32-E/65-E/65-LE	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5801-201	5801-201	AXIS Q8665 WIPER	Spare part wiper blade for AXIS Q8665-E/LE including the stainless steel holder	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
01779-001	01779-001	AXIS TM1802 TOP COVER KIT	Replacement top cover with front window for selected AXIS M11-E cameras. Original weathershield included.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
01496-001	01496-001	AXIS WEATHERSHIELD S	Weathershield from UV-resistant plastics for protecting camera against rain, snow and sun.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5505-261	5505-261	AXIS CONNECTOR A 2P2.5 STR 10PCS	Axis male connector for legacy IO port . Pitch: 2.50 mm. 2pos terminal block. 10pack.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5800-891	5800-891	AXIS CONNECTOR A 4P2.5 STR 10PCS	Axis male connector for limited and full IO port. Pitch: 2.50 mm. 4pos terminal block. 10pack.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5505-271	5505-271	AXIS CONNECTOR A 6P2.5 STR 10PCS	Axis male connector for extended IO port . Pitch: 2.50 mm. 6pos terminal block. 10pack	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
5800-901	5800-901	AXIS CONNECTOR A 2P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5505-281	5505-281	AXIS CONNECTOR A 3P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5505-291	5505-291	AXIS CONN A 4P3.81 STR IN/OUT 10P	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
5505-251	5505-251	AXIS CONNECTOR A 4P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5505-301	5505-301	AXIS CONNECTOR A 2P5.08 STR 10PCS	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
5800-881	5800-881	SPR 5 PORT GB ETHERNET SWITCH KIT	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras, including brackets.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
5506-091	5506-091	AXIS Q1765 FOOT CHASSIS	Sparepart foot chassis for AXIS Q1765-LE and AXIS Q193X-E. Note: This sales part does not include the mounting bracket (5506-081 AXIS T94G01S Mounting plate)	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
5506-891	5506-891	AXIS ADAPTER RJ45 MALE TO MALE	Adapter for connecting Q6000-E to PTZ camera	\$	16.00	Each	5%	\$	15.20	Cameras	Security	Product
01175-001	01175-001	AXIS ACI CONDUIT COVER A 10PCS	Spare part plastic side covers for compatible AXIS T91+ and AXIS T94-series of mounting accessories. 10 pcs per pack.	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
02243-001	02243-001	AXIS TP1903 PCBA Housing T92	Sparepart including the electronics module of the AXIS T92G20 housing.	\$	129.00	Each	5%	\$	122.55	Cameras	Security	Product
02211-001	02211-001	AXIS TP3903-E FRONT WINDOW	Spare part front window kit for AXIS P3925-LRE including tempered glass window with anti-reflective coating, gasket and window holder bracket screws.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
02075-001	02075-001	AXIS TP3811 Weathershield	Spare part original outdoor weathershield for AXIS P3715-FLVE. The underside of the cover is specially coated with black anti-reflective coating to prevent reflections from external light sources. Includes gasket and anti-loss screw.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
01760-001	01760-001	AXIS TQ1801 WEATHERSHIELD	Original outdoor weathershield for AXIS Q1785/96-LE cameras. The underside of the cover is specially coated with matte black anti-reflective coating to prevent reflections from external light sources. Includes weathershield slider and anti-loss screw.	\$	63.00	Each	5%	\$	59.85	Cameras	Security	Product
02014-001	02014-001	AXIS TQ1802 WEATHERSHIELD	KIT WEATHER SHIELD spare part Q1700-LE 'E'	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
02015-001	02015-001	AXIS TQ1803 FRONT WINDOW KIT	Original front glass window assembly for AXIS Q1700-LE, IK08 rated. Provides the clarity required for maximum utilization of the camera's zoom capacity.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02193-001	02193-001	AXIS TQ1804-E TOP COVER WITH WIPER	Spare top cover including wiper for AXIS Q1656-LE, AXIS Q1656-BLE	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product
02430-001	02430-001	AXIS TQ1804-BE TOP COVER	Spare top cover for AXIS Q1656-BE. No wiper	\$	249.00	Each	5%	\$	236.55	Cameras	Security	Product
02426-001	02426-001	AXIS TQ1810-E FRONT KIT	Replacement front kit for AXIS Q1951-E, AXIS Q1952-E. Includes window in germanium, heater, cover and gasket.	\$	319.00	Each	5%	\$	303.05	Cameras	Security	Product
02417-001	02417-001	AXIS TQ1906-E FRONT WINDOW KIT	Spare front glass window for AXIS Q1656-LE and AXIS Q1656-BLE. Support for wiper	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
02418-001	02418-001	AXIS TQ1907-E FRONT WINDOW KIT	Spare front plastic window for AXIS Q1656-BE. No support for wiper	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
02104-001	02104-001	AXIS TQ6902-E WEATHER SHIELD	Spare part weather shield for Q6315-LE. Includes anti loss screws	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02103-001	02103-001	AXIS TQ6808-E HARD-COAT CLEAR DOME	Spare part hard coated clear dome for Q6315-LE. Standard clear dome with anti-scratch hard coating. Includes dome ring, cover IR block.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product

02231-001	02231-001	AXIS TQ809-E WIPER KIT	Replacement wiper kit with wiper arm (rubber included) for AXIS Q8752-E. Made from long-life, UV-resistant silicone rubber. For a front window. It includes a wiper arm with four blades for an easy replacement.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
02069-001	02069-001	AXIS TI8902 GLASS REPLACEMENT KIT	Glass replacement kit sold as a spare part to AXIS I8016-LVE Network Video Intercom. It enables easy on-site replacement in case the original cover has been damaged or vandalized.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02367-001	02367-001	LENS I-CS 1/1.8" 3.9-10 mm F1.5	Spare varifocal I-CS lens for AXIS Q1656, AXIS Q1656-LE, EXCAM XF Q1645, EXCAM XF P1377 and F101-A XF P1377. Also compatible with AXIS Q1645-LE and AXIS Q1647-LE	\$	319.00	Each	5%	\$	303.05	Cameras	Security	Product
02448-001	02448-001	LENS CS 4-10MM F0.9	Optional extremely light-sensitive lens. CS-Mount 4-10 mm F0.9 with P-Iris. IR-corrected. Compatible with AXIS Q1656-BI/BE-BLE and AXIS P1375-E, AXIS P1377-LE	\$	529.00	Each	5%	\$	502.55	Cameras	Security	Product
02586-001	02586-001	AXIS TM2001 MOUNT BRACKET	Spare part mounting bracket for AXIS M2035-LE, M2036-LE. Includes a mounting bracket and gasket for cable.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02587-001	02587-001	AXIS TM2802 FRONT KIT A	Spare part front window assembly for AXIS M2035-LE, M2036-LE. The kit comes with a black front cover ring. Includes a window assembly kit (light guide IR filter, window gasket).	\$	31.00	Each	5%	\$	29.45	Cameras	Security	Product
02358-001	02358-001	AXIS TQ1807-VE CABINET DOOR	Spare part cabinet door for AXIS TQ1808-VE Surveillance Cabinet. Stand alone. Can be used with any T98A surveillance cabinets if the front door wants to be replaced with a bigger front door that will allow for more components to be placed in them. Back box has had no changes.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
02655-001	02655-001	AXIS TQ6812-E Solo Kit	Kit for making a stand-alone AXIS Q6100-E installation without PTZ camera inside. Includes a thermo plastic cover lid, IP66-rated RJ45 push-pull connector, and a connector plug. Use this kit together with an AXIS Q6100-E network camera (not included) and the AXIS High PoE Midspan 60 W (not included).	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product
02477-001	02477-001	AXIS TP3828-E Dome Cover White	AXIS TP3815-E Dome Cover White, is a spare part kit including a white casing, clear dome and screws for AXIS P4705-PLVE and P4707-PLVE.	\$	73.00	Each	5%	\$	69.35	Cameras	Security	Product
02465-001	02465-001	LENS M12 3.1mm F2.0 4P	Lens M12 3.1mm F2.0 is a bulk pack of 4x replacement lenses for AXIS F2105-RE standard sensor.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
02713-001	02713-001	AXIS TP1803-E Front Window Kit	Spare part front window kit for AXIS P1467-LE and AXIS P1468-LE. Abrasion and UV resistant for long service life. Includes cover front, window front, and rubber window gasket.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02714-001	02714-001	AXIS TP1804-E Front Window Kit	Spare part front window kit for AXIS P1465-LE 9 mm. Abrasion and UV resistant for long service life. Includes cover ring, front window, and rubber gasket.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02464-021	02464-021	AXIS TU6001 CONN 3-PIN 3.81MM 10P	AXIS TU6001 Conn 3-pin 3.81mm 10p is a bulk pack of 10x AXIS TU6001 Conn 3-pin 3.81mm. AXIS TU6001 Conn 3-pin is compatible with the 2nd generation of F-series Main units: F9111, F9114, and F9104-B and F9114-B AXIS TU6001 Conn 3-pin 3.81mm helps connecting AXIS F91 main units to the DC power.	\$	10.00	Each	5%	\$	9.50	Cameras	Security	Product
02661-001	02661-001	AXIS TQ8901-E Wiper Kit	Replacement wiper kit with wiper arm/blade (rubber included) for AXIS Q8615-E. Made from long-life, UV-resistant silicone rubber.	\$	52.00	Each	5%	\$	49.40	Cameras	Security	Product
02806-001	02806-001	AXIS TQ3810-E Weathershield	Spare part standard weather shield for Axis Q3828-VE, protecting the dome from rain, snow and sun.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02638-001	02638-001	LENS I-CS 3.5-10 MM F1.8	Spare I-CS lens for AXIS M1135-E MK II I-CS and AXIS M1137-E MK II I-CS	\$	149.00	Each	5%	\$	141.55	Cameras	Security	Product
02931-021	02931-021	AXIS TP3907 Clamp Bracket Mount 10P	10 pack spare part clamp bracket mount. Compatible with: AXIS P3735-PL-E, AXIS P3737-PL-E, AXIS P3738-PL-E.	\$	41.00	Each	5%	\$	38.95	Cameras	Security	Product
02744-001	02744-001	AXIS TS3902 RAIL KIT	AXIS TS3902 RAIL KIT is a full rail kit compatible with AXIS S3016 Recorder only. It allows the product to be mounted in server racks with a post to post distance between 376mm (14.8in) and 499mm (19.6in). The rail kit is not compatible with other products such as AXIS S12 Recording Server Series or AXIS S22 Appliance Series. Standard power supply for AXIS S3008 Mk II. IEC-C13 mains cable is not included. This adapter is not compatible with AXIS S3008 or AXIS W800.	\$	129.00	Each	5%	\$	122.55	Cameras	Security	Product
02767-001	02767-001	AXIS Mains Adapter 48V DC 180W	This adapter is not compatible with AXIS S3008 or AXIS W800.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product
02841-001	02841-001	AXIS TQ1929-E Front Window Kit	Spare part front window kit compatible with AXIS Q1805-LE, AXIS Q1806-LE. Includes 4 TX10 screws and window assembly.	\$	84.00	Each	5%	\$	79.80	Cameras	Security	Product
02843-001	02843-001	AXIS TQ1931-E Front Window Kit	Spare part compatible with: AXIS Q1808-LE 150 mm. Includes 4 TX10 screws, window assembly including gasket and window IR.	\$	105.00	Each	5%	\$	99.75	Cameras	Security	Product

02845-001	02845-001	AXIS TQ1933-E Front Window Kit	Spare part compatible with AXIS Q1808-LE. Includes 4 TX10 screws and window assembly.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02846-001	02846-001	AXIS TQ1934-E Weathershield	Spare part weathershield compatible with: AXIS Q1805-LE, AXIS Q1806-LE, AXIS Q1808-LE 150 mm. Including holder, anti loss screws, and cover.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02847-001	02847-001	AXIS TQ1935-E Weathershield	Spare part weathershield compatible with: AXIS Q1808-LE. Including holder, anti loss screws, and cover.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03020-001	03020-001	AXIS TM5901-E Adapter	Spare part ADAPTER BAYONETTE compatible with M5525-E, and M5526-E. Made of brass.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
03147-001	03147-001	AXIS TP1901 Allen Key 10 pcs	A 10 pack T6 Allen Key set sold as a spare part since products it is compatible with come with it out of the box. Products compatible with: P13, Q17, Q16.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
03018-001	03018-001	AXIS TI8906 Glass Replacement Kit	Glass replacement kit sold as a spare part to AXIS I7010-VE Network Intercom. It enables easy on-site replacement in case the original cover has been damaged or vandalized.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
03086-001	03086-001	AXIS TQ1816-VE Cabinet Door	Spare part cabinet door for AXIS TQ1817-VE Surveillance Cabinet. Stand alone. Can be used with any T98A surveillance cabinets if the front door wants to be replaced with a bigger front door that will allow for more components to be placed in them. Back box has had no changes. Compatible with dome, fixed, thermal cameras.	\$ 179.00	Each	5%	\$ 170.05	Cameras	Security	Product
03170-001	03170-001	AXIS TQ8802-E Top Cover Zoom	This is a replacement top cover assembly for AXIS Q8752-E Zoom 30 fps, AXIS Q8752-E Zoom 8.3 fps.	\$ 2,519.00	Each	5%	\$ 2,393.05	Cameras	Security	Product
03171-001	03171-001	AXIS TQ8801-E Top Cover 35 mm	This is a replacement top cover assembly for AXIS Q8752-E Zoom 30 fps and AXIS Q8752-E Zoom 8.3 fps.	\$ 1,379.00	Each	5%	\$ 1,310.05	Cameras	Security	Product
03279-001	03279-001	AXIS TQ1822-E Weathershield	Spare part cover weathershield for Q1800-LE. Extra-long and robust weathershield for protection from rain, snow and sun. The top is black, and the bottom has black anti-glare coating to prevent reflections from built-in IR LEDs. The weathershield is included in AXIS Q1800-LE License Plate Capture and AXIS Q1800-LE License Plate Verifier Kit.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03104-001	03104-001	AXIS TQ5801-E Front Window Kit	Original front window assembly for AXIS Q62-LE, IK09 rated. Includes a complete front window glass assembly with mounting screws and sealing gasket, and a wiper arm (long-life, UV-resistant silicone rubber included). Note: IR window available separately.	\$ 179.00	Each	5%	\$ 170.05	Cameras	Security	Product
02826-001	02826-001	AXIS TQ2801-E Top Cover 50 mm	Spare part top cover for Q2112-E all variants. Includes weather cover, cover top that includes: window heater, pcb, gaskets, holder, screws.	\$ 1,159.00	Each	5%	\$ 1,101.05	Cameras	Security	Product
02827-001	02827-001	AXIS TQ2801-E Top Cover 80 mm	Spare part top cover compatible with Q2112-E different variants. AXIS Q2112-E 100 mm 30 fps, AXIS Q2112-E 100 mm 8.3 fps, AXIS Q2112-E 60 mm 30 fps, AXIS Q2112-E 60 mm 8.3 fps. Includes: weather cover, complete top assembly(PCB Ass Heater large, sub ass intrusion switch, window heater).	\$ 2,009.00	Each	5%	\$ 1,908.55	Cameras	Security	Product
03282-001	03282-001	AXIS TI8909 Protection Cover	Protection cover sold as a spare part for AXIS I8307-VE Network Video Intercom. It enables easy on-site replacement and can be repainted.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
01575-001	01575-001	AXIS DEVICE MICROPHONE A	AXIS Device Microphone A is an omnidirectional microphone to enable audio recording and/or audio analytics with AXIS devices that support audio but do not include a microphone. The product is compatible with devices that support 3.5 mm audio input, like AXIS indoor Q35 series or P33 series together with AXIS TP3201 Recessed Mount.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
01560-001	01560-001	AXIS T8351 MK II MICROPHONE 3.5MM	AXIS T8351 Mk II Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust-and-water proof casing.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01561-001	01561-001	AXIS T8355 DIGITAL MICROPHONE	AXIS T8355 Digital Microphone is an omnidirectional microphone compatible with Axis network product with digital in and ring power supporting both a 3.5mm jack and audio terminal block for microphone input. Axis T8355 could be placed up to 100m (328 ft) away from Axis network products, generating flexibility for installation without deterioration of the audio signal.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
01798-001	01798-001	AXIS TP3901 MICROPHONE KIT	Casing with built-in microphone for selected AXIS P32-LV cameras. Color: Axis white.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product

02547-001	02547-001	AXIS TP3906 MICROPHONE KIT	Accessory casing with built-in microphone for AXIS P3267-LV, AXIS P3268-LV, M3215-LVE, M3216-LVE includes microphone and casing with mic hole coming in Axis white. AXIS Device Microphone B is an omnidirectional microphone to enable audio recording and/or audio analytics with AXIS devices that support audio but do not include a microphone. The product includes a Terminal Block to 3.5 mm Audio Extension allowing it to be installed together with our latest AXIS P32 series.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
01963-001	01963-001	AXIS DEVICE MICROPHONE B	AXIS TU1001 -VE is an outdoor analog microphone which has to be connected over 3.5mm jack to an AXIS camera or AXIS device with Audio IN support. AXIS TU1001 -VE is IK10 and IP66 rated to withstand challenges in outdoor environments. AXIS TU1001 -VE can be wall or ceiling mounted.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02269-001	02269-001	AXIS TU1001-VE Microphone	AXIS TU1002-VE Microphone Kit, is an IP66, IK10 enclosure with embedded microphone. AXIS TU1002-VE fits a metallic mesh windscreen as well as dual weatherproofing membranes. The product is designed to fit an AXIS C8033 Audio Bridge, that combined with AXIS TU1002-VE will form a network microphone solution.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02082-001	02082-001	AXIS TU1002-VE MICROPHONE KIT	TU1001 -V is an indoor analog microphone for single gang box. TU1001 -V is IK10 rated.	\$ 149.00	Each	5%	\$ 141.55	Cameras	Security	Product
02270-001	02270-001	AXIS TU1001-V Microphone	PoE Splitter 5 V can be used together with a network device that has no built-in support for Power over Ethernet (PoE). The product splits PoE into separate 5 V DC and data outputs. The product is IEEE 802.3af compliant.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
02044-001	02044-001	POE SPLITTER 5V	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	\$ 689.00	Each	5%	\$ 654.55	Cameras	Security	Product
5012-004	5012-004	AXIS POE MIDSPAN 8-PORT	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	\$ 909.00	Each	5%	\$ 863.55	Cameras	Security	Product
5012-014	5012-014	AXIS POE MIDSPAN 16-PORT	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5026-204	5026-204	AXIS T8120 15W MIDSPAN 1-PORT	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf. 10 pcs.	\$ 599.00	Each	5%	\$ 569.05	Cameras	Security	Product
5026-224	5026-224	AXIS T8120 15W MIDSPAN 10PCS	Media converter switch . 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec: -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount. 24 V DC power in.	\$ 509.00	Each	5%	\$ 483.55	Cameras	Security	Product
5901-271	5901-271	AXIS T8607 MEDIA CONV SWITCH 24VDC	Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4 products	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02172-004	02172-004	AXIS 30W MIDSPAN	AXIS 30 W Midspan AC/DC is ideal for installations where mains power is not an option. By means of either 10-28 V DC or 24 V AC power input the midspan can provide up to IEEE 802.3at (30 W) to a network device. AXIS 30W Midspan AC/DC 24 V is plug-and-play and offers a wide compatibility with AXIS products.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02208-001	02208-001	AXIS 30 W MIDSPAN AC/DC	AXIS 90 W Midspan AC/DC is ideal for installations where mains power is not an option. By means of either 20-26.4 V DC or 24 V AC power input the midspan can provide both IEEE 802.3bt (90 W & 60 W) and AXIS High PoE 60 W to a network device. AXIS 90W Midspan AC/DC is plug-and-play and offers a wide compatibility with AXIS products.	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
02209-001	02209-001	AXIS 90 W MIDSPAN AC/DC	AXIS 30 W Outdoor Midspan is an outdoor ready IP65-IP67-rated midspan compliant with IEEE802.3af and 802.3at. With built in 6kV surge protection. Delivers up to 30W. Temperature specification: 40°C to 65°C (-40°F to 149°F) for 30W.	\$ 289.00	Each	5%	\$ 274.55	Cameras	Security	Product
01944-001	01944-001	AXIS 30W OUTDOOR MIDSPAN	Small Form Factor Pluggable (SFP) transceiver module. Single mode 1310nm, 10km. Industrial grade.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5801-801	5801-801	AXIS T8611 SFP MODULE LC.LX	Small Form Factor Pluggable (SFP) transceiver module. Multi mode 850nm, 550m. Industrial grade.	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product
5801-811	5801-811	AXIS T8612 SFP MODULE LC.SX								

5801-821	5801-821	AXIS T8613 SFP MODULE 1000BASE-T	Small Form Factor Pluggable (SFP) transceiver module. Ethernet RJ-45. Industrial grade.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
5900-334	5900-334	AXIS T8134 MIDSPAN 60W	High PoE 1-port midspan 60W. Compliant with 802.3at and PoE 802.3af.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01154-001	01154-001	AXIS T8144 60W INDUSTRIAL MIDSPAN	Industrial midspan with extended temperature range. PoE 60W and dual DC 12/24 V DC power input for redundancy. Operating temperature -40 to +75 degC or -40 to +167 °F. DIN and wall mount included.	\$ 289.00	Each	5%	\$ 274.55	Cameras	Security	Product
02453-001	02453-001	AXIS TU8002-E 90 W MIDSPAN	AXIS TU8002-E is an outdoor ready IP66-rated midspan with up to 90 W power budget. The product is ideal for environmental challenging installations of PTZ and other devices with high power needs. The midspan support both IEEE802.3bt and HighPoE.	\$ 389.00	Each	5%	\$ 369.55	Cameras	Security	Product
5900-251	5900-251	AXIS T8125 AC 24V MIDSPAN 60W	60W PoE midspan for 24V AC input.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5505-731	5505-731	POWER SUPPLY DIN CP-D 12/2.1 25W	DIN power supply. 12V DC. 2.1 A. For use in T98A to power cameras, media converters etc.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
01169-001	01169-001	POWER SUPPLY DIN CP-D 24/4.2 100 W	DIN power supply. 24V DC. 4.2 A. For use in AXIS Surveillance Cabinets to power cameras, media converters etc.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01170-001	01170-001	POWER SUPPLY PS24 240 W	24V DC power supply with 240 W output power.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
5500-001	5500-001	AXIS T8127 60 W SPLITTER 12/24 V DC	PoE splitter. Can deliver both 12 and 24 V DC (user selectable) from High PoE 60W midspan. Useful to power and connect non-PoE devices like IP cameras, magnetic locks for access control systems, Wi-Fi AP, thin clients etc.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
01677-001	01677-001	POWER SUPPLY DIN PS24 480W	Power supply for AXIS Q86, Q87 & T99A product lines. 480W 24V 20A for DIN rail mounting.	\$ 339.00	Each	5%	\$ 322.05	Cameras	Security	Product
01726-001	01726-001	AXIS POWER SUPPLY DIN PS56 240W	Power supply for AXIS T8504-R Industrial PoE Switch. 240W 56V 5A for DIN rail mounting.	\$ 289.00	Each	5%	\$ 274.55	Cameras	Security	Product
5025-281	5025-281	AXIS T8129 POE EXTENDER	Power over Ethernet extender repeats the data signal and forward the PoE to the camera. PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 209.00	Each	5%	\$ 198.55	Cameras	Security	Product
01148-001	01148-001	AXIS T8129-E OUTDOOR POE EXTENDER	AXIS T8129-E Outdoor PoE Extender repeats the data signal and PoE to the camera. AXIS T8129-E is PoE+ compliant with all Axis cameras and does not require an additional power supply. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
5502-331	5502-331	ACC CABLE I/O AUDIO 5M P3343-VE	Audio and I/O extension cable for AXIS P33 Series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01857-001	01857-001	AXIS LONG RANGE POE EXTENDER KIT	AXIS Long range PoE Extender kit offers a smart and easy-to-install solution for extending the range of your network and PoE up to 1000m (3280ft.). Connect the product in-line with the CAT5e or CAT6 cable and power and data are forwarded to your Axis network devices. AXIS Long range PoE Extender kit supports both IEEE 802.3af and IEEE 802.3at compliant devices and can withstand challenging temperatures. The product is NEMA TS2 compatible.	\$ 569.00	Each	5%	\$ 540.55	Cameras	Security	Product
01590-001	01590-001	AXIS DIGITAL AUDIO EXTENSION KIT	AXIS Digital Audio Extension Kit enables AXIS T8355 Digital Microphone to extend to distances up to 100m (328 ft.).	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
01589-001	01589-001	AXIS AUDIO EXTENSION CABLE B 5M	Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in).	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
5801-694	5801-694	AXIS T8516 PoE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/ RJ45 uplink ports and 16 PoE+ ports with 250W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$ 789.00	Each	5%	\$ 749.55	Cameras	Security	Product
01192-004	01192-004	AXIS T8524 POE+ NETWORK SWITCH	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/ RJ45 uplink ports and 24 PoE+ ports with 370W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product
01714-001	01714-001	TERMINAL BLOCK TO 3.5MM AUDIO EXT	3.5mm audio jack extension for Axis Network Video products with terminal block audio connection.	\$ 11.00	Each	5%	\$ 10.45	Cameras	Security	Product
5505-031	5505-031	AXIS MULTICABLE A I/O AUDIO PWR 1M	Multi-connector cable for power (12VDC), audio and I/O port. 1m (40 in)	\$ 94.00	Each	5%	\$ 89.30	Cameras	Security	Product

5026-401	5026-401	AXIS T8640 POE+ OVER COAX ADAP	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input (for optional power supply). The package contains one base unit and one device unit.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
5505-021	5505-021	AXIS MULTICABLE A I/O AUDIO PWR 5M	Multi-connector cable for power (12VDC), audio and I/O port. 5m (197 in)	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
5028-411	5028-411	AXIS T8641 POE+ OVER COAX BASE	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	\$	299.00	Each	5%	\$	284.05	Cameras	Security	Product
5505-511	5505-511	AXIS MULTICABLE B I/O AUDIO PWR 2.5M	Multi-connector cable for AC/DC power, audio in/out and I/O connectivity. 2.5m (8.2 ft)	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
5027-421	5027-421	AXIS T8642 POE+ OVER COAX DEVI	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	\$	299.00	Each	5%	\$	284.05	Cameras	Security	Product
5506-201	5506-201	AXIS MULTICABLE C I/O AUDIO PWR 1M	Multi-connector cable for power, audio and I/O connectivity. 1m (3.3 ft)	\$	129.00	Each	5%	\$	122.55	Cameras	Security	Product
01468-001	01468-001	AXIS T8643 POE+ OVER COAX COMPACT	AXIS T8643 PoE+ over Coax Compact enables legacy coax cabling to be kept when converting an analog system to digital. The design allows for improved installation and cable management as it can easily be integrated in housings and backboxes. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling.	\$	299.00	Each	5%	\$	284.05	Cameras	Security	Product
5506-191	5506-191	AXIS MULTICABLE C I/O AUDIO PWR 5M	Multi-connector cable for power, audio and I/O connectivity. 5m (16.4 ft)	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
01489-001	01489-001	AXIS T8645 PoE+ COAX COMPACT KIT	AXIS T8645 PoE+ over Coax Compact Kit enables legacy coax cabling to be kept when converting an analog system to digital, and comprises AXIS T8641 PoE+ Over Coax Base and AXIS T8643 PoE+ over Coax Compact. It delivers standard Power over Ethernet (PoE) and centrally-sourced power through existing coax cabling. The compact design of the AXIS T8643 PoE+ over Coax Compact allows for improved installation and cable management as it can easily be integrated in housings and backboxes.	\$	579.00	Each	5%	\$	550.05	Cameras	Security	Product
5502-731	5502-731	AXIS OUTDOOR RJ45 CABLE 5M	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 5m (16ft). Color: black.	\$	94.00	Each	5%	\$	89.30	Cameras	Security	Product
5504-731	5504-731	AXIS OUTDOOR RJ45 CABLE 15M	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (50ft). Color: black.	\$	169.00	Each	5%	\$	160.55	Cameras	Security	Product
5801-741	5801-741	AXIS CABLE 24 VDC/24-240 VAC 22M	Heavy duty power cable, 22m (72ft) in length, 3-wire, 12AWG, jacket diameter 10mm (0.4in). Suitable for outdoor installation. UL20626 up to 90°C (194°F) ambient temperature. Designed for use with AXIS Positioning Cameras and Positioning Units, such as AXIS Q8685-E. Material: TPE insulation, copper wire, PVC-free and halogen-free. Color: Black.	\$	219.00	Each	5%	\$	208.05	Cameras	Security	Product
5503-771	5503-771	NETWORK CABLE COUPLER INDOOR	Female/female RJ45 coupler. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$	12.00	Each	5%	\$	11.40	Cameras	Security	Product
5503-272	5503-272	NETWORK CABLE COUPLER INDOOR SLIM	Female/female RJ45 coupler. Slim and compact size. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$	20.00	Each	5%	\$	19.00	Cameras	Security	Product
5505-351	5505-351	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$	1,029.00	Each	5%	\$	977.55	Cameras	Security	Product
5505-361	5505-361	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$	1,029.00	Each	5%	\$	977.55	Cameras	Security	Product
5505-371	5505-371	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product
5505-381	5505-381	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	Pre-assembled T98A18-VE Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3) AXIS T8604 Media Converter, (4) Power cable and DIN clip for midspan AXIS T8124, (5) Internal cables and mounts. Tested and verified with Axis cameras.	\$	1,029.00	Each	5%	\$	977.55	Cameras	Security	Product

5000-001	5000-001	ACC MAINS ADAPTOR AXIS PS24	24VAC power adapter for outdoor use. Output max 63VA.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5801-701	5801-701	AXIS T8008 PS24	24V DC power supply 250W with extended temperature (-40 to +75C (-40 to 167F)).	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
02315-001	02315-001	AXIS TU8001 Ethernet Surge Protector	AXIS TU8001 Ethernet Surge Protector helps reduce downtime, service and maintenance of your system by shielding your PoE devices against transient voltage spikes in the Ethernet cable. The product protects up to 10 kV surge, with data rates up to 1 Gbps. AXIS TU8001 is IEC 61643-21 compliant and can handle extended temperature ranges. Its compact form factor is ideal for surface or DIN-rail installations, in e.g. electrical cabinets. A high-quality product validated to work seamlessly with Axis devices.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5801-641	5801-641	AXIS T8061 ETHERNET SURGE PROTECTOR	Protect your Ethernet networks device, i.e. cameras, switches, midspans, etc..., from lightning. Protects up to 10KV surge, IP66 and UL certified.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
5502-131	5502-131	CONNECTOR M12 MALE 4P 10PCS	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P. Field installable with screw-in contacts. 10 pcs	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5506-251	5506-251	AXIS 10-PIN PUSH-PULL SYSTEM CONN	10-pin system connector for power, audio and I/O.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01996-001	01996-001	RJ45 FIELD CONNECTOR 10 PCS	RJ45 Field Connector (10 PCS) for easy assembly in the field without the need for special tools. Due to its compact size, it has a wide compatibility with Axis devices, like AXIS P32 Series or Network Cable Coupler IP66. Ready to be used with CAT6a ethernet cabling, AWG 26-22. Suitable for IEEE 802.3af, 802.3at, 802.3bt and Axis HighPoE solution.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
5801-681	5801-681	AXIS STEREO-TO-MONO ADAPTER	AXIS Stereo-to-mono Adapter. Spare part to AXIS F44 Dual Audio Input Main Unit. Allows two microphones or line inputs to be connected to AXIS F44 Dual Audio Input.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
02198-001	02198-001	AXIS POWER CABLE 24 V 7m (23ft)	AXIS Power Cable 24V 7m (23ft) helps extending the operating temperature of AXIS Q6010 (-25/100 °E up to -50° (-58°F)) when installed in extreme cold environments. The power cable requires a 24V DC mains adapter (Not included).	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
02631-001	02631-001	AXIS TD8902 SFP+ MODULE LC.SR.X	AXIS TD8902 SFP+ Module LC.SR.X is an enhanced small form-factor pluggable (SFP+) transceiver that supplies network devices, such as switches or routers, with a fiber optic network connection. It is industrial grade with a wide temperature range, and it includes link-loss that enable network redundancy. Complying with SFP+ Multisource Agreement (MSA), it is easy to install into compliant ports at any time without interrupting the online operation of the host equipment. Short wavelength (850 nm) VCSEL laser diodes enable data transmission up to 400 m on a multimode 50/125 µm optical fiber.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02630-001	02630-001	AXIS TD8901 SFP+ MODULE LC.LR.X	Small Form Factor Pluggable (SFP+) transceiver module. Single mode 1310nm, 10km, industrial grade.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02632-001	02632-001	POWER SUPPLY DIN PS56 480 W	Power supply for D8208-R Industrial PoE++ Switch, 480W and for DIN rail mounting.	\$ 419.00	Each	5%	\$ 398.05	Cameras	Security	Product
02740-004	02740-004	AXIS T8154 60W SFP MIDSPAN	bt. compliant 60 W Midspan with additional SFP port	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
02783-001	02783-001	AXIS TU8004 90 W Midspan	AXIS TU8004 is a single port 90 W midspan, compliant with IEEE 802.3bt and High PoE devices. Power over Ethernet (PoE) offers an easy, fast and cost-effective solution for powering network products. In a single network cable, a PoE midspan injects power and data to the network device with built-in PoE support. No need to replace existing Ethernet switches and cabling infrastructure. The midspan can be installed on a wall, shelf or DIN rail with AXIS T91A03 DIN Rail Clip A. Note: AXIS TU6011 Mains Cable is sold separately.	\$ 219.00	Each	5%	\$ 208.05	Cameras	Security	Product
02027-004	02027-004	AXIS TU8003 90 W CONNY MDSPN	AXIS TU8003 90 W Connectivity Midspan with portcast technology uses the camera's IP address to provide seemingly camera-integrated audio and I/O connectivity. This enables audio and video in one stream over the network with no extra VMS license. It supports Axis PTZ cameras using up to 90 W (IEEE 802.3bt). Plus, it's compatible with PTZ cameras using IEEE 802.3af/at and Axis High PoE.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
02848-001	02848-001	AXIS TQ1936 POE PATCH CABLE 5 pcs	5 pack poe patch cables compatible with: AXIS Q1805-LE, AXIS Q1806-LE, AXIS Q1806-LE. CABLE NETWORK L=115MM CAT5E RJ45	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product

02726-001	02726-001	AXIS TU8010 2-port PoE Extender	AXIS TU8010 2-port PoE Extender add additional PoE ports within a system, allowing for more devices to be connected. In addition to this they also extend the length of PoE cabling that you can use by 100 meters. The new PoE extenders will enhance the ease of installation by minimizing the number of PoE ports used and the amount of cabling needed.	\$ 259.00	Each	5%	\$ 246.05	Cameras	Security	Product
02727-001	02727-001	AXIS TU8011 4-port PoE Extender	AXIS TU8011 4-port PoE Extender add additional PoE ports within a system, allowing for more devices to be connected. In addition to this they also extend the length of PoE cabling that you can use by 100 meters. The new PoE extenders will enhance the ease of installation by minimizing the number of PoE ports used and the amount of cabling needed.	\$ 319.00	Each	5%	\$ 303.05	Cameras	Security	Product
03180-001	03180-001	AXIS TD8910 Console Cable	Added primarily for the D8308 Fiber Aggr Switch to allow for easier and flexible set up.	\$ 49.00	Each	5%	\$ 46.55	Cameras	Security	Product
03064-001	03064-001	AXIS TD8911 SFP28 Module LC.LR.X	SFP28 module added primarily to be used with the D8308 Fiber Aggr Switch.	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
03065-001	03065-001	AXIS TD8912 SFP28 Module LC.SR.X	SFP28 module added primarily to be used with the D8308 Fiber Aggr Switch.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
5801-951	5801-951	AXIS SURVEILLANCE CARD 64 GB	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5801-961	5801-961	AXIS SURVEILLANCE CARD 64 GB 10P	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter. 10pack.	\$ 399.00	Each	5%	\$ 379.05	Cameras	Security	Product
01491-001	01491-001	AXIS SURVEILLANCE CARD 128 GB	AXIS Surveillance Card 128 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 59.00	Each	5%	\$ 56.05	Cameras	Security	Product
01678-001	01678-001	AXIS SURVEILLANCE CARD 128 GB 10P	The 10 pack variant of the AXIS Surveillance Card 128 GB, a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras.	\$ 629.00	Each	5%	\$ 597.55	Cameras	Security	Product
02021-001	02021-001	AXIS SURVEILLANCE CARD 256GB	AXIS Surveillance Card 256 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 99.00	Each	5%	\$ 94.05	Cameras	Security	Product

02021-021	02021-021	AXIS SURVEILLANCE CARD 256GB 10PCS	AXIS Surveillance Card 256 GB (10pcs) are high endurance microSDXC™ cards optimized for video surveillance. They have support for health status monitoring with Axis cameras. The cards enable flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapters.	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product
02365-001	02365-001	AXIS SURVEILLANCE CARD 512GB	AXIS Surveillance Card 512 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 179.00	Each	5%	\$ 170.05	Cameras	Security	Product
02365-021	02365-021	AXIS SURVEILLANCE CARD 512GB 10PCS	AXIS Surveillance Card 512 GB (10pcs) are high endurance microSDXC™ cards optimized for video surveillance. They have support for health status monitoring with Axis cameras. The cards enable flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapters.	\$ 1,789.00	Each	5%	\$ 1,699.55	Cameras	Security	Product
02366-001	02366-001	AXIS SURVEILLANCE CARD 1TB	AXIS Surveillance Card 1 TB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 349.00	Each	5%	\$ 331.55	Cameras	Security	Product
02366-021	02366-021	AXIS SURVEILLANCE CARD 1TB 10PCS	AXIS Surveillance Card 1 TB (10pcs) are high endurance microSDXC™ cards optimized for video surveillance. They have support for health status monitoring with Axis cameras. The cards enable flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapters.	\$ 3,489.00	Each	5%	\$ 3,314.55	Cameras	Security	Product
01858-001	01858-001	SURVEILLANCE HARD DRIVE 4TB	Surveillance Hard Drive 4TB is a 3.5-inch internal drive designed and tested for 24/7 reliable video surveillance. It is optimized for high-definition continuous or event triggered recordings and high write-cycle workloads. Suitable for storage expansion of compatible appliances, it enables for flexible storage solutions. Storage needs can be estimated with AXIS Site Designer 2 and appropriate recommendation will be provided.	\$ 279.00	Each	5%	\$ 265.05	Cameras	Security	Product
01859-001	01859-001	SURVEILLANCE HARD DRIVE 6TB	Surveillance Hard Drive 6TB is a 3.5-inch internal drive designed and tested for 24/7 reliable video surveillance. It is optimized for high-definition continuous or event triggered recordings and high write-cycle workloads. Suitable for storage expansion of compatible appliances, it enables for flexible storage solutions. Storage needs can be estimated with AXIS Site Designer 2 and appropriate recommendation will be provided.	\$ 419.00	Each	5%	\$ 398.05	Cameras	Security	Product

02471-001	02471-001	ENTERPRISE HARD DRIVE 4TB	Enterprise Hard Drive 4 TB is a 3.5-inch internal hard drive designed and tested for 24/7 reliable video surveillance. It is optimized for ultra-high-definition continuous or event-triggered recording at high workloads. Enterprise Hard Drive 4 TB can be added to an existing RAID array composed of drives of the same capacity. It is suitable for storage expansion of most products in AXIS S11 Series and AXIS S12 Series. Storage needs can be estimated with AXIS Site Designer and appropriate recommendation will be provided. Enterprise Hard Drive 4 TB is sold together with the HDD tray.	\$ 389.00	Each	5%	\$ 369.55	Cameras	Security	Product
02472-001	02472-001	ENTERPRISE HARD DRIVE 8TB	Enterprise Hard Drive 8 TB is a 3.5-inch internal hard drive designed and tested for 24/7 reliable video surveillance. It is optimized for ultra-high-definition continuous or event-triggered recording at high workloads. Enterprise Hard Drive 8 TB can be added to an existing RAID array composed of drives of the same capacity. It is suitable for storage expansion of most products in AXIS S11 Series and AXIS S12 Series. Storage needs can be estimated with AXIS Site Designer and appropriate recommendation will be provided. Enterprise Hard Drive 8 TB is sold together with the HDD tray.	\$ 599.00	Each	5%	\$ 569.05	Cameras	Security	Product
03317-001	03317-001	ENTERPRISE HARD DRIVE 12 TB	Enterprise Hard Drive 12 TB is a 3.5-inch internal hard drive designed and tested for 24/7 reliable video surveillance. It is optimized for ultra-high-definition continuous or event-triggered recording at high workloads. Enterprise Hard Drive 12 TB can be added to an existing RAID array composed of drives of the same capacity. It can also be combined with enterprise hard drives of other capacities when RAID is not used. It is suitable for storage expansion of most products in AXIS S12 Series. Storage needs can be estimated with AXIS Site Designer and appropriate recommendation will be provided. Enterprise Hard Drive 12 TB is sold together with the HDD tray.	\$ 849.00	Each	5%	\$ 806.55	Cameras	Security	Product
02474-001	02474-001	AXIS TU9001 Control Board	AXIS TU9001 Control Board is a modular system with separate joystick and keypad units. The modular system allows you to choose a simple solution such as only the joystick, or a complete solution with the two modules for both camera and video management.	\$ 1,049.00	Each	5%	\$ 996.55	Cameras	Security	Product
02475-001	02475-001	AXIS TU9002 Joystick	AXIS TU9002 Joystick gives responsive and accurate control of all Axis PTZ cameras. It is a 3-axis joystick with a turn knob and six application-defined hotkeys. Plus, you can use AXIS TU9002 as a computer mouse. The joystick is constructed in durable materials and has a professional and modern look that adapts to a surveillance room design. It is designed for both left-hand and right-hand use and is easy to install with a USB interface.	\$ 579.00	Each	5%	\$ 550.05	Cameras	Security	Product
02476-001	02476-001	AXIS TU9003 Keypad	With AXIS TU9003 Keypad, you can quickly navigate between workspaces, cameras, views, and PTZ presets. It has 10 application-defined hotkeys and 12 preset keys. It's equipped with an LCD display allowing the operator to see, for instance, the number of the camera he or she is looking at. The keypad is constructed in durable materials that are PVC free and has a professional and modern look that adapts to a surveillance room design. It is designed for both left-hand and right-hand use and is easy to install with a USB interface.	\$ 529.00	Each	5%	\$ 502.55	Cameras	Security	Product
5027-041	5027-041	AXIS T8604 MEDIA CONVERTER SWITCH	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
5901-261	5901-261	AXIS T8606 MEDIA CONV SWITCH 24VDC	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power.	\$ 449.00	Each	5%	\$ 426.55	Cameras	Security	Product
01202-004	01202-004	AXIS T8341 PIR MOTION SENSOR	PIR Motion Sensor for Axis Wireless I/O using Z-wave technology.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01204-004	01204-004	AXIS T8343 ALERT BUTTON	Panic button for Axis Wireless I/O using Z-wave technology.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product

01215-001	01215-001	AXIS T90D25 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 509.00	Each	5%	\$ 483.55	Cameras	Security	Product
01216-001	01216-001	AXIS T90D25 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 509.00	Each	5%	\$ 483.55	Cameras	Security	Product
01212-001	01212-001	AXIS T90D30 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 909.00	Each	5%	\$ 863.55	Cameras	Security	Product
01213-001	01213-001	AXIS T90D30 POE IR-LED	PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 909.00	Each	5%	\$ 863.55	Cameras	Security	Product
01217-001	01217-001	AXIS T90D35 W-LED	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 909.00	Each	5%	\$ 863.55	Cameras	Security	Product
01218-001	01218-001	AXIS T90D35 POE W-LED	PoE powered white LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). PoE+ IEEE 802.3at required.	\$ 849.00	Each	5%	\$ 806.55	Cameras	Security	Product
01214-001	01214-001	AXIS T90D40 IR-LED	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 105m to 500m (345ft to 1640ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F). 12/24 V DC or AC input.	\$ 1,369.00	Each	5%	\$ 1,300.55	Cameras	Security	Product
5505-681	5505-681	AXIS WL LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with AXIS T90B25 W-LED.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5505-701	5505-701	AXIS IR LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product
5505-691	5505-691	AXIS WL LENS C 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B35 W-LED.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5505-711	5505-711	AXIS IR LENS C 120 DEG	Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as the illuminator has two panels). The beam angle can be adjusted between 120° and 180°, with a beam distance stretching from 65 m to 45 m (213 ft to 148 ft). This sales part includes one lens.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01235-001	01235-001	AXIS IR LENS D 120 DEG	Accessory lens providing 120° beam angle	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
5800-931	5800-931	AXIS T90B REMOTE CONTROL	The remote control is compatible with all Axis T90B illuminators and provides the possibility to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control feature can be disabled after the installation is finalized to avoid tampering.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01219-001	01219-001	AXIS T90 WALL-AND-POLE MOUNT	Mounting bracket for AXIS T90 illuminators.	\$ 41.00	Each	5%	\$ 38.95	Cameras	Security	Product
01220-001	01220-001	AXIS T90 SINGLE BRACKET	Mounting bracket for AXIS T90 illuminators.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
01221-001	01221-001	AXIS T90 MULTI BRACKET	Mounting bracket for AXIS T90 illuminators.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
5503-841	5503-841	AXIS DOOR SWITCH A	Intrusion door switch for AXIS T98A, connection to I/O port.	\$ 31.00	Each	5%	\$ 29.45	Cameras	Security	Product

01802-001	01802-001	AXIS DOME INTRUSION SWITCH C	AXIS Dome Intrusion Switch C can be placed in compatible Axis dome cameras and devices to trigger an event upon removal of the casing. Connects directly to the I/O port.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
01534-001	01534-001	AXIS FIXED BOX IR ILLUMINATOR KIT A	AXIS Fixed Box IR Illuminator Kit A for AXIS P1375-E. For mounting on AXIS P13 Series camera. Range of reach 50 m (164 ft) or more depending on the scene. Powered by AXIS P13 Series camera. Requires Power over Ethernet (PoE) IEEE 802.3af/802.3at Type 1 Class 4 midspan power for AXIS P13 Series camera.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02194-001	02194-001	AXIS TQ1901-E IR ILLUMINATOR KIT	Illuminator Kit for AXIS P13 Series and AXIS Q1656-BE. Offers both 850nm or 940nm wavelength. Powered by the camera. Camera requires Power over Ethernet (PoE) IEEE 802.3af/802.3at Type 1 Class 4 midspan power for AXIS P13 Series and AXIS Q1656-BE camera. AXIS TQ1901-E IR ILLUMINATOR KIT is included in AXIS Q1656-LE and AXIS Q1656-BLE	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
01765-001	01765-001	AXIS I/O INDICATION LED 4P	AXIS I/O Indication LED is an easy to install signaling accessory for all AXIS devices that support 12 V I/O and can be setup through the event handling of the device to address desired deterrence or privacy concerns. The LED comes with IP44 rating. Up to three LEDs could be installed with AXIS devices that support 50 mA load on their I/O ports. This product comes in a 4-pack.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02040-001	02040-001	AXIS CAMERA HEATER POWER SUPPLY	AXIS Camera Heater Power Supply helps extending the operating temperature of AXIS Q6010 / Q6100 -E up to -50°C (-58°F) when installed in extreme cold environments.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02195-001	02195-001	AXIS TQ1902-E IR ILLUMINATOR KIT	Illuminator Kit compatible with: AXIS P1375-E, AXIS P1377-LE, AXIS P1378-LE, AXIS Q1656-BE, AXIS Q1656-BLE, AXIS Q1656-LE. Offers IR with White light module – 840nm with white leds. Powered by the camera. Camera requires Power over Ethernet (PoE) IEEE 802.3af/802.3at Type 1 Class 4 midspan. Note there is a similar illuminator kit for same cameras: 02194-001 and the difference is only the White light, where: 02194-001 – IR with IR modules – 840nm with 940nm.	\$ 169.00	Each	5%	\$ 160.55	Cameras	Security	Product
02565-001	02565-001	AXIS TM3812 Tamper-resistant Cover	4 pack accessory casing to prevent tampering. Offer a secure way by a screw to increase the tamper resistance by replacing standard cover with the new Tamper Cover. It require special tools (resistor) to open the cover. Allen key, TX6 screw, cover, cover top hatch come in the package. Compatible with M3085-V, M3086-V, M3088-V.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02572-001	02572-001	AXIS TM3817 TAMPER-RESISTANT COVER	4 pack accessory casing to prevent tampering. Offer a secure way by a screw to increase the tamper resistance by replacing standard cover with the new Tamper Cover. It require special tools (resistor) to open the cover. Allen key, TX6 screw, cover, cover top hatch come in the package. Compatible with M4216-LV/V.	\$ 63.00	Each	5%	\$ 59.85	Cameras	Security	Product
5506-244	5506-244	MAINS CABLE ANGL C13-OPN 0.5M	Angled C13 mains cable for use when limited space. Open ends for installation in terminal blocks etc. Use when installing midspan into AXIS T98A Surveillance cabinet.	\$ 20.00	Each	5%	\$ 19.00	Cameras	Security	Product
02627-004	02627-004	AXIS TM1901 WIRELESS KIT	Wireless communication kit for AXIS M1075-L Box Camera. The kit includes a wireless adapter and a power injector for AXIS M1075-L Box Camera. This allows the camera to communicate with 2.4 GHz and 5 GHz frequency. The wireless adapter supports 802.11ac/b/g/n. The power injector is powered by 100-240 V AC (50-60 Hz). Requires ethernet cable.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
03004-001	03004-001	AXIS TQ1937-E IR ILLUMINATOR KIT	AXIS TQ1937-E IR Illuminator Kit has a powerful IR and is designed to fit AXIS Q16 Series and AXIS P13 Series. The improved IR has 4 lenses: 2 wide-angle lenses for zoomed-out views and 2 tele lenses for zoomed-in views. It enables cost-efficient surveillance in pitch darkness and includes power-efficient, long-life 850 nm IR with a range of reach of 50 m (164 ft). The IP66/67 and IK10-rated IR can easily be mounted on the bottom of the outdoor models in AXIS Q16 Series and AXIS P13 Series. AXIS TQ1937-E IR Illuminator Kit is included in Q1686-DLE.	\$ 179.00	Each	5%	\$ 170.05	Cameras	Security	Product

02771-001	02771-001	AXIS TQ1919-E IR ILLUMINATOR KIT	AXIS TQ1919-E IR Illuminator Kit is an optional IR kit accessory with covert long-life 940 nm IR LEDs. Designed to fit selected outdoor box cameras in AXIS P13 Series, AXIS P15 Series, AXIS Q16 Series and AXIS TQ1815-E/AXIS TQ1819-E Housings. The IP66/67 and IK10-rated IR kit can easily be mounted on the bottom of the outdoor models and are powered by the cameras and housings.	\$	159.00	Each	5%	\$	151.05	Cameras	Security	Product
01942-001	01942-001	AXIS D4100-E NETWORK STROBE SIREN	AXIS D4100-E Network Strobe Siren helps deter intruders and improve operations with the power of light and sound. Flexible to configure with a combination of RGB light patterns and sounds up to 110 dB. Easy to setup through two configurable I/O ports, VAPIX, MQTT or SIP. Power over Ethernet. IP66 and IK10 outdoor ready, vandal-resistant casing. Includes mounting bracket for wall/ceiling or junction boxes.	\$	469.00	Each	5%	\$	445.55	Cameras	Security	Product
02930-001	02930-001	AXIS D4200-VE	Powerful Network Strobe Speaker. First D4XXX product with real speaker and a lot of added functionality, like two-way audio, poe passthrough, audio analytics, more LED colors and 102dB speaker	\$	949.00	Each	5%	\$	901.55	Cameras	Security	Product
03105-001	03105-001	AXIS D4100-VE Mk II	Updated D4100-VE Mk II Network Strobe Siren. Better CPU. Update done for future proofing	\$	549.00	Each	5%	\$	521.55	Cameras	Security	Product
01564-001	01564-001	AXIS D2110-VE	AXIS D2110-VE Security Radar, 24.05–24.25 GHz, FMCW, for wall mounting outdoor. Reliable 180 degrees horizontal field of detection 24/7 with built-in analytics including classification of humans and vehicles. Complement to video surveillance enables filtering on distance, customized detection zones, and auto-tracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light source for deterrence. Open API for software integration, microSD/SDHC memory card slot for edge storage, 30W PoE out to power an additional device, 4 input/output ports, 24 V DC relay port. Powered by PoE+ (IEEE 802.3at, Type 2 Class 4) or DC 8-28V. IP66, IK08 and NEMA 4. Operating conditions -40°C to 60°C (-40°F to 140°F).	\$	1,799.00	Each	5%	\$	1,709.05	Cameras	Security	Product
02955-001	02955-001	AXIS D2210-VE Radar White	AXIS D2210-VE Security Radar. White front. 61.0–61.5 GHz, FMCW, for pole and wall mount. Reliable 95 degrees horizontal field of detection 24/7 with built-in analytics including classification of humans and vehicles. Optimized for both area monitoring and traffic monitoring. Complement to video surveillance enables filtering on distance, customized detection zones, Radar Autotracking and Radar Autotracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light source for deterrence. Integrated dynamic LEDs for deterrence. Open API for software integration, microSD/SDHC memory card slot for edge storage. 30W PoE out to power an additional device, 1 input and 1 output ports, 24 V DC. Powered by PoE (IEEE 802.3at, Type 3 Class 6) or DC 8-28V. IP66, IK08 and NEMA 4. Operating conditions -40°C to 60°C (-40°F to 140°F).	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product
02770-001	02770-001	AXIS D2210-VE Radar Black	AXIS D2210-VE Security Radar. Black front. 61.0–61.5 GHz, FMCW, for pole and wall mount. Reliable 95 degrees horizontal field of detection 24/7 with built-in analytics including classification of humans and vehicles. Optimized for both area monitoring and traffic monitoring. Complement to video surveillance enables filtering on distance, customized detection zones, Radar Autotracking and Radar Autotracking for PTZ cameras. Trigger events to activate camera recording, audio notification or light source for deterrence. Integrated dynamic LEDs for deterrence. Open API for software integration, microSD/SDHC memory card slot for edge storage. 30W PoE out to power an additional device, 1 input and 1 output ports, 24 V DC. Powered by PoE (IEEE 802.3at, Type 3 Class 6) or DC 8-28V. IP66, IK08 and NEMA 4. Operating conditions -40°C to 60°C (-40°F to 140°F).	\$	1,269.00	Each	5%	\$	1,205.55	Cameras	Security	Product
02101-004	02101-004	AXIS D8004 UNMANAGED POE SWITCH	AXIS D8004 Unmanaged PoE Switch is a 4 channel 10/100 Mbps PoE+ switch with plug & play installation. The unmanaged switch comes with a 60 W power budget and is perfect as an entry-level switch for small systems with PoE requirements.	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product

01449-001	01449-001	AXIS T8504-E OUTDOOR POE SWITCH	Outdoor 4-port managed PoE switch for surveillance applications. 4 PoE ports with up to 60W PoE per port and one SFP port for uplink. Robust metal enclosure with wide temperature range. IP67 and surge protection for demanding installations. Managed switch for remote configuration and management.	\$	1,379.00	Each	5%	\$	1,310.05	Cameras	Security	Product
01633-001	01633-001	AXIS T8504-R INDUSTRIAL POE SWITCH	AXIS T8504-R Industrial PoE Switch is a 4-port managed industrial PoE++ Gigabit switch. In addition, the switch is equipped with 2 x RJ45 and 2x SFP data ports that allows for extra devices to be connected. The switch uses the same intuitive administrator interface as AXIS T85 PoE Network Switch Series, is ruggedized with a wide temperature range and NEMA TS2 compliant.	\$	789.00	Each	5%	\$	749.55	Cameras	Security	Product
02621-001	02621-001	AXIS D8208-R INDUSTRIAL PoE++ SWITCH	AXIS D8208-R Industrial PoE Switch is a 8-port managed industrial PoE++ Gigabit switch. In addition, the switch is equipped with 2 x RJ45 and 2x SFP data ports that allows for extra devices to be connected. The switch uses the same intuitive administrator interface as AXIS T85 PoE Network Switch Series, is ruggedized with a wide temperature range and NEMA TS2 compliant.	\$	1,159.00	Each	5%	\$	1,101.05	Cameras	Security	Product
01191-004	01191-004	AXIS T8508 POE+ NETWORK SWITCH	PoE+ managed fanless gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 8 PoE+ ports with 130W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products	\$	479.00	Each	5%	\$	455.05	Cameras	Security	Product
02620-004	02620-004	AXIS D8248 MANAGED PoE++ SWITCH	This 48 port network switch is optimized for surveillance solutions. With a unique web graphic user interface, it offers a topology for easy overview and management of all devices in the system.	\$	1,999.00	Each	5%	\$	1,899.05	Cameras	Security	Product
03063-004	03063-004	AXIS D8308 Fiber Aggr Switch	Switch at aggregation level, instead of access (edge) level Fiber switch, no PoE with 8 SFP ports (SFP+ and SFP28) Long distance installations enabler.	\$	1,589.00	Each	5%	\$	1,509.55	Cameras	Security	Product
03069-001	03069-001	AXIS D6210 Air Quality Sensor	Axis first environment sensor, AXIS D6210 Air Quality Sensor Seamlessly add indoor air quality monitoring to compatible Axis devices	\$	399.00	Each	5%	\$	379.05	Cameras	Security	Product
03202-001	03202-001	AXIS D6310 Air Quality Sensor	All-in-one network connected indoor Air Quality Sensor Detect vaping and smoking and measure indoor air quality (IAQ) Easy to integrate and access data Four multicolor LED (red, yellow, green, blue) for sensor status and visual alerts Built-in network speaker for announcements, paging, pre-recorded messages Built-in microphone for hearing sound in the area and AXIS Audio Analytics Class 3 PoE passthrough for additional device (easily connect another IP device for lower TCO) PIR sensor for presence detection (detect whether someone is in the area) AXIS Audio Analytics (AI-based audio analytics for actionable insights included) Virtual stream – the dashboard will be streamed (e.g. to the VMS, media players, etc.) Vandal resistant (thanks to IK09-rating and tamper-resistant screws)	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
03037-001	03037-001	AXIS D3110 Mk II Connectivity Hub	D3110 Mk II, is an upgraded version of the D3110, with a better CPU, more processing power and future proof.	\$	459.00	Each	5%	\$	436.05	Cameras	Security	Product
0321-021	0321-021	AXIS P8221 BULK 10PCS	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies not included.	\$	4,009.00	Each	5%	\$	3,808.55	Cameras	Security	Product
02553-001	02553-001	AXIS T6101 MKII Audio and I/O Interface	AXIS T6101 MKII Audio and I/O Interface enabling external two-way audio and configurable supervised inputs / digital outputs for Axis cameras even when they do not have such functionality built-in. Powered by standard Power over Ethernet and PoE passthrough to camera. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$	139.00	Each	5%	\$	132.05	Cameras	Security	Product

02554-001	02554-001	AXIS T6112 MKII Audio and I/O Interface	AXIS T6112 MKII Audio and I/O Interface combines AXIS T6101 MKII Audio and I/O interface with two microphones in a discreet casing suitable for indoor installation on wall or ceiling. Powered by standard Power over Ethernet and PoE passthrough to camera. Two-way audio and configurable supervised inputs / digital outputs for Axis cameras even when they do not have such functionality built-in. Allows the connected camera to provide one stream for audio and video, without the need for any additional IP address.	\$ 189.00	Each	5%	\$ 179.55	Cameras	Security	Product
02126-001	02126-001	AXIS TW1100 Clip Mount 5P	AXIS TW1100 Clip Mount 5P 5 pack mount for the Klick Fast adaptor on the Axis body worn cameras. The clip mount is an easy to use, versatile mount suitable for many types of clothing.	\$ 119.00	Each	5%	\$ 113.05	Cameras	Security	Product
02129-001	02129-001	AXIS TW1103 Chest Harness Mount 5P	AXIS TW1103 Chest Harness Mount 5P 5 pack mount for the Klick Fast adaptor on the Axis body worn cameras. The chest harness mount holds the camera independent of choice of clothing.	\$ 199.00	Each	5%	\$ 189.05	Cameras	Security	Product
02437-001	02437-001	AXIS TW1104 MAGNET MOUNT 5P	5 pack mount for the Klick Fast adaptor on the Axis body worn cameras. The magnet mount is a rugged, versatile mount suitable for many types of clothing. This updated version perfectly follows the shape of the camera and has an improved stability to the camera.	\$ 469.00	Each	5%	\$ 445.55	Cameras	Security	Product
02689-001	02689-001	AXIS TW1106 Magnet Mount 5P	For flexible and light wearing of the AXIS W110 Body Worn Camera on any fabric. Comes in 5-pack.	\$ 139.00	Each	5%	\$ 132.05	Cameras	Security	Product
02690-001	02690-001	AXIS TW1107 Magnet Mount 5 pcs	AXIS W110 Body Worn Camera mount for secure wearing compatible with all Klick Fast mounts. Comes in 5-pack.	\$ 159.00	Each	5%	\$ 151.05	Cameras	Security	Product
02966-001	02966-001	AXIS TW1108 Screw-on Mount 5P	AXIS TW1108 Screw-on Mount offers secure mounting of the body worn camera on any type of garment. With four screws the front of the mount is screwed together with the back through the fabric of the garment. Sold in 5-pack.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
03218-021	03218-021	AXIS TW1109 Chest Harness 5 pcs	5 pack mount for the Klick Fast adaptor on the Axis body worn camera. The harness center mount holds the camera independent of choice of clothing. It features a large mount pad, centered on the body, and its elastic bands makes it easy to adjust and comfortable to wear.	\$ 369.00	Each	5%	\$ 350.55	Cameras	Security	Product
03219-001	03219-001	AXIS TW1110 MOLLE Mount 5 pcs	5 pack mount for the Klick Fast adaptor on the Axis body worn cameras. The MOLLE mount is especially suitable for the MOLLE system found on tactical equipment and such.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
01952-001	01952-001	AXIS TW1200 BW MINI BULLET SENSOR	As an accessory to the Axis body worn cameras the AXIS TW1200 Body Worn Mini Bullet Sensor is designed to offer a flexible recording position. It supports the Picatinny mounting system, making it compatible with many kinds of available gear, and especially suitable for helmets. AXIS TW1200 offers the same optical performance as the body worn camera with sharp images even in challenging conditions. Mounting options are included.	\$ 229.00	Each	5%	\$ 217.55	Cameras	Security	Product
02031-001	02031-001	AXIS TW1900 ADHESIVE PICATINNY RAIL 5P	5 pack adhesive picatinny rail to mount the AXIS TW1200 Body Worn Mini Bullet Sensor on general equipment.	\$ 73.00	Each	5%	\$ 69.35	Cameras	Security	Product
02030-001	02030-001	AXIS TW1901 CABLE HOLDER 5P	5 pack replacement cable holder to securely connect the AXIS TW1200 Body Worn Mini Bullet Sensor cable to the Axis body worn cameras.	\$ 36.00	Each	5%	\$ 34.20	Cameras	Security	Product
02032-001	02032-001	AXIS TW1902 LENS PROTECTOR 5P	5 pack replacement lens protector for AXIS TW1200 Body Worn Mini Bullet Sensor.	\$ 84.00	Each	5%	\$ 79.80	Cameras	Security	Product
02261-001	02261-001	AXIS TW1905 MINI CUBE MAGNET MOUNT 5P	5 pack mount for the AXIS TW1201 Body Worn Mini Cube Sensor. The magnet mount is a light and versatile mount suitable for many types of clothing and positions.	\$ 105.00	Each	5%	\$ 99.75	Cameras	Security	Product
02725-001	02725-001	AXIS TW1906 Battery Replacement Kit 5P	The AXIS 1906 Battery Replacement kit includes everything needed to safely replace the battery in the AXIS W100 Body Worn Camera or the AXIS W101 Body Worn Camera. Included in the kit are 5x replacement batteries, a plastic camera opening tool, a Torx T6 and spare screws.	\$ 419.00	Each	5%	\$ 398.05	Cameras	Security	Product
02958-001	02958-001	AXIS TW1908 Stud Mount 10 pcs	AXIS TW1908 Stud Mount is a sparepart for our body worn cameras using Klick Fast solution and is sold in 10-pack.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product
03209-001	03209-001	AXIS TW1909 Charging Adaptor	AXIS TW1909 Charging Adaptor enables quick and easy charging of AXIS W110 Body Worn Camera with a USB-C charger.	\$ 52.00	Each	5%	\$ 49.40	Cameras	Security	Product

			The AXIS TW8100 Rack Mount is an accessory that makes it possible to conveniently place multiple AXIS W800 System Controllers in a 19-inch rack. This mount therefore enables easy placement of the Axis body worn system's controllers in a server room with controlled physical access and operational environment. The TW8100 Rack Mount is flexible and allows both horizontal and vertical placement of devices. In horizontal placement, up to 2 pcs of W800 System Controller are supported and will occupy 2U in height. In vertical placement, up to 6 pcs of controllers are supported and will occupy only 5U in height. NB: Vertical mounting is only compatible with the AXIS W800 System Controller of revision 2 (R2).										
02321-001	02321-001	AXIS TW8100 RACK MOUNT		\$	179.00	Each	5%	\$	170.05	Cameras	Security	Product	
			AXIS W100 Body Worn Camera is an easy-to-use, lightweight and robust body worn camera with an operating time of over 12 hours at 1080p. It delivers sharp images even in challenging conditions and has dual microphones for excellent audio and noise suppression. AXIS W100 features the KlickFast System, making it compatible with most available mounting options, the TW1100 Clip Mount is included. In addition, Axis Zipstream technology allows users to store as much footage as they require without compromising image quality. The camera also features a GPS/GNSS receiver for location data, Bluetooth Low Energy 4.1, IEEE 802.11b/g/n, and a 6-axis gyro and accelerometer. Docking stations and system controller are sold separately.	\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product	
01722-001	01722-001	AXIS W100 BODY WORN CAMERA		\$	689.00	Each	5%	\$	654.55	Cameras	Security	Product	
			24 pack of AXIS W100 Body Worn Camera. Mounts, docking stations and system controller are sold separately.	\$	16,529.00	Each	5%	\$	15,702.55	Cameras	Security	Product	
01722-021	01722-021	AXIS W100 BODY WORN CAMERA 24P		\$	16,529.00	Each	5%	\$	15,702.55	Cameras	Security	Product	
			AXIS W101 Body Worn Camera is a robust and easy-to-use body worn camera featuring the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. Axis Zipstream technology lowers bandwidth and storage requirements without compromising video quality. AXIS W101 offers over 12 hours of battery time at 1080p and charging with any USB-C® charger. Recording is activated automatically upon unholstering and person down. And the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). Built-in Bluetooth®, and network technologies provide wireless communication with, for example, the AXIS Body Worn Assistant mobile app. TW1100 Clip Mount included; docking stations and system controller are sold separately.	\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product	
02258-001	02258-001	AXIS W101 BODY WORN CAMERA BLACK		\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product	
			AXIS W101 Body Worn Camera is a robust and easy-to-use body worn camera featuring the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. Axis Zipstream technology lowers bandwidth and storage requirements without compromising video quality. AXIS W101 offers over 12 hours of battery time at 1080p and charging with any USB-C® charger. Recording is activated automatically upon unholstering and person down. And the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). Built-in Bluetooth®, and network technologies provide wireless communication with, for example, the AXIS Body Worn Assistant mobile app. TW1100 Clip Mount included; docking stations and system controller are sold separately.	\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product	
02258-001	02258-001	AXIS W101 BODY WORN CAMERA WHITE		\$	739.00	Each	5%	\$	702.05	Cameras	Security	Product	

02785-004	02785-004	AXIS W102 Body Worn Camera Black	AXIS W102 features inbuilt WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. Its LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W102 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking).	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product
02785-024	02785-024	AXIS W102 Black 5 pcs	AXIS W102 features inbuilt WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. Its LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W102 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). 5-pack.	\$	3,989.00	Each	5%	\$	3,789.55	Cameras	Security	Product
02785-054	02785-054	AXIS W102 Black 24 pcs	AXIS W102 features inbuilt WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. Its LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W102 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). 24-pack.	\$	19,169.00	Each	5%	\$	18,210.55	Cameras	Security	Product
02786-004	02786-004	AXIS W102 Body Worn Camera White	AXIS W102 features inbuilt WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. Its LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W102 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking).	\$	799.00	Each	5%	\$	759.05	Cameras	Security	Product
02258-021	02258-021	AXIS W101 BODY WORN CAMERA BLK 24P	24 pack of AXIS W101 Body Worn Camera, Black. Mounts, docking stations and system controller are sold separately.	\$	17,729.00	Each	5%	\$	16,842.55	Cameras	Security	Product
02644-004	02644-004	AXIS W110 BODY WORN CAMERA GRAY	AXIS W110 Body Worn Camera is made for a safer workplace and is used to deter, protect, and document events. It's sleek and friendly design opens for use in all segments outside law enforcement. With a compact formfactor and low weight together with innovative mounts using strong magnets for flexible mounting. AXIS W110 offers excellent image and audio quality with exceedingly sharp images and clear audio for forensic usability. Built-in Bluetooth®, and network technologies provide wireless communication with, for example, live streaming with AXIS Body Worn Live or the AXIS Body Worn Assistant mobile app. Recording can be activated automatically using Bluetooth® beacons.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product

02644-024	02644-024	AXIS W110 Gray 5 pcs	AXIS W110 Body Worn Camera is made for a safer workplace and is used to deter, protect, and document events. It's sleek and friendly design opens for use in all segments outside law enforcement. With a compact formfactor and low weight together with innovative mounts using strong magnets for flexible mounting. AXIS W110 offers excellent image and audio quality with exceedingly sharp images and clear audio for forensic usability. Built-in Bluetooth®, and network technologies provide wireless communication with, for example, live streaming with AXIS Body Worn Live or the AXIS Body Worn Assistant mobile app. Recording can be activated automatically using Bluetooth® beacons.	\$	3,139.00	Each	5%	\$	2,982.05	Cameras	Security	Product
02680-004	02680-004	AXIS W110 BODY WORN CAMERA BLACK	AXIS W110 Body Worn Camera is made for a safer workplace and is used to deter, protect, and document events. It's sleek and friendly design opens for use in all segments outside law enforcement. With a compact formfactor and low weight together with innovative mounts using strong magnets for flexible mounting. AXIS W110 offers excellent image and audio quality with exceedingly sharp images and clear audio for forensic usability. Built-in Bluetooth®, and network technologies provide wireless communication with, for example, live streaming with AXIS Body Worn Live or the AXIS Body Worn Assistant mobile app. Recording can be activated automatically using Bluetooth® beacons.	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
02680-024	02680-024	AXIS W110 Black 5 pcs	AXIS W110 Body Worn Camera is made for a safer workplace and is used to deter, protect, and document events. It's sleek and friendly design opens for use in all segments outside law enforcement. With a compact formfactor and low weight together with innovative mounts using strong magnets for flexible mounting. AXIS W110 offers excellent image and audio quality with exceedingly sharp images and clear audio for forensic usability. Built-in Bluetooth®, and network technologies provide wireless communication with, for example, live streaming with AXIS Body Worn Live or the AXIS Body Worn Assistant mobile app. Recording can be activated automatically using Bluetooth® beacons.	\$	3,139.00	Each	5%	\$	2,982.05	Cameras	Security	Product
02583-004	02583-004	AXIS W120 Body Worn Camera Black	AXIS W120 Body Worn Camera is our first fully connected wearable camera. It features inbuilt LTE modem, WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. It's LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W120 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking).	\$	899.00	Each	5%	\$	854.05	Cameras	Security	Product
02583-054	02583-054	AXIS W120 Black 5 pcs	AXIS W120 Body Worn Camera is our first fully connected wearable camera. It features inbuilt LTE modem, WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. It's LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W120 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). 5-pack.	\$	4,489.00	Each	5%	\$	4,264.55	Cameras	Security	Product

02583-024	02583-024	AXIS W120 Black 24 pcs	<p>AXIS W120 Body Worn Camera is our first fully connected wearable camera. It features inbuilt LTE modem, WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. It's LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W120 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking). 24-pack.</p>	\$	21,569.00	Each	5%	\$	20,490.55	Cameras	Security	Product
02681-004	02681-004	AXIS W120 Body Worn Camera White	<p>AXIS W120 Body Worn Camera is our first fully connected wearable camera. It features inbuilt LTE modem, WiFi and Bluetooth®, enabling direct streaming of video and audio with AXIS Body Worn Live. It's LCD screen provides the wearer with detailed status information. It is robust and easy-to-use, and features the KlickFast mounting system. It delivers clear audio with noise suppression and exceedingly sharp images in every frame. And Electronic Image Stabilization guarantees highest forensic value. AXIS W120 offers up to 12.5 hours of battery time at 1080p and it is possible to charge on the go with any USB-C® charger. Recording can be automatically activated upon unholstering, and the location of the camera is continuously recorded with the built-in GNSS receiver (location tracking).</p>	\$	899.00	Each	5%	\$	854.05	Cameras	Security	Product
02724-001	02724-001	AXIS Body Worn Live	<p>1-year license for AXIS Body Worn Live, used to stream live video, audio and metadata from our body worn cameras. Secure and reliable, it supports informed decision making by operators and provides an added sense of safety for the camera wearers. AXIS Body Worn Live has several layers of security and the transmission is protected by full end-to-end encryption, ensuring that customer owns their encryption keys. It offers 24-hour data retention, and stream gap retrieval ensures that the customer never miss a thing despite any temporary connection dropout. Being a web-based application it's compatible with PCs, tablets and Android mobile devices and works independently of the user's choice of video or evidence management system. Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
02084-001	02084-001	AXIS Case Insight US 1year BWC Lic	<p>AXIS Case Insight securely gathers evidence in an easy-to-manage, centralized location. All types of digital evidence can be uploaded and it's easy to collaborate with internal investigators and share information externally. With automatic redaction of faces, it's easy to protect sensitive information and ensure the public's privacy remains intact. Designed with cybersecurity in mind, it offers end-to-end encryption of videos from the AXIS W100 Body Worn Camera. Audit trail functionality records every change made to the files ensuring your evidence can hold up in court. This end-to-end solution with integration possibilities automatically collects evidence from Axis body worn cameras. Furthermore, with all hardware, software, and hosting from Axis, users can benefit from one, complete solution from one, trusted supplier. Includes access and unlimited storage for Body Worn Camera videos from one camera during one year. Additional storage for other evidence are sold separately. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product

02291-001	02291-001	AXIS Case Insight US 1y Storage 1TB	<p>NB: Only for existing Case Insight users. Case Insight Additional Storage provides 1 TB of storage in AXIS Case Insight for non-body worn digital evidence material during one year. This could be almost any video file, image file or even document. Such material is either uploaded from inside Case Insight or through a Public Upload portal from anyone with a mobile phone. All digital evidence material can efficiently be organized in cases and easily shared both internally and externally. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product
02287-001	02287-001	AXIS Case Insight USGOV 1year BWC Lic	<p>NB: For customers requiring CJIS storage AXIS Case Insight securely gathers evidence in an easy-to-manage, centralized location. All types of digital evidence can be uploaded and it's easy to collaborate with internal investigators and share information externally. With automatic redaction of faces, it's easy to protect sensitive information and ensure the public's privacy remains intact. Designed with cybersecurity in mind, it offers end-to-end encryption of videos from the AXIS W100 Body Worn Camera. Audit trail functionality records every change made to the files ensuring your evidence can hold up in court. This end-to-end solution with integration possibilities automatically collects evidence from Axis body worn cameras. Furthermore, with all hardware, software, and hosting from Axis, users can benefit from one, complete solution from one, trusted supplier. Includes access and unlimited storage for Body Worn Camera videos from one camera during one year. Additional storage for other evidence are sold separately. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product
02294-001	02294-001	AXIS Case Insight USGOV 1y Storage 1TB	<p>NB: For customers requiring CJIS storage NB: Only for existing Case Insight users Case Insight Additional Storage provides 1 TB of storage in AXIS Case Insight for non-body worn digital evidence material during one year. This could be almost any video file, image file or even document. Such material is either uploaded from inside Case Insight or through a Public Upload portal from anyone with a mobile phone. All digital evidence material can efficiently be organized in cases and easily shared both internally and externally. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product
02295-001	02295-001	AXIS Case Insight CA 1year BWC Lic	<p>NB: For users in Canada AXIS Case Insight securely gathers evidence in an easy-to-manage, centralized location. All types of digital evidence can be uploaded and it's easy to collaborate with internal investigators and share information externally. With automatic redaction of faces, it's easy to protect sensitive information and ensure the public's privacy remains intact. Designed with cybersecurity in mind, it offers end-to-end encryption of videos from the AXIS W100 Body Worn Camera. Audit trail functionality records every change made to the files ensuring your evidence can hold up in court. This end-to-end solution with integration possibilities automatically collects evidence from Axis body worn cameras. Furthermore, with all hardware, software, and hosting from Axis, users can benefit from one, complete solution from one, trusted supplier. Includes access and unlimited storage for Body Worn Camera videos from one camera during one year. Additional storage for other evidence are sold separately. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$ 999.00	Each	5%	\$ 949.05	Cameras	Security	Product

			<p>NB: For users in Canada NB: Only for existing Case Insight users. Case Insight Additional Storage provides 1 TB of storage in AXIS Case Insight for non-body worn digital evidence material during one year. This could be almost any video file, image file or even document. Such material is either uploaded from inside Case Insight or through a Public Upload portal from anyone with a mobile phone. All digital evidence material can efficiently be organized in cases and easily shared both internally and externally. NB: A reference key is required to place an order. Please go to https://axis.com/bodyworn-registration</p>	\$	999.00	Each	5%	\$	949.05	Cameras	Security	Product
02297-001	02297-001	AXIS Case Insight CA 1y Storage 1TB										
			<p>1-year license for AXIS Body Worn Manager Pro, a windows software to take control of, manage and track several body worn systems. Allowing for more advanced features and large installations to be deployed and maintained easily. AXIS Body Worn Manager Pro also comes with Active Directory integration for easy maintenance of large wearer groups. Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	209.00	Each	5%	\$	198.55	Cameras	Security	Product
02749-001	02749-001	AXIS Body Worn Manager Pro										
			<p>1-year license for AXIS Body Worn Live Self-hosted, used to stream live video, audio and metadata from our body worn cameras. Secure and reliable, it supports informed decision making by operators and provides an added sense of safety for the camera wearers. AXIS Body Worn Live Self-hosted is hosted locally either by the customer or integrator in their own environment. It offers very low latency, dynamic bitrate and the possibility to be used directly in a video management system. Delivered as eLicense key. One license key per order line. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$	29.00	Each	5%	\$	27.55	Cameras	Security	Product
03080-001	03080-001	AXIS Body Worn Live Self-hosted										
			<p>AXIS W800 System Controller is the central integration and management point of the body worn solution. It ensures a high speed and supervised data offloading from the cameras and has built in temporary storage. A single AXIS W800 supports up to five docking stations and 40 cameras and larger body worn systems can easily be extended with additional system controllers. Power adaptor and mounting bracket are included.</p>	\$	1,279.00	Each	5%	\$	1,215.05	Cameras	Security	Product
01964-004	01964-004	AXIS W800 SYSTEM CONTROLLER										
			<p>AXIS W700 MkII Docking Station 1 Bay charges the battery and ensures easy data offloading of a single body worn camera. Power adaptor included.</p>	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
02969-004	02969-004	AXIS W700 Mk II DOCKING STATION 1 BAY										
			<p>AXIS W701 MkII Docking Station 8 Bay charges the batteries and ensures easy data offloading of up to eight body worn cameras. Power adaptor included.</p>	\$	639.00	Each	5%	\$	607.05	Cameras	Security	Product
02970-004	02970-004	AXIS W701 MkII DOCKING STATION 8 BAY										
			<p>AXIS W702 Docking Station 1 Bay charges the battery and ensures easy data offloading of a single AXIS W110 body worn camera. Power adaptor included.</p>	\$	119.00	Each	5%	\$	113.05	Cameras	Security	Product
02645-004	02645-004	AXIS W702 DOCKING STATION 1 BAY										
			<p>AXIS W703 Docking Station 8 Bay charges the batteries and ensures easy data offloading of up to eight AXIS W110 body worn cameras. Power adaptor included.</p>	\$	629.00	Each	5%	\$	597.55	Cameras	Security	Product
02646-004	02646-004	AXIS W703 DOCKING STATION 8 BAY										
			<p>AXIS W401 Body Worn Activation Kit, with its small, streamlined form, this device fits seamlessly into tight spaces, simplifying installation wherever space is limited. It allows for automatic activation of recording on all body worn cameras within the same system, triggered by I/O inputs such as lightbar or siren activation, a panic button press, fire alarms, or any MQTT events—ensuring critical moments are always captured during escalated incidents.</p>	\$	429.00	Each	5%	\$	407.55	Cameras	Security	Product
03077-004	03077-004	AXIS W401 Body Worn Activation Kit										